

Sample Name: **Green Crack CBD Average**  
 Tested for: **OM Extracts**  
**Compliance Extract**

Laboratory ID: 19A0112-13

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000010757

Lot # NA

Date Sampled: 01/29/19 00:00

Batch RFID: 1A4010300014ADD000010756

Date Accepted: 01/29/19

Batch Size: 1399 (g)




## Potency Analysis

Date Extracted: 01/30/19

Analysis Method/SOP: Potency

Date Analyzed: 01/31/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC</b> ((THCA*0.877)+d9)	27.77	277.7	0.15	
<b>Total CBD</b> ((CBDA*0.877)+CBD)	34.36	343.6	0.15	
d9-THC (d9-Tetrahydrocannabinol)*	14.26	142.6	0.15	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.20	
THCA (d9-Tetrahydrocannabinolic Acid)*	15.41	154.1	0.30	
CBD (Cannabidiol)*	6.40	64	0.15	
CBDA (Cannabidiolic Acid)*	31.88	318.8	0.30	
CBN (Cannabinol)*	0.19	1.9	0.15	
CBG (Cannabigerol)*	0.47	4.7	0.20	
CBGA (Cannabigerolic Acid)	1.47	14.7	0.20	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.20	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.20	
CBC (Cannabichromene)*	0.59	5.9	0.20	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.20	
<b>Total Cannabinoids</b>	70.67	706.7	0.15	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Green Crack CBD Average</b>	Date Sampled: <b>01/29/19 00:00</b>
Tested for: <b>OM Extracts</b>	Date Accepted: <b>01/29/19</b>
<b>Compliance Extract</b>	
Laboratory ID: <b>19A0112-13</b>	Sample Metrc ID: <b>1A4010300014ADD000010757</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300014ADD000010756</b>
Lot # <b>NA</b>	Batch Size: <b>1399 (g)</b>

### Terpene Analysis

Date Extracted: 01/30/19 Analysis Method/SOP: Terpenes  
Date Analyzed: 01/31/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.183	0.100	Myrcene	0.928	0.100
alpha Phellandrene	< LOQ	0.100	3-Carene	< LOQ	0.100
alpha Terpinene	< LOQ	0.100	Limonene	0.273	0.100
Terpinolene	< LOQ	0.100	Linalool	0.136	0.100
Fenchol	< LOQ	0.100	Borneol	< LOQ	0.100
Terpineol	< LOQ	0.100	Geraniol	< LOQ	0.100
alpha Humulene	0.270	0.100	beta Caryophyllene	0.753	0.100
Caryophyllene Oxide	< LOQ	0.100	alpha Bisabolol	0.451	0.100
Camphene	< LOQ	0.100	beta Pinene	< LOQ	0.100
Ocimene	< LOQ	0.100	Sabinene	< LOQ	0.100
Camphor	< LOQ	0.100	Isoborneol	< LOQ	0.100
Menthol	< LOQ	0.100	alpha Cedrene	< LOQ	0.100
Nerolidol	< LOQ	0.100	R-(+)-Pulegone	< LOQ	0.100
Eucalyptol	< LOQ	0.100	p-Cymene	< LOQ	0.100
(-)-Isopulegol	< LOQ	0.100	Geranyl Acetate	< LOQ	0.100
Guaiol	0.172	0.100	Valencene	< LOQ	0.100
Phytol	< LOQ	0.100	Citronellol	< LOQ	0.100
gamma-Terpinene	< LOQ	0.100			
			<b>Total Terpenes</b>	<b>3.168 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
Terpene Analysis is not ORELAP Accredited.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Green Crack CBD Ave**

Date Sampled: **01/29/19 00:00**

Tested for: **OM Extracts**

Date Accepted: **01/29/19 19:08**


**Compliance Extract**

Laboratory ID: **19A0112-13**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000010757**

**Terpene Profile**



*Brian Weigel*  
 Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Green Crack CBD Average** Date Sampled: **01/29/19 00:00**  
 Tested for: **OM Extracts** Date Accepted: **01/29/19**  
**Compliance Extract**

Laboratory ID: **19A0112-13** Sample Metrc ID: **1A4010300014ADD000010757**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000010756**  
 Lot # **NA** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 01/31/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 01/31/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.250	Acephate	< LOQ	0.4	0.200
Acequinocyl	< LOQ	2	1.00	Acetamiprid	< LOQ	0.2	0.100
Aldicarb	< LOQ	0.4	0.200	Azoxystrobin	< LOQ	0.2	0.100
Bifenazate	< LOQ	0.2	0.100	Bifenthrin	< LOQ	0.2	0.100
Boscalid	< LOQ	0.4	0.200	Carbaryl	< LOQ	0.2	0.100
Carbofuran	< LOQ	0.2	0.100	Chlorantraniliprole	< LOQ	0.2	0.100
Chlorfenapyr	< LOQ	1	0.500	Chlorpyrifos	< LOQ	0.2	0.100
Clofentezine	< LOQ	0.2	0.100	Cyfluthrin	< LOQ	1	0.500
Cypermethrin	< LOQ	1	0.500	Daminozide	< LOQ	1	0.500
DDVP (Dichlorvos)	< LOQ	1	0.500	Diazinon	< LOQ	0.2	0.100
Dimethoate	< LOQ	0.2	0.100	Ethoprophos	< LOQ	0.2	0.100
Etofenprox	< LOQ	0.4	0.200	Etoxazole	< LOQ	0.2	0.100
Fenoxycarb	< LOQ	0.2	0.100	Fenpyroximate	< LOQ	0.4	0.200
Fipronil	< LOQ	0.4	0.200	Fonicamid	< LOQ	1	0.500
Fludioxonil	< LOQ	0.4	0.200	Hexythiazox	< LOQ	1	0.500
Imazalil	< LOQ	0.2	0.100	Imidacloprid	< LOQ	0.4	0.200
Kresoxim-methyl	< LOQ	0.4	0.200	Malathion	< LOQ	0.2	0.100
Metalaxyl	< LOQ	0.2	0.100	Methiocarb	< LOQ	0.2	0.100
Methomyl	< LOQ	0.4	0.200	Methyl parathion	< LOQ	0.2	0.100
MGK-264	< LOQ	0.2	0.100	Myclobutanil	< LOQ	0.2	0.100
Naled	< LOQ	0.5	0.250	Oxamyl	< LOQ	1	0.500
Paclobutrazol	< LOQ	0.4	0.200	Permethrins (total)	< LOQ	0.2	0.100
Phosmet	< LOQ	0.2	0.100	Piperonyl butoxide	< LOQ	2	0.500
Prallethrin	< LOQ	0.2	0.100	Propiconazole	< LOQ	0.4	0.200
Propoxur	< LOQ	0.2	0.100	Pyrethrins (total)	< LOQ	1	0.500
Pyridaben	< LOQ	0.2	0.100	Spinosad	< LOQ	0.2	0.100
Spiromesifen	< LOQ	0.2	0.100	Spirotetramat	< LOQ	0.2	0.100
Spiroxamine	< LOQ	0.4	0.200	Tebuconazole	< LOQ	0.4	0.200
Thiacloprid	< LOQ	0.2	0.100	Thiamethoxam	< LOQ	0.2	0.100
Trifloxystrobin	< LOQ	0.2	0.100				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Green Crack CBD Average** Date Sampled: **01/29/19 00:00**  
 Tested for: **OM Extracts** Date Accepted: **01/29/19**  
**Compliance Extract**

Laboratory ID: **19A0112-13** Sample Metric ID: **1A4010300014ADD000010757**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000010756**  
 Lot # **NA** Batch Size: **1399 (g)**

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 01/30/19
1,4-Dioxane	< LOQ	380	190	Date Analyzed: 01/31/19
2-Butanol	< LOQ	5000	2500	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	80.0	
2-Propanol (IPA)	< LOQ	5000	2500	
Acetone	< LOQ	5000	2500	
Acetonitrile	< LOQ	400	205	
Benzene	< LOQ	2	1.00	
Butanes	< LOQ	5000	2500	
Cyclohexane	< LOQ	3880	1940	
Dichloromethane (methylene chloride)	< LOQ	600	300	
Ethyl acetate	< LOQ	5000	2500	
Ethyl ether	< LOQ	5000	2500	
Ethylbenzene	< LOQ	2170	1080	
Ethylene glycol	< LOQ	620	310	
Ethylene oxide	< LOQ	50	25.0	
Heptane	< LOQ	5000	2500	
Hexanes	< LOQ	290	145	
Isopropyl acetate	< LOQ	5000	2500	
Isopropylbenzene (cumene)	< LOQ	70	35.0	
Methanol	< LOQ	3000	1500	
Pentanes	< LOQ	5000	2500	
Propane	< LOQ	5000	2500	
Tetrahydrofuran	< LOQ	720	360	
Toluene	< LOQ	890	445	
Xylenes	< LOQ	2170	1080	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

**Case Narrative**

**Residual Solvents** - Isopropylbenzene above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte below the reporting limit in all client samples.

Ethylene glycol above normally accepted recovery criteria in the Blank Spike. Analyte below reporting limit in all client samples.

**Quality Control  
Potency**

**Batch: B190155 - Potency/Terpenes**

Blank(B190155-BLK1)		Extracted - 01/30/19 15:04 Analyzed - 01/30/19 23:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B190155-DUP1)		Extracted - 01/30/19 15:04 Analyzed - 01/30/19 23:13						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	14.31	%		14.43			0.821	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	6.43	%		6.46			0.552	20
CBDA (Cannabidiolic Acid)	32.07	%		32.26			0.603	20
CBN (Cannabinol)	0.19	%		0.20			2.93	20
CBG (Cannabigerol)	0.47	%		0.47			0.0591	20
CBGA (Cannabigerolic Acid)	1.49	%		1.50			0.772	20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B190155 - Potency/Terpenes (Continued)**

Duplicate(B190155-DUP1)		Extracted - 01/30/19 15:04		Analyzed - 01/30/19 23:13				
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	0.13	%		0.14			10.1	20
CBC (Cannabichromene)	0.59	%		0.59			0.188	20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B190155-BS1)		Extracted - 01/30/19 15:04		Analyzed - 01/30/19 22:56				
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.19	%	0.200		96.6	80-120		
CBD (Cannabidiol)	0.19	%	0.200		96.2	80-120		
CBDA (Cannabidiolic Acid)	0.19	%	0.200		97.0	80-120		
CBN (Cannabinol)	0.18	%	0.200		88.7	80-120		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B190154 - Pesticide Prep**

Blank(B190154-BLK1)		Extracted - 01/31/19 13:00 Analyzed - 01/31/19 21:52						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190154 - Pesticide Prep (Continued)**

Blank(B190154-BLK1)			Extracted - 01/31/19 13:00 Analyzed - 01/31/19 21:52					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Pacllobutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B190154-BS1)			Extracted - 01/31/19 13:00 Analyzed - 01/31/19 22:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.44	ppm	0.980		147	15-150		
Acephate	0.95	ppm	1.00		95.2	51-141		
Acequinocyl	0.45	ppm	1.00		45.2	24-84		
Acetamiprid	0.94	ppm	1.00		93.6	50-150		
Aldicarb	0.98	ppm	1.00		98.0	49-146		
Azoxystrobin	0.86	ppm	1.00		85.9	52-136		
Bifenazate	0.89	ppm	1.00		89.0	41-133		
Bifenthrin	0.83	ppm	1.00		82.7	22-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

Batch: B190154 - Pesticide Prep (Continued)

LCS(B190154-BS1)		Extracted - 01/31/19 13:00 Analyzed - 01/31/19 22:08						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	0.83	ppm	1.00		83.0	29-144		
Carbaryl	0.91	ppm	1.00		90.8	61-127		
Carbofuran	0.94	ppm	1.00		93.7	62-136		
Chlorantraniliprole	0.92	ppm	1.00		92.0	41-150		
Chlorfenapyr	0.97	ppm	1.00		97.2	23-143		
Chlorpyrifos	0.84	ppm	1.00		84.3	29-124		
Clofentezine	0.85	ppm	1.00		84.9	40-127		
Cyfluthrin	0.91	ppm	1.00		90.6	32-147		
Cypermethrin	0.86	ppm	1.00		86.5	21-144		
Daminozide	0.31	ppm	1.00		31.2	15-91		
DDVP (Dichlorvos)	0.91	ppm	1.00		90.7	55-150		
Diazinon	0.84	ppm	1.00		84.3	43-127		
Dimethoate	0.96	ppm	1.00		96.4	62-136		
Ethoprophos	0.82	ppm	1.00		82.5	45-142		
Etofenprox	0.73	ppm	1.00		73.3	24-113		
Etoxazole	0.80	ppm	1.00		80.4	34-121		
Fenoxycarb	0.86	ppm	1.00		86.4	22-150		
Fenpyroximate	0.77	ppm	1.00		76.7	34-144		
Fipronil	0.90	ppm	1.00		89.9	25-149		
Flonicamid	1.13	ppm	1.00		113	53-144		
Fludioxonil	2.29	ppm	1.00		229	29-132		
Hexythiazox	0.75	ppm	1.00		74.7	22-111		
Imazalil	0.76	ppm	1.00		76.4	48-125		
Imidacloprid	0.82	ppm	1.00		82.4	41-150		
Kresoxim-methyl	0.89	ppm	1.00		89.5	43-140		
Malathion	0.90	ppm	1.00		90.3	25-148		
Metalaxyl	0.86	ppm	1.00		86.4	50-136		
Methiocarb	0.85	ppm	1.00		84.6	56-132		
Methomyl	1.13	ppm	1.00		113	40-150		
Methyl parathion	0.99	ppm	1.00		99.0	15-150		
MGK-264	0.48	ppm	0.630		75.9	32-134		
Myclobutanil	0.84	ppm	1.00		84.0	43-141		
Naled	0.86	ppm	1.00		86.4	15-136		
Oxamyl	1.08	ppm	1.00		108	56-133		
Paclobutrazol	0.84	ppm	1.00		84.0	34-143		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190154 - Pesticide Prep (Continued)**

LCS(B190154-BS1)		Extracted - 01/31/19 13:00 Analyzed - 01/31/19 22:08						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	0.70	ppm				31-113		
Phosmet	0.93	ppm	1.00		92.7	53-124		
Piperonyl butoxide	0.85	ppm	1.00		84.8	39-128		
Prallethrin	0.90	ppm	1.00		89.5	43-140		
Propiconazole	0.88	ppm	1.00		88.3	47-124		
Propoxur	0.92	ppm	1.00		91.9	63-135		
Pyrethrins (total)	0.55	ppm				19-144		
Pyridaben	0.72	ppm	1.00		71.7	31-122		
Spinosad	0.51	ppm	0.820		62.3	24-147		
Spiromesifen	0.76	ppm	1.00		76.4	49-133		
Spirotetramat	0.82	ppm	1.00		82.4	29-150		
Spiroxamine	0.34	ppm	0.550		62.2	15-122		
Tebuconazole	0.80	ppm	1.00		79.6	40-133		
Thiacloprid	0.81	ppm	1.00		80.8	60-143		
Thiamethoxam	1.09	ppm	1.00		109	42-146		
Trifloxystrobin	0.88	ppm	1.00		88.3	41-148		

LCS Dup(B190154-BSD1)		Extracted - 01/31/19 13:00 Analyzed - 01/31/19 22:24						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.11	ppm	0.980		113	15-150	25.6	30
Acephate	0.95	ppm	1.00		94.9	51-141	0.254	30
Acequinocyl	0.49	ppm	1.00		48.8	24-84	7.60	30
Acetamiprid	0.95	ppm	1.00		95.1	50-150	1.53	30
Aldicarb	0.99	ppm	1.00		98.9	49-146	0.934	30
Azoxystrobin	0.84	ppm	1.00		84.2	52-136	1.95	30
Bifenazate	0.87	ppm	1.00		87.4	41-133	1.88	30
Bifenthrin	0.80	ppm	1.00		80.0	22-130	3.30	30
Boscalid	0.81	ppm	1.00		80.6	29-144	2.96	30
Carbaryl	0.88	ppm	1.00		88.3	61-127	2.80	30
Carbofuran	0.96	ppm	1.00		95.9	62-136	2.36	30
Chlorantraniliprole	0.95	ppm	1.00		95.1	41-150	3.34	30
Chlorfenapyr	0.83	ppm	1.00		82.5	23-143	16.3	30
Chlorpyrifos	0.81	ppm	1.00		81.1	29-124	3.95	30
Clofentezine	0.83	ppm	1.00		82.6	40-127	2.76	30
Cyfluthrin	0.90	ppm	1.00		89.9	32-147	0.685	30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190154 - Pesticide Prep (Continued)**

LCS Dup(B190154-BSD1)		Extracted - 01/31/19 13:00 Analyzed - 01/31/19 22:24						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	0.87	ppm	1.00		87.2	21-144	0.845	30
Daminozide	0.41	ppm	1.00		40.5	15-91	26.1	30
DDVP (Dichlorvos)	0.97	ppm	1.00		96.6	55-150	6.28	30
Diazinon	0.84	ppm	1.00		84.2	43-127	0.0936	30
Dimethoate	0.95	ppm	1.00		94.8	62-136	1.62	30
Ethoprophos	0.81	ppm	1.00		80.6	45-142	2.30	30
Etofenprox	0.70	ppm	1.00		70.0	24-113	4.52	30
Etoxazole	0.77	ppm	1.00		76.6	34-121	4.80	30
Fenoxycarb	0.81	ppm	1.00		80.8	22-150	6.68	30
Fenpyroximate	0.73	ppm	1.00		72.7	34-144	5.28	30
Fipronil	0.88	ppm	1.00		87.6	25-149	2.61	30
Flonicamid	1.11	ppm	1.00		111	53-144	1.74	30
Fludioxonil	1.84	ppm	1.00		184	29-132	21.6	30
Hexythiazox	0.70	ppm	1.00		70.4	22-111	5.83	30
Imazalil	0.74	ppm	1.00		73.9	48-125	3.30	30
Imidacloprid	0.91	ppm	1.00		90.7	41-150	9.68	30
Kresoxim-methyl	0.87	ppm	1.00		87.3	43-140	2.46	30
Malathion	0.89	ppm	1.00		88.8	25-148	1.72	30
Metalaxyl	0.85	ppm	1.00		84.7	50-136	1.96	30
Methiocarb	0.84	ppm	1.00		84.3	56-132	0.408	30
Methomyl	1.12	ppm	1.00		112	40-150	0.612	30
Methyl parathion	0.89	ppm	1.00		88.7	15-150	11.0	30
MGK-264	0.46	ppm	0.630		72.7	32-134	4.33	30
Myclobutanil	0.80	ppm	1.00		80.3	43-141	4.53	30
Naled	0.74	ppm	1.00		73.7	15-136	15.9	30
Oxamyl	1.09	ppm	1.00		109	56-133	0.572	30
Paclobutrazol	0.84	ppm	1.00		83.6	34-143	0.410	30
Permethrins (total)	0.67	ppm				31-113		30
Phosmet	0.88	ppm	1.00		88.3	53-124	4.87	30
Piperonyl butoxide	0.83	ppm	1.00		82.9	39-128	2.24	30
Prallethrin	0.87	ppm	1.00		87.3	43-140	2.53	30
Propiconazole	0.87	ppm	1.00		87.3	47-124	1.15	30
Propoxur	0.93	ppm	1.00		92.8	63-135	0.947	30
Pyrethrins (total)	0.53	ppm				19-144		30
Pyridaben	0.70	ppm	1.00		69.9	31-122	2.67	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

**Batch: B190154 - Pesticide Prep (Continued)**

LCS Dup(B190154-BSD1)		Extracted - 01/31/19 13:00 Analyzed - 01/31/19 22:24						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	0.51	ppm	0.820		62.8	24-147	0.817	30
Spiromesifen	0.73	ppm	1.00		72.7	49-133	4.97	30
Spirotetramat	0.81	ppm	1.00		80.8	29-150	2.06	30
Spiroxamine	0.34	ppm	0.550		62.4	15-122	0.329	30
Tebuconazole	0.80	ppm	1.00		79.8	40-133	0.186	30
Thiacloprid	0.83	ppm	1.00		83.0	60-143	2.67	30
Thiamethoxam	1.07	ppm	1.00		107	42-146	1.97	30
Trifloxystrobin	0.87	ppm	1.00		86.9	41-148	1.59	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis

Batch: B190153 - Residual Solvent Prep

Blank(B190153-BLK1)			Extracted - 01/30/19 15:01 Analyzed - 01/31/19 13:59					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B190153-BS1)			Extracted - 01/30/19 15:01 Analyzed - 01/31/19 12:55					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	551	ug/g	570		96.7	70-130		
2,2-Dimethylbutane	424	ug/g	435		97.6	70-130		
2-Butanol	3760	ug/g	3500		108	70-130		
2-Ethoxyethanol	271	ug/g	240		113	70-130		
2-Methylbutane (isopentane)	3130	ug/g	3500		89.6	70-130		
2-Methylpentane/2,3-Dimethylbutane	882	ug/g	870		101	70-130		
2-Propanol (IPA)	3880	ug/g	3500		111	70-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B190153 - Residual Solvent Prep (Continued)**

LCS(B190153-BS1)		Extracted - 01/30/19 15:01 Analyzed - 01/31/19 12:55						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
3-Methylpentane	434	ug/g	435		99.9	70-130		
Acetone	3690	ug/g	3500		105	70-130		
Acetonitrile	664	ug/g	615		108	70-130		
Benzene	2.90	ug/g	3.00		96.7	70-130		
Cyclohexane	5680	ug/g	5820		97.4	70-130		
Dichloromethane (methylene chloride)	970	ug/g	900		108	70-130		
Ethyl acetate	3600	ug/g	3500		103	70-130		
Ethyl ether	3400	ug/g	3500		97.3	70-130		
Ethylbenzene	3040	ug/g	3250		93.4	70-130		
Ethylene glycol	1230	ug/g	930		132	70-130		
Heptane	3490	ug/g	3500		99.6	70-130		
Isopropyl acetate	3700	ug/g	3500		106	70-130		
Isopropylbenzene (cumene)	107	ug/g	105		102	70-130		
m,p-Xylene	6110	ug/g	6510		93.8	70-130		
Methanol	2710	ug/g	2500		109	70-130		
n-Hexane	439	ug/g	435		101	70-130		
n-Pentane	3260	ug/g	3500		93.1	70-130		
Tetrahydrofuran	1080	ug/g	1080		100	70-130		
Toluene	1270	ug/g	1340		95.2	70-130		
o-Xylene	3250	ug/g	3250		99.9	70-130		

Matrix Spike(B190153-MS1)		Extracted - 01/30/19 15:01 Analyzed - 01/31/19 13:16						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	545	ug/g	610	< LOQ	89.4	70-130		
2,2-Dimethylbutane	414	ug/g	465	< LOQ	88.9	70-130		
2-Butanol	3710	ug/g	3740	< LOQ	99.2	70-130		
2-Ethoxyethanol	263	ug/g	257	< LOQ	102	70-130		
2-Methylbutane (isopentane)	3140	ug/g	3740	< LOQ	83.9	70-130		
2-Methylpentane/2,3-Dimethylbutane	867	ug/g	930	< LOQ	93.2	70-130		
2-Propanol (IPA)	3760	ug/g	3740	< LOQ	100	70-130		
3-Methylpentane	426	ug/g	465	< LOQ	91.6	70-130		
Acetone	3610	ug/g	3740	196	91.3	70-130		
Acetonitrile	644	ug/g	658	< LOQ	97.9	70-130		
Benzene	2.73	ug/g	3.21	< LOQ	85.2	70-130		
Cyclohexane	5870	ug/g	6230	< LOQ	94.2	70-130		



 Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B190153 - Residual Solvent Prep (Continued)**

Matrix Spike(B190153-MS1)			Extracted - 01/30/19 15:01 Analyzed - 01/31/19 13:16					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Dichloromethane (methylene chloride)	975	ug/g	963	< LOQ	101	70-130		
Ethyl acetate	3570	ug/g	3740	225	89.4	70-130		
Ethyl ether	3320	ug/g	3740	< LOQ	88.6	70-130		
Ethylbenzene	3350	ug/g	3480	< LOQ	96.5	70-130		
Ethylene glycol	1140	ug/g	995	< LOQ	114	70-130		
Heptane	3620	ug/g	3740	< LOQ	96.7	70-130		
Isopropyl acetate	3660	ug/g	3740	< LOQ	97.9	70-130		
Isopropylbenzene (cumene)	216	ug/g	112	< LOQ	192	70-130		
m,p-Xylene	6860	ug/g	6970	< LOQ	98.5	70-130		
Methanol	2600	ug/g	2670	78.0	94.3	70-130		
n-Hexane	455	ug/g	465	48.4	87.5	70-130		
n-Pentane	3280	ug/g	3740	< LOQ	87.5	70-130		
Tetrahydrofuran	1050	ug/g	1160	< LOQ	91.2	70-130		
Toluene	1340	ug/g	1430	< LOQ	93.9	70-130		
o-Xylene	3520	ug/g	3480	< LOQ	101	70-130		

Matrix Spike Dup(B190153-MSD1)			Extracted - 01/30/19 15:01 Analyzed - 01/31/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	509	ug/g	581	< LOQ	87.7	70-130	6.76	30
2,2-Dimethylbutane	379	ug/g	443	< LOQ	85.6	70-130	8.64	30
2-Butanol	3410	ug/g	3570	< LOQ	95.6	70-130	8.56	30
2-Ethoxyethanol	241	ug/g	245	< LOQ	98.5	70-130	8.64	30
2-Methylbutane (isopentane)	2890	ug/g	3570	< LOQ	80.9	70-130	8.48	30
2-Methylpentane/2,3-Dimethylbutane	796	ug/g	887	< LOQ	89.8	70-130	8.54	30
2-Propanol (IPA)	3430	ug/g	3570	< LOQ	96.2	70-130	9.08	30
3-Methylpentane	391	ug/g	443	< LOQ	88.3	70-130	8.53	30
Acetone	3290	ug/g	3570	196	86.8	70-130	9.32	30
Acetonitrile	587	ug/g	627	< LOQ	93.7	70-130	9.25	30
Benzene	2.73	ug/g	3.06	< LOQ	89.4	70-130	0.00820	30
Cyclohexane	5380	ug/g	5940	< LOQ	90.7	70-130	8.68	30
Dichloromethane (methylene chloride)	881	ug/g	917	< LOQ	96.0	70-130	10.1	30
Ethyl acetate	3270	ug/g	3570	225	85.4	70-130	8.82	30
Ethyl ether	3080	ug/g	3570	< LOQ	86.3	70-130	7.51	30
Ethylbenzene	3070	ug/g	3310	< LOQ	92.6	70-130	8.87	30
Ethylene glycol	1040	ug/g	948	< LOQ	109	70-130	9.02	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control Solvent Analysis (Continued)

**Batch: B190153 - Residual Solvent Prep (Continued)**

Matrix Spike Dup(B190153-MSD1)			Extracted - 01/30/19 15:01		Analyzed - 01/31/19			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Heptane	3320	ug/g	3570	< LOQ	93.2	70-130	8.53	30
Isopropyl acetate	3350	ug/g	3570	< LOQ	93.9	70-130	8.99	30
Isopropylbenzene (cumene)	209	ug/g	107	< LOQ	195	70-130	3.35	30
m,p-Xylene	6300	ug/g	6640	< LOQ	94.9	70-130	8.57	30
Methanol	2370	ug/g	2550	78.0	90.0	70-130	9.19	30
n-Hexane	418	ug/g	443	48.4	83.3	70-130	8.65	30
n-Pentane	3030	ug/g	3570	< LOQ	84.8	70-130	7.94	30
Tetrahydrofuran	965	ug/g	1100	< LOQ	87.7	70-130	8.72	30
Toluene	1240	ug/g	1360	< LOQ	90.9	70-130	8.06	30
o-Xylene	3250	ug/g	3310	< LOQ	98.0	70-130	8.09	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B190156 - Potency/Terpenes**

Blank(B190156-BLK1)			Extracted - 01/30/19 15:05 Analyzed - 01/31/19 2:25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
Caryophyllene Oxide	< LOQ	%						
alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
R-(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	0.237	%						
Citronellol	< LOQ	%						
gamma-Terpinene	< LOQ	%						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis (Continued)

Batch: B190156 - Potency/Terpenes (Continued)

Duplicate(B190156-DUP1)		Extracted - 01/30/19 15:05 Analyzed - 01/31/19 2:25						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	0.167	%		0.178			6.59	20
Myrcene	0.915	%		0.905			1.16	20
alpha Phellandrene	< LOQ	%		< LOQ				20
3-Carene	< LOQ	%		< LOQ				20
alpha Terpinene	< LOQ	%		< LOQ				20
Limonene	0.269	%		0.266			0.982	20
Terpinolene	< LOQ	%		< LOQ				20
Linalool	0.125	%		0.133			5.95	20
Fenchol	< LOQ	%		< LOQ				20
Borneol	< LOQ	%		< LOQ				20
Terpineol	< LOQ	%		< LOQ				20
Geraniol	< LOQ	%		< LOQ				20
alpha Humulene	0.261	%		0.263			0.772	20
beta Caryophyllene	0.752	%		0.734			2.43	20
Caryophyllene Oxide	< LOQ	%		< LOQ				20
alpha Bisabolol	0.444	%		0.440			1.04	20
Camphene	< LOQ	%		< LOQ				20
beta Pinene	< LOQ	%		< LOQ				20
Ocimene	< LOQ	%		< LOQ				20
Sabinene	< LOQ	%		< LOQ				20
Camphor	< LOQ	%		< LOQ				20
Isoborneol	< LOQ	%		< LOQ				20
Menthol	< LOQ	%		< LOQ				20
alpha Cedrene	< LOQ	%		< LOQ				20
Nerolidol	< LOQ	%		< LOQ				20
R-(+)-Pulegone	< LOQ	%		< LOQ				20
Eucalyptol	< LOQ	%		< LOQ				20
p-Cymene	< LOQ	%		< LOQ				20
(-)-Isopulegol	< LOQ	%		< LOQ				20
Geranyl Acetate	< LOQ	%		< LOQ				20
Guaiol	0.157	%		0.168			6.53	20
Valencene	0.102	%		< LOQ				20
Phytol	< LOQ	%		< LOQ				20
Citronellol	< LOQ	%		< LOQ				20
gamma-Terpinene	< LOQ	%		< LOQ				20



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



19A0112

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.:</b>	<b>0001274846</b>	<b>Date Created:</b>	<b>1/29/2019 11:04 AM</b>
<b>Originating License Number:</b>	OM Extracts	<b>For OLCC Use Only</b>	
	500 Industrial Circle, Units E, F, G, and H White City, OR 97503		
	503-688-3289		
<b>503-688-3289</b>			
<b>Destination # 1</b>	<b>SC Laboratories</b>	<b>Destination Phone No.:</b>	<b>707-339-0050</b>
<b>Destination License Number:</b>	010-1004748743D		1/29/2019 10:59 AM
	15865 SW 74th Avenue Ste 110 Tigard, OR 97224		1/29/2019 6:00 PM
		<b>Date/Time Received:</b>	<b>1/29/19 1908</b>
I-5 to Tigard, OR SC Laboratories 15865 SW 74th Ave Tigard, OR 97224			
<b>Name of Person Transporting:</b>	Joel Glimpse/ Scott Forster	<b>Handler Permit No. of Driver:</b>	102682/22
<b>State Driver's License No.:</b>	9474950/A625521	<b>Signature of Person Transporting:</b>	
<b>Make, Model, License Plate No.:</b>	scion/nissan XB/NV 200 175 JLS/825 KAT		
<b>Package # 1</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300014ADD000010757 Lab Test: SubmittedForTesting Status: Shipped		Green Crack CBD (Extracts)	Shp: 24.7100 g
<b>Harvests:</b>	GCRC#31017, GCRC1017, GCRC1018, GCRC915, GCRC926, GCRCWF1011, GCRCWF1102, GCRCWF915, GCRCWF926		
<b>PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)</b>			
<b>Name of Person Receiving or Rejecting Product:</b>	<b>Justin Miller</b>		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature:</b>		<b>Date:</b>	<b>1/29/19</b>
<b>Signature of individual taking receipt of rejected portion of this shipment:</b>			

Client: OM Ext Client License: 10051970949 Date Sampled: 1/29/2019 Thermometer ID: T005  
 Address Where Sampled: 500 Industrial wy Requestor: Jamie Event ID: 19AOM29 Balance ID: BAL\_01  
 Sampling SOP & Rev. #: SC-OR-SAMP-002 rev. 1.01 Sampler: Joel Transporter: Joel/ Scott Hygrometer ID:

Sampler Signature

Lab ORELAP ID: 4133  
 Lab OLCC ID: 1004748743D

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	weight Set ID 01	±2.5%	0.5	P	0.5	P
200		±2.5%	199.93		199.95	



Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Jar					Concentrate	Green Crack CBD		1399
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample Size (g)	Sample Name
10756	55.3		1	Vial	4	12	0.291666667	Green Crack CBD Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19AOM29-01	Green Crack CBD-1		A1	0	2	2	1A4010300014ADD000010757	
19AOM29-02	Green Crack CBD-1		A2	0	2.04	2.04	1A4010300014ADD000010757	
19AOM29-03	Green Crack CBD-1		A2	0	2.02	2.02	1A4010300014ADD000010757	
19AOM29-04	Green Crack CBD-1		A2	0	2	2	1A4010300014ADD000010757	
19AOM29-05	Green Crack CBD-1		A3	0	2	2	1A4010300014ADD000010757	
19AOM29-06	Green Crack CBD-1		A3	0	2.02	2.02	1A4010300014ADD000010757	
19AOM29-07	Green Crack CBD-1		A3	0	2	2	1A4010300014ADD000010757	
19AOM29-08	Green Crack CBD-1		A4	0	2.12	2.12	1A4010300014ADD000010757	
19AOM29-09	Green Crack CBD-1		A4	0	2	2	1A4010300014ADD000010757	
19AOM29-10	Green Crack CBD-1		A4	0	1.99	1.99	1A4010300014ADD000010757	
19AOM29-11	Green Crack CBD-1		A4	0	2.06	2.06	1A4010300014ADD000010757	
19AOM29-12	Green Crack CBD-1		A4	0	2.46	2.46	1A4010300014ADD000010757	
<b>Totals:</b>								
			12	12	Total Package Weight = 24.71			

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

# CHAIN OF CUSTODY



19A0112

<b>Client</b> SC Laboratories Oregon LLC 15865 SW 74th Avenue, Ste 110 Tigard OR, 97224 (503) 272-8630 ORELAP ID # 4133 www.sclabs.com		<b>OM Ext</b> 500 Industrial wy 1/29/2019	<b>COC #</b> 19A0M29 19A0112	<b>Work Order #</b> 19A0M29 19A0112	<b>Received By</b> Jen	<b>Received Date</b> 1/29/19	<b>Courier</b> Joel/ Scott	<b>Name of Sampler</b> Joel	<b>Transfer Manifest #</b> 127.4846	<b>Place where Sampled</b> 500 Industrial wy	<b>Sample Type Legend</b> U - Usable Marijuana C - Concentrate P - Product O - Other
<b>Address Where Sampled</b> 500 Industrial wy	<b>Date Sampled</b> 1/29/2019	<b>OLCC License #</b> 10051970949	<b>Processor</b> Dafile	<b>OLCC License Type</b> Processor	<b>Phone</b> 010-1004748743D	<b>Sampler OLCC License #</b> 010-1004748743D	<b>TESTS REQUESTED</b> Potency Water Activity Moisture Content Pesticide Residual Solvent Terpene	<b>Sample Specific Notes</b>			

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	Potency	Water Activity	Moisture Content	Pesticide	Residual Solvent	Terpene	Sample Specific Notes
Green Crack CBD Primary-1	10:41	1A4010300014ADD000010757	Green Crack CBD	19A0M29-01	C	2	12	X			X	X	X	
Green Crack CBD Primary-2	10:42	1A4010300014ADD000010757	Green Crack CBD	19A0M29-02	C	2.04	12	X			X	X	X	
Green Crack CBD Primary-3	10:43	1A4010300014ADD000010757	Green Crack CBD	19A0M29-03	C	2.02	12	X			X	X	X	
Green Crack CBD Primary-4	10:44	1A4010300014ADD000010757	Green Crack CBD	19A0M29-04	C	2	12	X			X	X	X	
Green Crack CBD Primary-5	10:46	1A4010300014ADD000010757	Green Crack CBD	19A0M29-05	C	2	12	X			X	X	X	
Green Crack CBD Primary-6	10:47	1A4010300014ADD000010757	Green Crack CBD	19A0M29-06	C	2.02	12	X			X	X	X	
Green Crack CBD Primary-7	10:50	1A4010300014ADD000010757	Green Crack CBD	19A0M29-07	C	2	12	X			X	X	X	
Green Crack CBD Primary-8	10:52	1A4010300014ADD000010757	Green Crack CBD	19A0M29-08	C	2.12	12	X			X	X	X	
Green Crack CBD Primary-9	10:52	1A4010300014ADD000010757	Green Crack CBD	19A0M29-09	C	2	12	X			X	X	X	
Green Crack CBD Primary-10	10:53	1A4010300014ADD000010757	Green Crack CBD	19A0M29-10	C	1.99	12	X			X	X	X	
Green Crack CBD Primary-11	10:54	1A4010300014ADD000010757	Green Crack CBD	19A0M29-11	C	2.06	12	X			X	X	X	
Green Crack CBD Primary-12	10:57	1A4010300014ADD000010757	Green Crack CBD	19A0M29-12	C	2.46	12	X			X	X	X	

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

<b>Samples Relinquished</b> Print Name: <u>SWAN RILOR</u> Date: <u>1/29/19</u> Representative of: <u>OM Effects LLC</u> Signature: <u>[Signature]</u> Time: <u>11:16 AM</u>	<b>Samples Received</b> Print Name: <u>SOEL</u> Date: <u>1/29/19</u> Representative of: <u>SC</u> Signature: <u>[Signature]</u> Time: <u>11:17</u>	<b>Samples Relinquished</b> Print Name: <u>Heidi</u> Date: _____ Representative of: <u>SC</u> Signature: <u>[Signature]</u> Time: <u>4:40</u>	<b>Samples Received</b> Print Name: <u>Scott</u> Date: <u>1/29</u> Representative of: <u>SC</u> Signature: <u>[Signature]</u> Time: <u>4:40</u>
--	---	--	--