

Sample Name: **SFK 56 FECO Primary**
 Tested for: **OM Extracts**
Compliance Concentrate

Laboratory ID: 18F0077-03

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000003627

Lot # South Fork Kush 56 FS

Date Sampled: 06/28/18 00:00

Batch RFID: 1A4010300014ADD000003624

Date Accepted: 06/28/18

Batch Size: 2724 (g)

Results Valid Until: 06/28/19




Potency Analysis

Date Extracted: 07/03/18

Analysis Method/SOP: Potency

Date Analyzed: 07/03/18

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	Cannabinoids Profile														
Total THC ((THCA*0.877)+d9)	55.04	550.4	 <table border="1"> <tr><td>THC</td><td>31.52</td></tr> <tr><td>THCA</td><td>26.82</td></tr> <tr><td>CBN</td><td>0.19</td></tr> <tr><td>CBG</td><td>0.70</td></tr> <tr><td>CBGA</td><td>1.50</td></tr> <tr><td>CBC</td><td>0.73</td></tr> <tr><td>Total:</td><td>61.46</td></tr> </table>	THC	31.52	THCA	26.82	CBN	0.19	CBG	0.70	CBGA	1.50	CBC	0.73	Total:	61.46
THC	31.52																
THCA	26.82																
CBN	0.19																
CBG	0.70																
CBGA	1.50																
CBC	0.73																
Total:	61.46																
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ															
d9-THC (d9-Tetrahydrocannabinol)*	31.52	315.2															
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ															
THCA (d9-Tetrahydrocannabinolic Acid)*	26.82	268.2															
CBD (Cannabidiol)*	< LOQ	< LOQ															
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ															
CBN (Cannabinol)*	0.19	1.9															
CBG (Cannabigerol)*	0.70	7															
CBGA (Cannabigerolic Acid)	1.50	15															
CBDV (Cannabidivarin)*	< LOQ	< LOQ															
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ															
CBC (Cannabichromene)*	0.73	7.3															
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ															
Total Cannabinoids	61.46	614.6															

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **SFK 56 FECO Duplicate**
 Tested for: **OM Extracts**
Compliance Concentrate

Laboratory ID: 18F0077-04

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000003627

Lot # South Fork Kush 56 FS

Date Sampled: 06/28/18 00:00

Batch RFID: 1A4010300014ADD000003624

Date Accepted: 06/28/18

Batch Size: 2724 (g)

Results Valid Until: 06/28/19




Potency Analysis

Date Extracted: 07/03/18

Analysis Method/SOP: Potency

Date Analyzed: 07/03/18

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	57.63	576.3	
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ	
d9-THC (d9-Tetrahydrocannabinol)*	32.97	329.7	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	
THCA (d9-Tetrahydrocannabinolic Acid)*	28.11	281.1	
CBD (Cannabidiol)*	< LOQ	< LOQ	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	
CBN (Cannabinol)*	0.21	2.1	
CBG (Cannabigerol)*	0.76	7.6	
CBGA (Cannabigerolic Acid)	1.58	15.8	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	
CBC (Cannabichromene)*	0.79	7.9	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	
Total Cannabinoids	64.42	644.2	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **SFK 56 FECO**

Sample Metrc ID: 1A4010300014ADD000003627

	Primary Result	Duplicate Result	Average	% RPD	Pass/Fail (<20%RPD)
	%	%	%		
Total THC ((THCA*0.877)+d9)	55.04	57.63	56.34	4.6	PASS



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: SFK 56 FECO Primary	Date Sampled: 06/28/18 00:00
Tested for: OM Extracts	Date Accepted: 06/28/18
Compliance Concentrate	Results Valid Until: 06/28/19
Laboratory ID: 18F0077-03	Sample Metrc ID: 1A4010300014ADD000003627
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000003624
Lot # South Fork Kush 56 FS	Batch Size: 2724 (g)

Terpene Analysis

Date Extracted: 07/02/18 Analysis Method/SOP: Terpenes
Date Analyzed: 07/03/18

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.232	0.096	Myrcene	0.638	0.096
alpha Phellandrene	< LOQ	0.096	3-Carene	< LOQ	0.096
alpha Terpinene	< LOQ	0.096	Limonene	2.259	0.096
Terpinolene	0.172	0.096	Linalool	0.298	0.096
Fenchol	0.240	0.096	Borneol	< LOQ	0.096
Terpineol	0.274	0.096	Geraniol	< LOQ	0.096
alpha Humulene	1.033	0.096	beta Caryophyllene	3.241	0.096
Caryophyllene Oxide	0.123	0.096	alpha Bisabolol	0.307	0.096
Camphene	< LOQ	0.096	beta Pinene	0.184	0.096
Ocimene	< LOQ	0.096	Sabinene	< LOQ	0.096
Camphor	< LOQ	0.096	Isoborneol	< LOQ	0.096
Menthol	< LOQ	0.096	alpha Cedrene	< LOQ	0.096
Nerolidol	0.421	0.096	R-(+)-Pulegone	< LOQ	0.096
Eucalyptol	< LOQ	0.096	p-Cymene	< LOQ	0.096
(-)-Isopulegol	< LOQ	0.096	Geranyl Acetate	< LOQ	0.096
Guaiol	< LOQ	0.096	Valencene	0.664	0.096
Phytol	0.188	0.096	Citronellol	< LOQ	0.096
gamma-Terpinene	< LOQ	0.096			
			Total Terpenes	10.27 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected
Terpene Analysis is not ORELAP Accredited.



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **SFK 56 FECO Primary**

Date Sampled: **06/28/18 00:00**

Tested for: **OM Extracts**

Date Accepted: **06/28/18 17:40**

Compliance Concentrate


Results Valid Until: **06/28/19**

Laboratory ID: **18F0077-03**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000003627**

Terpene Profile




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **SFK 56 FECO Primary** Date Sampled: **06/28/18 00:00**
 Tested for: **OM Extracts** Date Accepted: **06/28/18**
Compliance Concentrate Results Valid Until: **06/28/19**

Laboratory ID: **18F0077-03** Sample Metrc ID: **1A4010300014ADD000003627**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000003624**
 Lot # **South Fork Kush 56 FS** Batch Size: **2724 (g)**

Pesticide Analysis in ppm

Date Extracted: 07/03/18 Analysis Method/SOP: Pesticides
 Date Analyzed: 07/04/18 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.246	Acephate	< LOQ	0.4	0.197
Acequinocyl	< LOQ	2	0.985	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.197	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.197	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.493	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.493
Cypermethrin	< LOQ	1	0.493	Daminozide	< LOQ	1	0.493
DDVP (Dichlorvos)	< LOQ	1	0.493	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.197	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.197
Fipronil	< LOQ	0.4	0.197	Fonicamid	< LOQ	1	0.493
Fludioxonil	< LOQ	0.4	0.197	Hexythiazox	< LOQ	1	0.493
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.197
Kresoxim-methyl	< LOQ	0.4	0.197	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.197	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.246	Oxamyl	< LOQ	1	0.493
Paclobutrazol	< LOQ	0.4	0.197	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.493
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.197
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.493
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.197	Tebuconazole	< LOQ	0.4	0.197
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **SFK 56 FECO Duplicate** Date Sampled: **06/28/18 00:00**
 Tested for: **OM Extracts** Date Accepted: **06/28/18**
Compliance Concentrate Results Valid Until: **06/28/19**

Laboratory ID: **18F0077-04** Sample Metrc ID: **1A4010300014ADD000003627**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000003624**
 Lot # **South Fork Kush 56 FS** Batch Size: **2724 (g)**

Pesticide Analysis in ppm

Date Extracted: 07/03/18 Analysis Method/SOP: Pesticides
 Date Analyzed: 07/04/18 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.248	Acephate	< LOQ	0.4	0.199
Acequinocyl	< LOQ	2	0.993	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.199	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.199	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.496	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.496
Cypermethrin	< LOQ	1	0.496	Daminozide	< LOQ	1	0.496
DDVP (Dichlorvos)	< LOQ	1	0.496	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.199	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.199
Fipronil	< LOQ	0.4	0.199	Fonicamid	< LOQ	1	0.496
Fludioxonil	< LOQ	0.4	0.199	Hexythiazox	< LOQ	1	0.496
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.199
Kresoxim-methyl	< LOQ	0.4	0.199	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.199	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.248	Oxamyl	< LOQ	1	0.496
Paclobutrazol	< LOQ	0.4	0.199	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.496
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.199
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.496
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.199	Tebuconazole	< LOQ	0.4	0.199
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: SFK 56 FECO Primary	Date Sampled: 06/28/18 00:00
Tested for: OM Extracts	Date Accepted: 06/28/18
Compliance Concentrate	Results Valid Until: 06/28/19
Laboratory ID: 18F0077-03	Sample Metric ID: 1A4010300014ADD000003627
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000003624
Lot # South Fork Kush 56 FS	Batch Size: 2724 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	71.3
2-Butanol	< LOQ	5000	438
2-Ethoxyethanol	< LOQ	160	30.0
2-Propanol (IPA)	< LOQ	5000	438
Acetone	< LOQ	5000	438
Acetonitrile	< LOQ	400	76.9
Benzene	< LOQ	2	0.750
Butanes	< LOQ	5000	313
Cyclohexane	< LOQ	3880	728
Dichloromethane (methylene chloride)	< LOQ	600	113
Ethyl acetate	< LOQ	5000	438
Ethyl ether	< LOQ	5000	438
Ethylbenzene	< LOQ	2170	406
Ethylene glycol	< LOQ	620	116
Ethylene oxide	< LOQ	50	37.5
Heptane	< LOQ	5000	438
Hexanes	< LOQ	290	54.4
Isopropyl acetate	< LOQ	5000	438
Isopropylbenzene (cumene)	< LOQ	70	13.1
Methanol	< LOQ	3000	313
Pentanes	< LOQ	5000	438
Propane	< LOQ	5000	125
Tetrahydrofuran	< LOQ	720	135
Toluene	< LOQ	890	167
Xylenes	< LOQ	2170	406

Date Extracted: 07/02/18
 Date Analyzed: 07/03/18
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: SFK 56 FECO Duplicate	Date Sampled: 06/28/18 00:00
Tested for: OM Extracts	Date Accepted: 06/28/18
Compliance Concentrate	Results Valid Until: 06/28/19
Laboratory ID: 18F0077-04	Sample Metric ID: 1A4010300014ADD000003627
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000003624
Lot # South Fork Kush 56 FS	Batch Size: 2724 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	71.3
2-Butanol	< LOQ	5000	438
2-Ethoxyethanol	< LOQ	160	30.0
2-Propanol (IPA)	< LOQ	5000	438
Acetone	< LOQ	5000	438
Acetonitrile	< LOQ	400	76.9
Benzene	< LOQ	2	0.750
Butanes	< LOQ	5000	313
Cyclohexane	< LOQ	3880	728
Dichloromethane (methylene chloride)	< LOQ	600	113
Ethyl acetate	< LOQ	5000	438
Ethyl ether	< LOQ	5000	438
Ethylbenzene	< LOQ	2170	406
Ethylene glycol	< LOQ	620	116
Ethylene oxide	< LOQ	50	37.5
Heptane	< LOQ	5000	438
Hexanes	< LOQ	290	54.4
Isopropyl acetate	< LOQ	5000	438
Isopropylbenzene (cumene)	< LOQ	70	13.1
Methanol	< LOQ	3000	313
Pentanes	< LOQ	5000	438
Propane	< LOQ	5000	125
Tetrahydrofuran	< LOQ	720	135
Toluene	< LOQ	890	167
Xylenes	< LOQ	2170	406

Date Extracted: 07/02/18
 Date Analyzed: 07/03/18
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvents- Alpha-pinene coelution with isopropylbenzene
Pinene coeluted with Isopropylbenzene in the Matrix Spike and Matrix Spike Duplicate.
This caused high recovery for Isopropylbenzene in the Matrix spike and Matrix Spike Duplicate.
This does not affect client's sample.

Acetonitrile above 1/2 reporting limit in blank.
Analyte below reporting limit in all client samples.

Ethylene Glycol exceeded normally accepted QC criteria in the Matrix Spike and Matrix Spike Duplicate recovery. No Ethylene Glycol was found in client samples.

Terpenes- beta-Pinene exceeded normally accepted QC criteria on the sample duplicate.
Due to relatively large variations in very small values calculated high RPD.

**Quality Control
Potency**

Batch: B180500 - Potency/Terpenes

Blank(B180500-BLK1)			Extracted - 07/03/18 9:33 Analyzed - 07/03/18 15:01					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B180500-DUP1)			Extracted - 07/03/18 9:33 Analyzed - 07/03/18 15:17					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	32.07	%		31.55			1.65	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	24.57	%		23.68			3.71	20
CBD (Cannabidiol)	0.44	%		0.46			6.24	20
CBDA (Cannabidiolic Acid)	1.31	%		1.26			3.74	20



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B180500 - Potency/Terpenes (Continued)

Duplicate(B180500-DUP1)		Extracted - 07/03/18 9:33 Analyzed - 07/03/18 15:17						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBN (Cannabinol)	0.15	%		0.15			1.86	20
CBG (Cannabigerol)	0.66	%		0.65			1.55	20
CBGA (Cannabigerolic Acid)	1.41	%		1.37			3.05	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	0.58	%		0.58			0.382	20
THCV (Tetrahydrocannabivarin)	0.22	%		0.21			5.65	20

LCS(B180500-BS1)		Extracted - 07/03/18 9:33 Analyzed - 07/05/18 14:19						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.18	%	0.200		91.9	80-120		
CBD (Cannabidiol)	0.18	%	0.200		89.0	80-120		
CBDA (Cannabidiolic Acid)	0.18	%	0.200		89.3	80-120		
CBN (Cannabinol)	0.18	%	0.200		88.6	80-120		



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B180502 - Pesticide Prep

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Blank(B180502-BLK1)			Extracted - 07/03/18 9:44 Analyzed - 07/03/18 17:31					
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B180502 - Pesticide Prep (Continued)

Blank(B180502-BLK1)			Extracted - 07/03/18 9:44 Analyzed - 07/03/18 17:31					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B180502-BS1)			Extracted - 07/03/18 9:44 Analyzed - 07/03/18 17:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Acephate	1.03	ppm	1.00		103	70-130		
Acetamiprid	1.01	ppm	1.00		101	70-130		
Aldicarb	1.01	ppm	1.00		101	70-130		
Bifenazate	0.81	ppm	1.00		81.4	70-130		
Boscalid	1.07	ppm	1.00		107	70-130		
Chlorantraniliprole	0.90	ppm	1.00		90.2	70-130		
Chlorpyrifos	0.68	ppm	1.00		68.5	70-130		
Cyfluthrin	1.08	ppm	1.00		108	70-130		



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B180502 - Pesticide Prep (Continued)

LCS(B180502-BS1)		Extracted - 07/03/18 9:44 Analyzed - 07/03/18 17:47						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
DDVP (Dichlorvos)	0.93	ppm	1.00		93.5	70-130		
Ethoprophos	1.09	ppm	1.00		109	70-130		
Etoxazole	0.73	ppm	1.00		72.9	70-130		
Fenoxycarb	0.94	ppm	1.00		93.9	70-130		
Flonicamid	1.03	ppm	1.00		103	70-130		
Imazalil	0.80	ppm	1.00		80.4	70-130		
Imidacloprid	0.95	ppm	1.00		95.2	70-130		
Methiocarb	0.93	ppm	1.00		92.6	70-130		
Myclobutanil	0.88	ppm	1.00		88.1	70-130		
Oxamyl	0.97	ppm	1.00		97.0	70-130		
Paclobutrazol	1.08	ppm	1.00		108	70-130		
Piperonyl butoxide	0.73	ppm	1.00		72.8	70-130		
Prallethrin	0.88	ppm	1.00		88.3	70-130		
Propoxur	0.99	ppm	1.00		99.0	70-130		
Spiromesifen	0.97	ppm	1.00		97.5	70-130		
Spiroxamine	0.25	ppm	1.00		25.0	70-130		
Thiacloprid	0.92	ppm	1.00		92.4	70-130		
Thiamethoxam	0.93	ppm	1.00		92.9	70-130		
Trifloxystrobin	1.03	ppm	1.00		103	70-130		

Matrix Spike(B180502-MS1)		Extracted - 07/03/18 9:44 Analyzed - 07/03/18 18:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Acephate	1.88	ppm	1.99	< LOQ	94.7	70-130		
Acetamiprid	1.90	ppm	1.99	< LOQ	95.6	70-130		
Aldicarb	1.84	ppm	1.99	< LOQ	92.6	70-130		
Bifenazate	1.93	ppm	1.99	< LOQ	96.8	70-130		
Boscalid	1.89	ppm	1.99	< LOQ	95.0	70-130		
Chlorantraniliprole	1.88	ppm	1.99	< LOQ	94.4	70-130		
Chlorpyrifos	1.32	ppm	1.99	< LOQ	66.4	70-130		
Cyfluthrin	1.57	ppm	1.99	< LOQ	79.1	70-130		
DDVP (Dichlorvos)	1.84	ppm	1.99	< LOQ	92.3	70-130		
Ethoprophos	2.47	ppm	1.99	< LOQ	124	70-130		
Etoxazole	1.41	ppm	1.99	< LOQ	70.9	70-130		
Fenoxycarb	2.08	ppm	1.99	< LOQ	105	70-130		
Flonicamid	1.81	ppm	1.99	< LOQ	90.7	70-130		



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B180502 - Pesticide Prep (Continued)

Matrix Spike(B180502-MS1)			Extracted - 07/03/18 9:44 Analyzed - 07/03/18 18:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	
Imazalil	1.58	ppm	1.99	< LOQ	79.4	70-130			
Imidacloprid	1.85	ppm	1.99	< LOQ	92.9	70-130			
Methiocarb	1.84	ppm	1.99	< LOQ	92.3	70-130			
Myclobutanil	1.63	ppm	1.99	< LOQ	82.1	70-130			
Oxamyl	1.64	ppm	1.99	< LOQ	82.6	70-130			
Paclobutrazol	1.92	ppm	1.99	< LOQ	96.5	70-130			
Piperonyl butoxide	1.41	ppm	1.99	< LOQ	70.7	70-130			
Prallethrin	1.64	ppm	1.99	< LOQ	82.5	70-130			
Propoxur	1.96	ppm	1.99	< LOQ	98.7	70-130			
Spiromesifen	2.22	ppm	1.99	< LOQ	112	70-130			
Spiroxamine	0.99	ppm	1.99	< LOQ	49.8	70-130			
Thiacloprid	1.77	ppm	1.99	< LOQ	89.1	70-130			
Thiamethoxam	1.63	ppm	1.99	< LOQ	81.7	70-130			
Trifloxystrobin	1.39	ppm	1.99	< LOQ	69.9	70-130			

Matrix Spike Dup(B180502-MSD1)			Extracted - 07/03/18 9:44 Analyzed - 07/03/18						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	
Acephate	2.06	ppm	1.99	< LOQ	104	70-130	9.05	30	
Acetamiprid	2.00	ppm	1.99	< LOQ	101	70-130	5.28	30	
Aldicarb	1.96	ppm	1.99	< LOQ	98.7	70-130	6.34	30	
Bifenazate	1.73	ppm	1.99	< LOQ	87.2	70-130	10.4	30	
Boscalid	1.65	ppm	1.99	< LOQ	83.1	70-130	13.4	30	
Chlorantraniliprole	1.68	ppm	1.99	< LOQ	84.8	70-130	10.7	30	
Chlorpyrifos	1.14	ppm	1.99	< LOQ	57.3	70-130	14.7	30	
Cyfluthrin	1.72	ppm	1.99	< LOQ	86.7	70-130	9.17	30	
DDVP (Dichlorvos)	1.89	ppm	1.99	< LOQ	95.3	70-130	3.15	30	
Ethoprophos	2.58	ppm	1.99	< LOQ	130	70-130	4.75	30	
Etoxazole	1.25	ppm	1.99	< LOQ	63.0	70-130	11.7	30	
Fenoxycarb	1.72	ppm	1.99	< LOQ	86.4	70-130	19.2	30	
Flonicamid	1.84	ppm	1.99	< LOQ	92.4	70-130	1.87	30	
Imazalil	1.40	ppm	1.99	< LOQ	70.3	70-130	12.2	30	
Imidacloprid	1.86	ppm	1.99	< LOQ	93.7	70-130	0.828	30	
Methiocarb	1.63	ppm	1.99	< LOQ	82.1	70-130	11.7	30	
Myclobutanil	1.41	ppm	1.99	< LOQ	70.9	70-130	14.7	30	
Oxamyl	1.77	ppm	1.99	< LOQ	88.9	70-130	7.44	30	



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B180502 - Pesticide Prep (Continued)

Matrix Spike Dup(B180502-MSD1)			Extracted - 07/03/18 9:44 Analyzed - 07/03/18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Paclobutrazol	1.61	ppm	1.99	< LOQ	80.9	70-130	17.5	30
Piperonyl butoxide	1.25	ppm	1.99	< LOQ	62.8	70-130	11.9	30
Prallethrin	1.43	ppm	1.99	< LOQ	72.0	70-130	13.6	30
Propoxur	2.08	ppm	1.99	< LOQ	105	70-130	6.17	30
Spiromesifen	2.07	ppm	1.99	< LOQ	104	70-130	7.07	30
Spiroxamine	0.99	ppm	1.99	< LOQ	49.8	70-130	0.0920	30
Thiacloprid	1.84	ppm	1.99	< LOQ	92.7	70-130	3.94	30
Thiamethoxam	1.60	ppm	1.99	< LOQ	80.6	70-130	1.41	30
Trifloxystrobin	1.33	ppm	1.99	< LOQ	67.1	70-130	4.12	30



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B180503 - Residual Solvent Prep

Blank(B180503-BLK1)			Extracted - 07/02/18 17:00 Analyzed - 07/02/18 19:48					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B180503-BS1)			Extracted - 07/02/18 17:00 Analyzed - 07/02/18 18:44					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	556	ug/g	570		97.5	70-130		
2,2-Dimethylbutane	413	ug/g	435		94.9	70-130		
2-Butanol	3480	ug/g	3500		99.5	70-130		
2-Ethoxyethanol	248	ug/g	240		103	70-130		
2-Methylbutane (isopentane)	3410	ug/g	3500		97.4	70-130		
2-Methylpentane/2,3-Dimethylbutane	836	ug/g	870		96.1	70-130		
2-Propanol (IPA)	3480	ug/g	3500		99.3	70-130		



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B180503 - Residual Solvent Prep (Continued)

LCS(B180503-BS1)		Extracted - 07/02/18 17:00 Analyzed - 07/02/18 18:44						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
3-Methylpentane	422	ug/g	435		97.0	70-130		
Acetone	3560	ug/g	3500		102	70-130		
Acetonitrile	626	ug/g	615		102	70-130		
Benzene	3.03	ug/g	3.00		101	70-130		
Cyclohexane	5640	ug/g	5820		96.9	70-130		
Dichloromethane (methylene chloride)	910	ug/g	900		101	70-130		
Ethyl acetate	3340	ug/g	3500		95.3	70-130		
Ethyl ether	3520	ug/g	3500		100	70-130		
Ethylbenzene	3040	ug/g	3250		93.4	70-130		
Ethylene glycol	1170	ug/g	930		125	70-130		
Heptane	3330	ug/g	3500		95.0	70-130		
Isopropyl acetate	3480	ug/g	3500		99.3	70-130		
Isopropylbenzene (cumene)	97.1	ug/g	105		92.5	70-130		
m,p-Xylene	6250	ug/g	6510		96.0	70-130		
Methanol	2550	ug/g	2500		102	70-130		
n-Hexane	415	ug/g	435		95.5	70-130		
n-Pentane	3410	ug/g	3500		97.5	70-130		
Tetrahydrofuran	1000	ug/g	1080		92.6	70-130		
Toluene	1280	ug/g	1340		95.7	70-130		
o-Xylene	3110	ug/g	3250		95.8	70-130		

Matrix Spike(B180503-MS1)		Extracted - 07/02/18 17:00 Analyzed - 07/02/18 19:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	508	ug/g	536	< LOQ	94.8	70-130		
2,2-Dimethylbutane	382	ug/g	409	< LOQ	93.5	70-130		
2-Butanol	3170	ug/g	3290	< LOQ	96.4	70-130		
2-Ethoxyethanol	228	ug/g	226	< LOQ	101	70-130		
2-Methylbutane (isopentane)	3180	ug/g	3290	< LOQ	96.8	70-130		
2-Methylpentane/2,3-Dimethylbutane	772	ug/g	818	< LOQ	94.4	70-130		
2-Propanol (IPA)	3190	ug/g	3290	178	91.5	70-130		
3-Methylpentane	391	ug/g	409	< LOQ	95.6	70-130		
Acetone	3310	ug/g	3290	214	94.2	70-130		
Acetonitrile	572	ug/g	578	44.6	91.2	70-130		
Benzene	2.97	ug/g	2.82	< LOQ	105	70-130		
Cyclohexane	5390	ug/g	5480	< LOQ	98.4	70-130		



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B180503 - Residual Solvent Prep (Continued)

Matrix Spike(B180503-MS1)			Extracted - 07/02/18 17:00 Analyzed - 07/02/18 19:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Dichloromethane (methylene chloride)	848	ug/g	846	< LOQ	100	70-130		
Ethyl acetate	3050	ug/g	3290	< LOQ	92.8	70-130		
Ethyl ether	3240	ug/g	3290	< LOQ	98.4	70-130		
Ethylbenzene	2910	ug/g	3060	< LOQ	95.4	70-130		
Ethylene glycol	1160	ug/g	874	< LOQ	132	70-130		
Heptane	3160	ug/g	3290	< LOQ	96.2	70-130		
Isopropyl acetate	3160	ug/g	3290	< LOQ	96.0	70-130		
Isopropylbenzene (cumene)	299	ug/g	98.7	< LOQ	303	70-130		
m,p-Xylene	6050	ug/g	6120	< LOQ	98.8	70-130		
Methanol	2350	ug/g	2350	105	95.7	70-130		
n-Hexane	393	ug/g	409	34.1	87.8	70-130		
n-Pentane	3220	ug/g	3290	< LOQ	97.8	70-130		
Tetrahydrofuran	895	ug/g	1020	< LOQ	88.1	70-130		
Toluene	1240	ug/g	1260	< LOQ	98.2	70-130		
o-Xylene	3040	ug/g	3060	< LOQ	99.4	70-130		

Matrix Spike Dup(B180503-MSD1)			Extracted - 07/02/18 17:00 Analyzed - 07/02/18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	545	ug/g	566	< LOQ	96.3	70-130	6.98	30
2,2-Dimethylbutane	410	ug/g	432	< LOQ	94.9	70-130	6.87	30
2-Butanol	3430	ug/g	3470	< LOQ	98.6	70-130	7.78	30
2-Ethoxyethanol	247	ug/g	238	< LOQ	104	70-130	7.68	30
2-Methylbutane (isopentane)	3430	ug/g	3470	< LOQ	98.6	70-130	7.30	30
2-Methylpentane/2,3-Dimethylbutane	830	ug/g	864	< LOQ	96.1	70-130	7.19	30
2-Propanol (IPA)	3430	ug/g	3470	178	93.5	70-130	7.23	30
3-Methylpentane	419	ug/g	432	< LOQ	97.0	70-130	6.85	30
Acetone	3550	ug/g	3470	214	96.0	70-130	6.90	30
Acetonitrile	610	ug/g	610	44.6	92.6	70-130	6.40	30
Benzene	3.11	ug/g	2.98	< LOQ	104	70-130	4.73	30
Cyclohexane	5810	ug/g	5780	< LOQ	101	70-130	7.59	30
Dichloromethane (methylene chloride)	905	ug/g	893	< LOQ	101	70-130	6.46	30
Ethyl acetate	3290	ug/g	3470	< LOQ	94.7	70-130	7.39	30
Ethyl ether	3440	ug/g	3470	< LOQ	99.0	70-130	6.03	30
Ethylbenzene	3130	ug/g	3230	< LOQ	97.1	70-130	7.29	30
Ethylene glycol	1210	ug/g	923	< LOQ	131	70-130	4.22	30



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B180503 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B180503-MSD1)			Extracted - 07/02/18 17:00 Analyzed - 07/02/18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Heptane	3390	ug/g	3470	< LOQ	97.7	70-130	7.01	30
Isopropyl acetate	3410	ug/g	3470	< LOQ	98.2	70-130	7.73	30
Isopropylbenzene (cumene)	314	ug/g	104	< LOQ	302	70-130	4.99	30
m,p-Xylene	6450	ug/g	6460	< LOQ	99.8	70-130	6.47	30
Methanol	2520	ug/g	2480	105	97.3	70-130	6.74	30
n-Hexane	422	ug/g	432	34.1	89.8	70-130	7.05	30
n-Pentane	3460	ug/g	3470	< LOQ	99.6	70-130	7.25	30
Tetrahydrofuran	962	ug/g	1070	< LOQ	89.8	70-130	7.27	30
Toluene	1330	ug/g	1330	< LOQ	99.9	70-130	7.12	30
o-Xylene	3230	ug/g	3230	< LOQ	100	70-130	6.04	30



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B180501 - Potency/Terpenes

Blank(B180501-BLK1)			Extracted - 07/02/18 9:40 Analyzed - 07/03/18 20:17					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
Caryophyllene Oxide	< LOQ	%						
alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
R-(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma-Terpinene	< LOQ	%						



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B180501 - Potency/Terpenes (Continued)

Duplicate(B180501-DUP1)		Extracted - 07/02/18 9:40 Analyzed - 07/03/18 20:17						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	0.327	%		0.279			16.1	20
Myrcene	0.451	%		0.378			17.6	20
alpha Phellandrene	< LOQ	%		< LOQ				20
3-Carene	< LOQ	%		< LOQ				20
alpha Terpinene	< LOQ	%		< LOQ				20
Limonene	1.738	%		1.480			16.1	20
Terpinolene	0.288	%		0.264			8.72	20
Linalool	0.516	%		0.474			8.51	20
Fenchol	0.352	%		0.326			7.89	20
Borneol	< LOQ	%		< LOQ				20
Terpineol	0.325	%		0.339			4.12	20
Geraniol	< LOQ	%		< LOQ				20
alpha Humulene	0.859	%		0.801			6.95	20
beta Caryophyllene	2.827	%		2.672			5.64	20
Caryophyllene Oxide	0.110	%		0.100			9.12	20
alpha Bisabolol	0.523	%		0.491			6.38	20
Camphene	< LOQ	%		< LOQ				20
beta Pinene	0.215	%		0.164			26.8	20
Ocimene	< LOQ	%		< LOQ				20
Sabinene	< LOQ	%		< LOQ				20
Camphor	< LOQ	%		< LOQ				20
Isoborneol	< LOQ	%		< LOQ				20
Menthol	< LOQ	%		< LOQ				20
alpha Cedrene	< LOQ	%		< LOQ				20
Nerolidol	0.447	%		0.432			3.48	20
R-(+)-Pulegone	< LOQ	%		< LOQ				20
Eucalyptol	< LOQ	%		< LOQ				20
p-Cymene	< LOQ	%		< LOQ				20
(-)-Isopulegol	< LOQ	%		< LOQ				20
Geranyl Acetate	< LOQ	%		< LOQ				20
Guaiol	< LOQ	%		< LOQ				20
Valencene	0.716	%		0.621			14.2	20
Phytol	0.490	%		0.442			10.3	20
Citronellol	< LOQ	%		< LOQ				20
gamma-Terpinene	< LOQ	%		< LOQ				20



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest #:	0000805104	Date Created:	6/28/2018 10:34 AM
Originating Entity:	OM Extracts	For OLCC Use Only	
Originating License Number:	030-10051970949		
Address of Originating Entity:	500 Industrial Circle, Units E, F, G, and H White City, OR 97503		
Phone No. of Originating Entity:	503-688-3289		
Contact Phone No. for Inquiries:	503-688-3289		
Destination # 1:	SC Laboratories	Destination Phone No.:	707-339-0050
Destination License Number:	010-1004748743D	Date and Approximate Time of Departure:	6/28/2018 10:32 AM
Address of Destination:	15865 SW 74th Avenue Ste 110 Tigard, OR 97224	Date and Approximate Time of Arrival:	6/28/2018 6:32 PM
		Date/Time Received:	6/28/18 5:40 PM
		Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
Route to be Traveled:	FASTEST gps route		
Name of Person Transporting:	Joel Glimpse/ Scott Forster	Handler Permit No. of Driver:	102682/22
State Driver's License No.:	9474950/A625521	Signature of Person Transporting:	
Make, Model, License Plate No.:	scion/nissan XB/NV 200 175 JLS/825 KAT		
Package Label	Harvest Name	Item Name	Weight/Quantity
1A4010300014ADD000003626 Status: Shipped	J 10/5, PAC, PHK aka Jaeger, PHK aka Jaeger 10/12	JAGER (PHK) CO2 FECO (Extracts)	Shp: 12.9700 g
1A4010300014ADD000003627 Status: Shipped	South Fork Kush 56 FS	South Fork Kush 56 CO2 FECO (Extracts)	Shp: 12.9300 g
PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)			
Name of Person Receiving or Rejecting Product:	Brian Weigel		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment not circled above. Those portions circled were returned to the individual delivering this shipment.			
Signature:		Date:	6/28/18
Signature of individual taking receipt of rejected portion of this shipment:			

Client: OM Ext Client License: 10051970949 Date: 6/21/2018 Thermometer ID: T015
 Location: 500 Industrial wy Requestor: Jamie Event ID: 18FOM28 Balance ID: b03
 Sampling SOP: SC-OR-SAMP-003 Sampler: Joel Transporter: Joel/ Scott Hygrometer ID: 3
 Lab ORELAP ID: 4133
 Lab OLCC ID: 1004748743D



Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	3	±2.5%	0.5	P	0.5	P
200		±2.5%	199.93		199.95	

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Tray					Concentrate	Jager (PHK) FECO		2724
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sample Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000003625	74.6	38.1	1	vial	4	8	1	Jager (PHK) FECO Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
18FOM28-01	Jager (PHK) FECO-1		A1			0.8	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A1	0		0.83	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A2	0		0.8	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A3	0		0.8	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A3	0		0.8	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A3	0		0.8	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A4	0		0.8	1A4010300014ADD000003626	
18FOM28-01	Jager (PHK) FECO-1		A4	0		0.8	1A4010300014ADD000003626	
					Total Primary Mass = 6.43		Primary + Duplicate Mass = 0 g	

Observations and Abnormalities:	Batch #	Marks/Labels	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sample Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000003625	74.6	38.1	1	vial	4	8	1	Jager (PHK) FECO Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
18FOM28-02	Jager (PHK) FECO-1		A1			0.81	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A1	0		0.81	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A1	0		0.9	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A2	0		0.81	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A3	0		0.8	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A4	0		0.81	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A4	0		0.8	1A4010300014ADD000003626	
18FOM28-02	Jager (PHK) FECO-1		A4	0		0.8	1A4010300014ADD000003626	
					Total Duplicate Mass = 6.54		Primary + Duplicate Mass = 0 g	

Batch #	Marks/Labels	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan

Observations and Abnormalities:							
---------------------------------	--	--	--	--	--	--	--

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Tray					Concentrate	SFK 56 FECO		1A4010300014ADD000003624
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sample Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
3625	74.6	38.1	1	vial	4	8	1	SFK 56 FECO Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
18FOM28-03	SFK 56 FECO-1		A1			0.81	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A1	0		0.82	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A1	0		0.81	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A2	0		0.8	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A2	0		0.81	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A2	0		0.83	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A3	0		0.81	1A4010300014ADD000003627	
18FOM28-03	SFK 56 FECO-1		A3	0		0.81	1A4010300014ADD000003627	
					Total Primary Mass = 6.5		Primary + Duplicate Mass = 0 g	

Observations and Abnormalities:	Batch #	Marks/Labels	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sample Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
3625	74.6	38.1	1	vial	4	8	1	SFK 56 FECO Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
18FOM28-04	SFK 56 FECO-1		A1			0.8	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A1	0		0.82	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A2	0		0.8	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A2	0		0.81	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A3	0		0.8	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A3	0		0.8	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A3	0		0.8	1A4010300014ADD000003627	
18FOM28-04	SFK 56 FECO-1		A4	0		0.8	1A4010300014ADD000003627	

					Total Duplicate Mass = 6.43	Primary + Duplicate Mass = 0 g	
Observations and Abnormalities:	Batch #	Marks/Labels	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan

CHAIN OF CUSTODY FORM

Work Order #:

18F0077

COC #:

Received By:

Date:

Courier:

Name of Sampler:

Transfer Manifest #:

Place where Sampled:

Sampler OLCC License #:



Sample Type Legend

U - Usable Marijuana

C - Concentrate

P - Product

O - Other

TESTS REQUESTED

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	Potency	Water Activity	Moisture Content	Pesticide	Residual Solvent	Terpene	Sample Specific Notes
Sage (Pik) Cello		1A4010500514ADD	2425		C	12.9g		X			X	X	X	COVER
SFK SC Cello		363271	3625		C	17.9g		X			X	X	X	

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes No

Samples Relinquished

Print Name: Samuel Holt Date: 6/28/18

Representative of: OM Extracts

Signature: [Signature] Time: 10:40am

Samples Received

Print Name: Joel Date: 6/28/18

Representative of: SC Labs

Signature: [Signature] Time: 10:40

Samples Relinquished

Print Name: Scott Date: 6/28/18

Representative of: SC Labs

Signature: [Signature] Time: _____

Samples Received

Print Name: Scott Date: 6:28

Representative of: SC LABS

Signature: [Signature] Time: 2:25

*M16 62918