

Sample Name: **Elektra FECO Primary**  
 Tested for: **OM Extracts**  
**Compliance Extract**

Laboratory ID: 19B0081-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000011483

Lot # NA

Date Sampled: 02/20/19 11:46

Batch RFID: 1A4010300014ADD000011477

Date Accepted: 02/21/19

Batch Size: 1399 (g)




### Potency Analysis

Date Extracted: 02/25/19

Analysis Method/SOP: Potency

Date Analyzed: 02/26/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
<b>Total THC</b> ((THCA*0.877)+d9)	2.55	25.5	0.15	 <table border="1"> <tr><td>THC</td><td>1.72</td></tr> <tr><td>THCA</td><td>0.95</td></tr> <tr><td>CBD</td><td>17.29</td></tr> <tr><td>CBDA</td><td>37.09</td></tr> <tr><td>CBG</td><td>0.39</td></tr> <tr><td>CBGA</td><td>0.71</td></tr> <tr><td>CBDVA</td><td>0.20</td></tr> <tr><td>CBC</td><td>0.47</td></tr> <tr><td><b>Total:</b></td><td><b>58.82</b></td></tr> </table>	THC	1.72	THCA	0.95	CBD	17.29	CBDA	37.09	CBG	0.39	CBGA	0.71	CBDVA	0.20	CBC	0.47	<b>Total:</b>	<b>58.82</b>
THC	1.72																					
THCA	0.95																					
CBD	17.29																					
CBDA	37.09																					
CBG	0.39																					
CBGA	0.71																					
CBDVA	0.20																					
CBC	0.47																					
<b>Total:</b>	<b>58.82</b>																					
<b>Total CBD</b> ((CBDA*0.877)+CBD)	49.82	498.2	0.15																			
d9-THC (d9-Tetrahydrocannabinol)*	1.72	17.2	0.15																			
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.20																			
THCA (d9-Tetrahydrocannabinolic Acid)*	0.95	9.5	0.29																			
CBD (Cannabidiol)*	17.29	172.9	0.15																			
CBDA (Cannabidiolic Acid)*	37.09	370.9	0.29																			
CBN (Cannabinol)*	< LOQ	< LOQ	0.15																			
CBG (Cannabigerol)*	0.39	3.9	0.20																			
CBGA (Cannabigerolic Acid)	0.71	7.1	0.20																			
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.20																			
CBDVA (Cannabidivarinic Acid)	0.20	2	0.20																			
CBC (Cannabichromene)*	0.47	4.7	0.20																			
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.20																			
<b>Total Cannabinoids</b>	<b>58.82</b>	<b>588.2</b>	<b>0.15</b>																			

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Elektra FECO Duplicate**  
 Tested for: **OM Extracts**  
**Compliance Extract**

Laboratory ID: 19B0081-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000011483

Lot # NA

Date Sampled: 02/20/19 11:47

Batch RFID: 1A4010300014ADD000011477

Date Accepted: 02/21/19

Batch Size: 1399 (g)




### Potency Analysis

Date Extracted: 02/25/19

Analysis Method/SOP: Potency

Date Analyzed: 02/26/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
<b>Total THC</b> ((THCA*0.877)+d9)	2.47	24.7	0.15	 <table border="1"> <tr><td>THC</td><td>1.65</td></tr> <tr><td>THCA</td><td>0.94</td></tr> <tr><td>CBD</td><td>17.28</td></tr> <tr><td>CBDA</td><td>36.88</td></tr> <tr><td>CBG</td><td>0.38</td></tr> <tr><td>CBGA</td><td>0.70</td></tr> <tr><td>CBDVA</td><td>0.22</td></tr> <tr><td>CBC</td><td>0.57</td></tr> <tr><td><b>Total:</b></td><td><b>58.62</b></td></tr> </table>	THC	1.65	THCA	0.94	CBD	17.28	CBDA	36.88	CBG	0.38	CBGA	0.70	CBDVA	0.22	CBC	0.57	<b>Total:</b>	<b>58.62</b>
THC	1.65																					
THCA	0.94																					
CBD	17.28																					
CBDA	36.88																					
CBG	0.38																					
CBGA	0.70																					
CBDVA	0.22																					
CBC	0.57																					
<b>Total:</b>	<b>58.62</b>																					
<b>Total CBD</b> ((CBDA*0.877)+CBD)	49.62	496.2	0.15																			
d9-THC (d9-Tetrahydrocannabinol)*	1.65	16.5	0.15																			
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.20																			
THCA (d9-Tetrahydrocannabinolic Acid)*	0.94	9.4	0.30																			
CBD (Cannabidiol)*	17.28	172.8	0.15																			
CBDA (Cannabidiolic Acid)*	36.88	368.8	0.30																			
CBN (Cannabinol)*	< LOQ	< LOQ	0.15																			
CBG (Cannabigerol)*	0.38	3.8	0.20																			
CBGA (Cannabigerolic Acid)	0.70	7	0.20																			
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.20																			
CBDVA (Cannabidivarinic Acid)	0.22	2.2	0.20																			
CBC (Cannabichromene)*	0.57	5.7	0.20																			
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.20																			
<b>Total Cannabinoids</b>	<b>58.62</b>	<b>586.2</b>	<b>0.15</b>																			

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Elektra FECO**

Sample Metrc ID: 1A4010300014ADD000011483

	Primary Result	Duplicate Result	Average	% RPD	Pass/Fail (<20%RPD)
	%	%	%		
<b>Total THC</b> ((THCA*0.877)+d9)	2.55	2.47	2.51	3.19	PASS



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Elektra FECO Primary</b>	Date Sampled: <b>02/20/19 11:46</b>
Tested for: <b>OM Extracts</b>	Date Accepted: <b>02/21/19</b>
<b>Compliance Extract</b>	
Laboratory ID: <b>19B0081-01</b>	Sample Metrc ID: <b>1A4010300014ADD000011483</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300014ADD000011477</b>
Lot # <b>NA</b>	Batch Size: <b>1399 (g)</b>

**Terpene Analysis**

Date Extracted: 02/25/19	Analysis Method/SOP: Terpenes				
Date Analyzed: 02/26/19					
Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	1.278	0.098	Myrcene	5.357	0.098
alpha Phellandrene	< LOQ	0.098	3-Carene	< LOQ	0.098
alpha Terpinene	< LOQ	0.098	Limonene	0.712	0.098
Terpinolene	0.126	0.098	Linalool	0.313	0.098
Fenchol	0.152	0.098	Borneol	0.103	0.098
Terpineol	0.155	0.098	Geraniol	< LOQ	0.098
alpha Humulene	0.583	0.098	beta Caryophyllene	1.621	0.098
Caryophyllene Oxide	0.131	0.098	alpha Bisabolol	< LOQ	0.098
Camphene	< LOQ	0.098	beta Pinene	0.243	0.098
Ocimene	0.313	0.098	Sabinene	< LOQ	0.098
Camphor	< LOQ	0.098	Isoborneol	0.128	0.098
Menthol	< LOQ	0.098	alpha Cedrene	< LOQ	0.098
Nerolidol	0.098	0.098	R-(+)-Pulegone	< LOQ	0.098
Eucalyptol	< LOQ	0.098	p-Cymene	< LOQ	0.098
(-)-Isopulegol	< LOQ	0.098	Geranyl Acetate	0.117	0.098
Guaiol	0.776	0.098	Valencene	< LOQ	0.098
Phytol	0.427	0.098	Citronellol	< LOQ	0.098
gamma-Terpinene	< LOQ	0.098			
			<b>Total Terpenes</b>	<b>12.63 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
Terpene Analysis is not ORELAP Accredited.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Elektra FECO Primary**

Date Sampled: **02/20/19 11:46**

Tested for: **OM Extracts**

Date Accepted: **02/21/19 18:11**


**Compliance Extract**

Laboratory ID: **19B0081-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000011483**

**Terpene Profile**




Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Elektra FECO Primary** Date Sampled: **02/20/19 11:46**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-01** Sample Metrc ID: **1A4010300014ADD000011483**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011477**  
 Lot # **NA** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 02/25/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 02/26/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.243	Acephate	< LOQ	0.4	0.195
Acequinocyl	< LOQ	2	0.973	Acetamiprid	< LOQ	0.2	0.097
Aldicarb	< LOQ	0.4	0.195	Azoxystrobin	< LOQ	0.2	0.097
Bifenazate	< LOQ	0.2	0.097	Bifenthrin	< LOQ	0.2	0.097
Boscalid	< LOQ	0.4	0.195	Carbaryl	< LOQ	0.2	0.097
Carbofuran	< LOQ	0.2	0.097	Chlorantraniliprole	< LOQ	0.2	0.097
Chlorfenapyr	< LOQ	1	0.486	Chlorpyrifos	< LOQ	0.2	0.097
Clofentezine	< LOQ	0.2	0.097	Cyfluthrin	< LOQ	1	0.486
Cypermethrin	< LOQ	1	0.486	Daminozide	< LOQ	1	0.486
DDVP (Dichlorvos)	< LOQ	1	0.486	Diazinon	< LOQ	0.2	0.097
Dimethoate	< LOQ	0.2	0.097	Ethoprophos	< LOQ	0.2	0.097
Etofenprox	< LOQ	0.4	0.195	Etoxazole	< LOQ	0.2	0.097
Fenoxycarb	< LOQ	0.2	0.097	Fenpyroximate	< LOQ	0.4	0.195
Fipronil	< LOQ	0.4	0.195	Fonicamid	< LOQ	1	0.486
Fludioxonil	< LOQ	0.4	0.195	Hexythiazox	< LOQ	1	0.486
Imazalil	< LOQ	0.2	0.097	Imidacloprid	< LOQ	0.4	0.195
Kresoxim-methyl	< LOQ	0.4	0.195	Malathion	< LOQ	0.2	0.097
Metalaxyl	< LOQ	0.2	0.097	Methiocarb	< LOQ	0.2	0.097
Methomyl	< LOQ	0.4	0.195	Methyl parathion	< LOQ	0.2	0.097
MGK-264	< LOQ	0.2	0.097	Myclobutanil	< LOQ	0.2	0.097
Naled	< LOQ	0.5	0.243	Oxamyl	< LOQ	1	0.486
Paclobutrazol	< LOQ	0.4	0.195	Permethrins (total)	< LOQ	0.2	0.097
Phosmet	< LOQ	0.2	0.097	Piperonyl butoxide	< LOQ	2	0.486
Prallethrin	< LOQ	0.2	0.097	Propiconazole	< LOQ	0.4	0.195
Propoxur	< LOQ	0.2	0.097	Pyrethrins (total)	< LOQ	1	0.486
Pyridaben	< LOQ	0.2	0.097	Spinosad	< LOQ	0.2	0.097
Spiromesifen	< LOQ	0.2	0.097	Spirotetramat	< LOQ	0.2	0.097
Spiroxamine	< LOQ	0.4	0.195	Tebuconazole	< LOQ	0.4	0.195
Thiacloprid	< LOQ	0.2	0.097	Thiamethoxam	< LOQ	0.2	0.097
Trifloxystrobin	< LOQ	0.2	0.097				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Elektra FECO Duplicate** Date Sampled: **02/20/19 11:47**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-02** Sample Metrc ID: **1A4010300014ADD000011483**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011477**  
 Lot # **NA** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 02/25/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 02/26/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.244	Acephate	< LOQ	0.4	0.195
Acequinocyl	< LOQ	2	0.977	Acetamiprid	< LOQ	0.2	0.098
Aldicarb	< LOQ	0.4	0.195	Azoxystrobin	< LOQ	0.2	0.098
Bifenazate	< LOQ	0.2	0.098	Bifenthrin	< LOQ	0.2	0.098
Boscalid	< LOQ	0.4	0.195	Carbaryl	< LOQ	0.2	0.098
Carbofuran	< LOQ	0.2	0.098	Chlorantraniliprole	< LOQ	0.2	0.098
Chlorfenapyr	< LOQ	1	0.488	Chlorpyrifos	< LOQ	0.2	0.098
Clofentezine	< LOQ	0.2	0.098	Cyfluthrin	< LOQ	1	0.488
Cypermethrin	< LOQ	1	0.488	Daminozide	< LOQ	1	0.488
DDVP (Dichlorvos)	< LOQ	1	0.488	Diazinon	< LOQ	0.2	0.098
Dimethoate	< LOQ	0.2	0.098	Ethoprophos	< LOQ	0.2	0.098
Etofenprox	< LOQ	0.4	0.195	Etoxazole	< LOQ	0.2	0.098
Fenoxycarb	< LOQ	0.2	0.098	Fenpyroximate	< LOQ	0.4	0.195
Fipronil	< LOQ	0.4	0.195	Fonicamid	< LOQ	1	0.488
Fludioxonil	< LOQ	0.4	0.195	Hexythiazox	< LOQ	1	0.488
Imazalil	< LOQ	0.2	0.098	Imidacloprid	< LOQ	0.4	0.195
Kresoxim-methyl	< LOQ	0.4	0.195	Malathion	< LOQ	0.2	0.098
Metalaxyl	< LOQ	0.2	0.098	Methiocarb	< LOQ	0.2	0.098
Methomyl	< LOQ	0.4	0.195	Methyl parathion	< LOQ	0.2	0.098
MGK-264	< LOQ	0.2	0.098	Myclobutanil	< LOQ	0.2	0.098
Naled	< LOQ	0.5	0.244	Oxamyl	< LOQ	1	0.488
Paclobutrazol	< LOQ	0.4	0.195	Permethrins (total)	< LOQ	0.2	0.098
Phosmet	< LOQ	0.2	0.098	Piperonyl butoxide	< LOQ	2	0.488
Prallethrin	< LOQ	0.2	0.098	Propiconazole	< LOQ	0.4	0.195
Propoxur	< LOQ	0.2	0.098	Pyrethrins (total)	< LOQ	1	0.488
Pyridaben	< LOQ	0.2	0.098	Spinosad	< LOQ	0.2	0.098
Spiromesifen	< LOQ	0.2	0.098	Spirotetramat	< LOQ	0.2	0.098
Spiroxamine	< LOQ	0.4	0.195	Tebuconazole	< LOQ	0.4	0.195
Thiacloprid	< LOQ	0.2	0.098	Thiamethoxam	< LOQ	0.2	0.098
Trifloxystrobin	< LOQ	0.2	0.098				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Elektra FECO Primary** Date Sampled: **02/20/19 11:46**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-01** Sample Metric ID: **1A4010300014ADD000011483**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011477**  
 Lot # **NA** Batch Size: **1399 (g)**

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 02/25/19
1,4-Dioxane	< LOQ	380	184	Date Analyzed: 02/26/19
2-Butanol	< LOQ	5000	2430	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	77.7	
2-Propanol (IPA)	< LOQ	5000	2430	
Acetone	< LOQ	5000	2430	
Acetonitrile	< LOQ	400	199	
Benzene	< LOQ	2	0.971	
Butanes	< LOQ	5000	2430	
Cyclohexane	< LOQ	3880	1880	
Dichloromethane (methylene chloride)	< LOQ	600	291	
Ethyl acetate	< LOQ	5000	2430	
Ethyl ether	< LOQ	5000	2430	
Ethylbenzene	< LOQ	2170	1050	
Ethylene glycol	< LOQ	620	301	
Ethylene oxide	< LOQ	50	24.3	
Heptane	< LOQ	5000	2430	
Hexanes	< LOQ	290	141	
Isopropyl acetate	< LOQ	5000	2430	
Isopropylbenzene (cumene)	< LOQ	70	34.0	
Methanol	< LOQ	3000	1460	
Pentanes	< LOQ	5000	2430	
Propane	< LOQ	5000	2430	
Tetrahydrofuran	< LOQ	720	350	
Toluene	< LOQ	890	432	
Xylenes	< LOQ	2170	1050	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Elektra FECO Duplicate** Date Sampled: **02/20/19 11:47**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-02** Sample Metric ID: **1A4010300014ADD000011483**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011477**  
 Lot # **NA** Batch Size: **1399 (g)**

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 02/25/19
1,4-Dioxane	< LOQ	380	189	Date Analyzed: 02/26/19
2-Butanol	< LOQ	5000	2480	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	79.5	
2-Propanol (IPA)	< LOQ	5000	2480	
Acetone	< LOQ	5000	2480	
Acetonitrile	< LOQ	400	204	
Benzene	< LOQ	2	0.994	
Butanes	< LOQ	5000	2480	
Cyclohexane	< LOQ	3880	1930	
Dichloromethane (methylene chloride)	< LOQ	600	298	
Ethyl acetate	< LOQ	5000	2480	
Ethyl ether	< LOQ	5000	2480	
Ethylbenzene	< LOQ	2170	1080	
Ethylene glycol	< LOQ	620	308	
Ethylene oxide	< LOQ	50	24.8	
Heptane	< LOQ	5000	2480	
Hexanes	< LOQ	290	144	
Isopropyl acetate	< LOQ	5000	2480	
Isopropylbenzene (cumene)	< LOQ	70	34.8	
Methanol	< LOQ	3000	1490	
Pentanes	< LOQ	5000	2480	
Propane	< LOQ	5000	2480	
Tetrahydrofuran	< LOQ	720	358	
Toluene	< LOQ	890	442	
Xylenes	< LOQ	2170	1080	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**Case Narrative**

**Residual Solvents** - Isopropylbenzene above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte below the reporting limit in all client samples.

Isopropylbenzene results exceeded the instrument calibration in the Matrix Spike and Matrix Spike Duplicate. Reported results are considered estimates.

Ethylene glycol and 2-Ethoxyethanol above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and Matrix Spike Duplicate. Analyte below reporting limit in all client samples.

**Pesticides** - Acequinocyl recovered low in BS and MS/MSD, however it recovered above 15%, MS RPD is low, and all samples are ND, so results are acceptable.  
 Piperonyl butoxide and Acephate recovered low in MS/MSD. However, BS recovered within acceptable limits, MS RPD is low, and all samples are ND, so results are acceptable.

**Quality Control  
Potency**

**Batch: B190307 - Potency/Terpenes**

Blank(B190307-BLK1)			Extracted - 02/25/19 11:53 Analyzed - 02/26/19 19:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B190307 - Potency/Terpenes (Continued)**

Duplicate(B190307-DUP1)			Extracted - 02/25/19 11:53 Analyzed - 02/26/19 20:00					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	1.61	%		1.72			6.37	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	17.29	%		17.29			0.0279	20
CBDA (Cannabidiolic Acid)	37.12	%		37.09			0.0782	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.39	%		0.39			0.885	20
CBGA (Cannabigerolic Acid)	0.69	%		0.71			2.39	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	0.19	%		0.20			5.69	20
CBC (Cannabichromene)	0.56	%		0.47			17.4	20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B190307-BS1)			Extracted - 02/25/19 11:53 Analyzed - 02/27/19 12:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.20	%	0.200		98.6	80-120		
CBD (Cannabidiol)	0.21	%	0.200		105	80-120		
CBDA (Cannabidiolic Acid)	< LOQ	%				80-120		
CBN (Cannabinol)	0.18	%	0.200		89.4	80-120		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B190306 - Pesticide Prep**

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<b>Blank(B190306-BLK1)</b>			<b>Extracted - 02/25/19 11:52 Analyzed - 02/26/19 17:35</b>					
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190306 - Pesticide Prep (Continued)**

Blank(B190306-BLK1)			Extracted - 02/25/19 11:52 Analyzed - 02/26/19 17:35					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Pacllobutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B190306-BS1)			Extracted - 02/25/19 11:52 Analyzed - 02/26/19 17:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	0.64	ppm	0.980		65.2	15-150		
Acephate	0.53	ppm	1.00		52.8	51-141		
Acequinocyl	< LOQ	ppm	1.00			24-84		
Acetamiprid	1.41	ppm	1.00		141	50-150		
Aldicarb	0.92	ppm	1.00		92.1	49-146		
Azoxystrobin	0.92	ppm	1.00		92.4	52-136		
Bifenazate	0.90	ppm	1.00		90.0	41-133		
Bifenthrin	0.46	ppm	1.00		45.6	22-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

Batch: B190306 - Pesticide Prep (Continued)

LCS(B190306-BS1)		Extracted - 02/25/19 11:52 Analyzed - 02/26/19 17:51						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	0.83	ppm	1.00		83.4	29-144		
Carbaryl	0.97	ppm	1.00		97.2	61-127		
Carbofuran	1.27	ppm	1.00		127	62-136		
Chlorantraniliprole	0.86	ppm	1.00		86.1	41-150		
Chlorfenapyr	0.51	ppm	1.00		50.9	23-143		
Chlorpyrifos	0.63	ppm	1.00		62.8	29-124		
Clofentezine	0.87	ppm	1.00		86.7	40-127		
Cyfluthrin	0.76	ppm	1.00		75.7	32-147		
Cypermethrin	0.65	ppm	1.00		64.6	21-144		
Daminozide	0.20	ppm	1.00		20.1	15-91		
DDVP (Dichlorvos)	0.84	ppm	1.00		84.2	55-150		
Diazinon	0.93	ppm	1.00		93.0	43-127		
Dimethoate	1.05	ppm	1.00		105	62-136		
Ethoprophos	0.80	ppm	1.00		79.8	45-142		
Etofenprox	0.72	ppm	1.00		71.6	24-113		
Etoxazole	0.92	ppm	1.00		91.9	34-121		
Fenoxycarb	0.88	ppm	1.00		88.1	22-150		
Fenpyroximate	0.79	ppm	1.00		79.1	34-144		
Fipronil	0.63	ppm	1.00		63.0	25-149		
Flonicamid	0.68	ppm	1.00		68.5	53-144		
Fludioxonil	0.60	ppm	1.00		60.1	29-132		
Hexythiazox	0.72	ppm	1.00		72.3	22-111		
Imazalil	1.00	ppm	1.00		100	48-125		
Imidacloprid	1.29	ppm	1.00		129	41-150		
Kresoxim-methyl	1.11	ppm	1.00		111	43-140		
Malathion	0.97	ppm	1.00		97.0	25-148		
Metalaxyl	1.02	ppm	1.00		102	50-136		
Methiocarb	0.81	ppm	1.00		81.1	56-132		
Methomyl	0.78	ppm	1.00		78.2	40-150		
Methyl parathion	0.61	ppm	1.00		61.1	15-150		
MGK-264	0.52	ppm	0.630		82.0	32-134		
Myclobutanil	0.87	ppm	1.00		86.6	43-141		
Naled	0.76	ppm	1.00		76.4	15-136		
Oxamyl	0.73	ppm	1.00		73.4	56-133		
Paclobutrazol	0.77	ppm	1.00		76.6	34-143		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

**Batch: B190306 - Pesticide Prep (Continued)**

LCS(B190306-BS1)		Extracted - 02/25/19 11:52 Analyzed - 02/26/19 17:51						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	0.49	ppm				31-113		
Phosmet	0.93	ppm	1.00		92.7	53-124		
Piperonyl butoxide	0.91	ppm	1.00		91.3	39-128		
Prallethrin	0.90	ppm	1.00		89.9	43-140		
Propiconazole	0.92	ppm	1.00		92.2	47-124		
Propoxur	1.30	ppm	1.00		130	63-135		
Pyrethrins (total)	0.48	ppm				19-144		
Pyridaben	0.79	ppm	1.00		78.8	31-122		
Spinosad	0.73	ppm	0.820		89.2	24-147		
Spiromesifen	0.91	ppm	1.00		91.1	49-133		
Spirotetramat	0.86	ppm	1.00		85.8	29-150		
Spiroxamine	0.31	ppm	0.550		55.9	15-122		
Tebuconazole	0.97	ppm	1.00		97.3	40-133		
Thiacloprid	1.44	ppm	1.00		144	60-143		
Thiamethoxam	0.83	ppm	1.00		83.1	42-146		
Trifloxystrobin	1.15	ppm	1.00		115	41-148		

Matrix Spike(B190306-MS1)		Extracted - 02/25/19 11:52 Analyzed - 02/26/19 18:07						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	0.83	ppm	1.96	< LOQ	42.5	21-150		
Acephate	1.03	ppm	2.00	< LOQ	51.4	48-131		
Acequinocyl	< LOQ	ppm	2.00	< LOQ		16-148		
Acetamiprid	3.30	ppm	2.00	< LOQ	165	50-145		
Aldicarb	2.14	ppm	2.00	< LOQ	107	53-133		
Azoxystrobin	2.14	ppm	2.00	< LOQ	107	35-147		
Bifenazate	2.28	ppm	2.00	< LOQ	114	43-143		
Bifenthrin	0.30	ppm	2.00	< LOQ	15.0	16-107		
Boscalid	2.27	ppm	2.00	< LOQ	114	42-140		
Carbaryl	1.97	ppm	2.00	< LOQ	98.7	71-113		
Carbofuran	2.73	ppm	2.00	< LOQ	137	73-118		
Chlorantraniliprole	2.39	ppm	2.00	< LOQ	120	45-136		
Chlorfenapyr	< LOQ	ppm	2.00	< LOQ		15-150		
Chlorpyrifos	0.81	ppm	2.00	< LOQ	40.6	24-125		
Clofentezine	0.94	ppm	2.00	< LOQ	47.2	38-118		
Cyfluthrin	1.13	ppm	2.00	< LOQ	56.7	23-139		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190306 - Pesticide Prep (Continued)**

Matrix Spike(B190306-MS1)			Extracted - 02/25/19 11:52 Analyzed - 02/26/19 18:07					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.17	ppm	2.00	< LOQ	58.6	38-150		
Daminozide	1.50	ppm	2.00	< LOQ	75.0	15-150		
DDVP (Dichlorvos)	1.78	ppm	2.00	< LOQ	89.2	64-124		
Diazinon	1.78	ppm	2.00	< LOQ	89.0	50-123		
Dimethoate	1.92	ppm	2.00	< LOQ	96.3	69-116		
Ethoprophos	1.68	ppm	2.00	< LOQ	84.3	39-146		
Etofenprox	0.79	ppm	2.00	< LOQ	39.7	31-117		
Etoxazole	2.03	ppm	2.00	< LOQ	101	35-136		
Fenoxycarb	1.90	ppm	2.00	< LOQ	95.2	23-150		
Fenpyroximate	2.11	ppm	2.00	< LOQ	106	30-143		
Fipronil	1.10	ppm	2.00	< LOQ	55.1	15-150		
Flonicamid	1.21	ppm	2.00	< LOQ	60.8	50-131		
Fludioxonil	2.28	ppm	2.00	< LOQ	114	44-150		
Hexythiazox	0.88	ppm	2.00	< LOQ	43.8	34-144		
Imazalil	2.81	ppm	2.00	< LOQ	141	54-124		
Imidacloprid	3.76	ppm	2.00	< LOQ	188	39-150		
Kresoxim-methyl	1.92	ppm	2.00	< LOQ	95.9	46-134		
Malathion	2.30	ppm	2.00	< LOQ	115	26-148		
Metalaxyl	2.28	ppm	2.00	< LOQ	114	60-127		
Methiocarb	1.83	ppm	2.00	< LOQ	91.7	50-131		
Methomyl	1.48	ppm	2.00	< LOQ	73.9	47-135		
Methyl parathion	1.18	ppm	2.00	< LOQ	59.1	15-150		
MGK-264	0.52	ppm	1.26	< LOQ	41.0	20-130		
Myclobutanil	2.07	ppm	2.00	< LOQ	104	43-134		
Naled	1.48	ppm	2.00	< LOQ	74.3	38-140		
Oxamyl	1.43	ppm	2.00	< LOQ	71.7	48-127		
Paclobutrazol	1.59	ppm	2.00	< LOQ	79.9	30-136		
Permethrins (total)	0.43	ppm		< LOQ		20-120		
Phosmet	2.15	ppm	2.00	< LOQ	108	51-134		
Piperonyl butoxide	0.29	ppm	2.00	< LOQ	14.3	36-134		
Prallethrin	1.18	ppm	2.00	< LOQ	59.3	23-149		
Propiconazole	2.45	ppm	2.00	< LOQ	123	45-133		
Propoxur	2.92	ppm	2.00	< LOQ	146	59-130		
Pyrethrins (total)	0.98	ppm		< LOQ		15-146		
Pyridaben	1.17	ppm	2.00	< LOQ	58.7	15-150		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190306 - Pesticide Prep (Continued)**

Matrix Spike(B190306-MS1)			Extracted - 02/25/19 11:52 Analyzed - 02/26/19 18:07					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.58	ppm	1.64	< LOQ	96.7	23-150		
Spiromesifen	1.85	ppm	2.00	< LOQ	92.8	27-127		
Spirotetramat	4.08	ppm	2.00	< LOQ	204	33-150		
Spiroxamine	1.24	ppm	1.10	< LOQ	113	54-134		
Tebuconazole	1.24	ppm	2.00	< LOQ	61.9	22-126		
Thiacloprid	3.32	ppm	2.00	< LOQ	166	53-138		
Thiamethoxam	1.53	ppm	2.00	< LOQ	76.7	40-134		
Trifloxystrobin	2.18	ppm	2.00	< LOQ	109	25-140		

Matrix Spike Dup(B190306-MSD1)			Extracted - 02/25/19 11:52 Analyzed - 02/26/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	0.94	ppm	1.93	< LOQ	48.4	21-150	13.0	40
Acephate	0.94	ppm	1.97	< LOQ	47.8	48-131	7.29	26
Acequinocyl	< LOQ	ppm	1.97	< LOQ		16-148		50
Acetamiprid	3.13	ppm	1.97	< LOQ	159	50-145	3.98	30
Aldicarb	1.97	ppm	1.97	< LOQ	99.7	53-133	7.21	30
Azoxystrobin	2.00	ppm	1.97	< LOQ	101	35-147	5.52	29
Bifenazate	2.26	ppm	1.97	< LOQ	115	43-143	0.344	30
Bifenthrin	0.32	ppm	1.97	< LOQ	16.2	16-107	7.79	29
Boscalid	2.18	ppm	1.97	< LOQ	110	42-140	3.21	30
Carbaryl	2.03	ppm	1.97	< LOQ	103	71-113	3.95	20
Carbofuran	2.56	ppm	1.97	< LOQ	130	73-118	5.40	20
Chlorantraniliprole	2.31	ppm	1.97	< LOQ	117	45-136	2.00	30
Chlorfenapyr	< LOQ	ppm	1.97	< LOQ		15-150		50
Chlorpyrifos	0.82	ppm	1.97	< LOQ	41.4	24-125	1.92	29
Clofentezine	0.93	ppm	1.97	< LOQ	47.0	38-118	0.515	26
Cyfluthrin	< LOQ	ppm	1.97	< LOQ		23-139		50
Cypermethrin	1.07	ppm	1.97	< LOQ	54.4	38-150	7.33	30
Daminozide	1.45	ppm	1.97	< LOQ	73.6	15-150	1.85	26
DDVP (Dichlorvos)	1.69	ppm	1.97	< LOQ	85.5	64-124	4.22	27
Diazinon	1.77	ppm	1.97	< LOQ	89.7	50-123	0.846	20
Dimethoate	1.93	ppm	1.97	< LOQ	97.9	69-116	1.68	20
Ethoprophos	1.72	ppm	1.97	< LOQ	87.1	39-146	3.17	30
Etofenprox	0.83	ppm	1.97	< LOQ	41.9	31-117	5.37	27
Etoxazole	2.01	ppm	1.97	< LOQ	102	35-136	0.375	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control Pesticide Analysis (Continued)

Batch: B190306 - Pesticide Prep (Continued)

Matrix Spike Dup(B190306-MSD1)			Extracted - 02/25/19 11:52 Analyzed - 02/26/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	2.00	ppm	1.97	< LOQ	102	23-150	6.40	40
Fenpyroximate	2.05	ppm	1.97	< LOQ	104	30-143	1.76	26
Fipronil	1.00	ppm	1.97	< LOQ	50.7	15-150	8.22	30
Flonicamid	1.21	ppm	1.97	< LOQ	61.1	50-131	0.536	26
Fludioxonil	2.26	ppm	1.97	< LOQ	114	44-150	0.311	30
Hexythiazox	0.87	ppm	1.97	< LOQ	44.1	34-144	0.576	28
Imazalil	2.73	ppm	1.97	< LOQ	138	54-124	1.83	24
Imidacloprid	3.22	ppm	1.97	< LOQ	163	39-150	14.3	30
Kresoxim-methyl	1.92	ppm	1.97	< LOQ	97.4	46-134	1.52	20
Malathion	2.32	ppm	1.97	< LOQ	117	26-148	2.02	50
Metalaxyl	2.27	ppm	1.97	< LOQ	115	60-127	0.760	30
Methiocarb	1.80	ppm	1.97	< LOQ	91.3	50-131	0.500	30
Methomyl	1.44	ppm	1.97	< LOQ	73.0	47-135	1.27	20
Methyl parathion	1.19	ppm	1.97	< LOQ	60.4	15-150	2.13	50
MGK-264	0.53	ppm	1.24	< LOQ	42.6	20-130	3.84	30
Myclobutanil	2.07	ppm	1.97	< LOQ	105	43-134	1.37	30
Naled	1.41	ppm	1.97	< LOQ	71.5	38-140	3.82	30
Oxamyl	1.46	ppm	1.97	< LOQ	74.1	48-127	3.28	28
Paclobutrazol	1.61	ppm	1.97	< LOQ	81.3	30-136	1.80	30
Permethrins (total)	0.40	ppm		< LOQ		20-120		28
Phosmet	2.27	ppm	1.97	< LOQ	115	51-134	6.57	30
Piperonyl butoxide	0.28	ppm	1.97	< LOQ	14.3	36-134	0.176	30
Prallethrin	1.20	ppm	1.97	< LOQ	60.9	23-149	2.63	30
Propiconazole	2.39	ppm	1.97	< LOQ	121	45-133	1.56	30
Propoxur	2.75	ppm	1.97	< LOQ	139	59-130	4.96	29
Pyrethrins (total)	1.02	ppm		< LOQ		15-146		28
Pyridaben	1.21	ppm	1.97	< LOQ	61.1	15-150	4.09	29
Spinosad	1.47	ppm	1.62	< LOQ	90.7	23-150	6.30	30
Spiromesifen	1.89	ppm	1.97	< LOQ	95.7	27-127	3.07	28
Spirotetramat	3.83	ppm	1.97	< LOQ	194	33-150	5.21	30
Spiroxamine	1.14	ppm	1.09	< LOQ	105	54-134	6.60	30
Tebuconazole	1.26	ppm	1.97	< LOQ	64.0	22-126	3.37	21
Thiacloprid	3.03	ppm	1.97	< LOQ	153	53-138	7.99	30
Thiamethoxam	1.51	ppm	1.97	< LOQ	76.6	40-134	0.0887	28
Trifloxystrobin	2.10	ppm	1.97	< LOQ	106	25-140	2.84	30



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis

Batch: B190305 - Residual Solvent Prep

Blank(B190305-BLK1)			Extracted - 02/25/19 12:41 Analyzed - 02/26/19 0:30					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B190305-BS1)			Extracted - 02/25/19 12:41 Analyzed - 02/26/19 0:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	501	ug/g	570		87.9	70-130		
2,2-Dimethylbutane	380	ug/g	435		87.3	70-130		
2-Butanol	3910	ug/g	3500		112	70-130		
2-Ethoxyethanol	413	ug/g	240		172	70-130		
2-Methylbutane (isopentane)	3440	ug/g	3500		98.3	70-130		
2-Methylpentane/2,3-Dimethylbutane	858	ug/g	870		98.7	70-130		
2-Propanol (IPA)	3850	ug/g	3500		110	70-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis (Continued)

**Batch: B190305 - Residual Solvent Prep (Continued)**

<b>LCS(B190305-BS1)</b>		<b>Extracted - 02/25/19 12:41 Analyzed - 02/26/19 0:51</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
3-Methylpentane	383	ug/g	435		88.2	70-130		
Acetone	3620	ug/g	3500		103	70-130		
Acetonitrile	617	ug/g	615		100	70-130		
Benzene	2.79	ug/g	3.00		93.0	70-130		
Cyclohexane	5330	ug/g	5820		91.6	70-130		
Dichloromethane (methylene chloride)	921	ug/g	900		102	70-130		
Ethyl acetate	3580	ug/g	3500		102	70-130		
Ethyl ether	3210	ug/g	3500		91.6	70-130		
Ethylbenzene	2850	ug/g	3250		87.6	70-130		
Ethylene glycol	1390	ug/g	930		149	70-130		
Heptane	3550	ug/g	3500		101	70-130		
Isopropyl acetate	3630	ug/g	3500		104	70-130		
Isopropylbenzene (cumene)	92.8	ug/g	105		88.4	70-130		
m,p-Xylene	5860	ug/g	6510		89.9	70-130		
Methanol	2420	ug/g	2500		96.7	70-130		
n-Hexane	388	ug/g	435		89.1	70-130		
n-Pentane	3620	ug/g	3500		103	70-130		
Tetrahydrofuran	1070	ug/g	1080		98.6	70-130		
Toluene	1190	ug/g	1340		89.3	70-130		
o-Xylene	2880	ug/g	3250		88.7	70-130		

<b>Matrix Spike(B190305-MS1)</b>		<b>Extracted - 02/25/19 12:41 Analyzed - 02/26/19 1:12</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
1,4-Dioxane	480	ug/g	535	< LOQ	89.6	70-130		
2,2-Dimethylbutane	368	ug/g	408	< LOQ	90.0	70-130		
2-Butanol	3750	ug/g	3290	< LOQ	114	70-130		
2-Ethoxyethanol	462	ug/g	225	< LOQ	205	70-130		
2-Methylbutane (isopentane)	3330	ug/g	3290	< LOQ	101	70-130		
2-Methylpentane/2,3-Dimethylbutane	828	ug/g	817	< LOQ	101	70-130		
2-Propanol (IPA)	3630	ug/g	3290	< LOQ	110	70-130		
3-Methylpentane	374	ug/g	408	< LOQ	91.5	70-130		
Acetone	3490	ug/g	3290	126	102	70-130		
Acetonitrile	588	ug/g	577	< LOQ	102	70-130		
Benzene	2.91	ug/g	2.82	< LOQ	103	70-130		
Cyclohexane	5280	ug/g	5470	< LOQ	96.5	70-130		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B190305 - Residual Solvent Prep (Continued)**

Matrix Spike(B190305-MS1)			Extracted - 02/25/19 12:41 Analyzed - 02/26/19 1:12					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Dichloromethane (methylene chloride)	893	ug/g	845	< LOQ	106	70-130		
Ethyl acetate	3370	ug/g	3290	114	99.0	70-130		
Ethyl ether	3040	ug/g	3290	< LOQ	92.4	70-130		
Ethylbenzene	2880	ug/g	3050	< LOQ	94.2	70-130		
Ethylene glycol	1530	ug/g	873	< LOQ	176	70-130		
Heptane	3470	ug/g	3290	< LOQ	106	70-130		
Isopropyl acetate	3440	ug/g	3290	< LOQ	105	70-130		
Isopropylbenzene (cumene)	651	ug/g	98.6	< LOQ	660	70-130		
m,p-Xylene	5900	ug/g	6120	< LOQ	96.5	70-130		
Methanol	2300	ug/g	2350	< LOQ	98.1	70-130		
n-Hexane	383	ug/g	408	28.6	86.8	70-130		
n-Pentane	3490	ug/g	3290	< LOQ	106	70-130		
Tetrahydrofuran	995	ug/g	1010	< LOQ	98.1	70-130		
Toluene	1180	ug/g	1260	< LOQ	94.3	70-130		
o-Xylene	2890	ug/g	3050	< LOQ	94.7	70-130		

Matrix Spike Dup(B190305-MSD1)			Extracted - 02/25/19 12:41 Analyzed - 02/26/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	464	ug/g	519	< LOQ	89.3	70-130	3.34	30
2,2-Dimethylbutane	357	ug/g	396	< LOQ	90.1	70-130	2.90	30
2-Butanol	3650	ug/g	3190	< LOQ	114	70-130	2.70	30
2-Ethoxyethanol	462	ug/g	219	< LOQ	211	70-130	0.0968	30
2-Methylbutane (isopentane)	3160	ug/g	3190	< LOQ	99.2	70-130	4.96	30
2-Methylpentane/2,3-Dimethylbutane	801	ug/g	793	< LOQ	101	70-130	3.31	30
2-Propanol (IPA)	3540	ug/g	3190	< LOQ	111	70-130	2.48	30
3-Methylpentane	365	ug/g	396	< LOQ	92.1	70-130	2.37	30
Acetone	3360	ug/g	3190	126	101	70-130	3.77	30
Acetonitrile	568	ug/g	560	< LOQ	101	70-130	3.50	30
Benzene	2.72	ug/g	2.73	< LOQ	99.3	70-130	6.82	30
Cyclohexane	5130	ug/g	5310	< LOQ	96.7	70-130	2.88	30
Dichloromethane (methylene chloride)	866	ug/g	820	< LOQ	106	70-130	3.10	30
Ethyl acetate	3250	ug/g	3190	114	98.3	70-130	3.63	30
Ethyl ether	2940	ug/g	3190	< LOQ	92.0	70-130	3.43	30
Ethylbenzene	2780	ug/g	2960	< LOQ	94.0	70-130	3.25	30
Ethylene glycol	1510	ug/g	847	< LOQ	178	70-130	1.69	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis (Continued)

**Batch: B190305 - Residual Solvent Prep (Continued)**

Matrix Spike Dup(B190305-MSD1)			Extracted - 02/25/19 12:41 Analyzed - 02/26/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Heptane	3350	ug/g	3190	< LOQ	105	70-130	3.43	30
Isopropyl acetate	3330	ug/g	3190	< LOQ	104	70-130	3.34	30
Isopropylbenzene (cumene)	641	ug/g	95.7	< LOQ	670	70-130	1.49	30
m,p-Xylene	5650	ug/g	5930	< LOQ	95.3	70-130	4.25	30
Methanol	2250	ug/g	2280	< LOQ	98.7	70-130	2.35	30
n-Hexane	375	ug/g	396	28.6	87.4	70-130	2.12	30
n-Pentane	3340	ug/g	3190	< LOQ	105	70-130	4.29	30
Tetrahydrofuran	968	ug/g	984	< LOQ	98.3	70-130	2.74	30
Toluene	1150	ug/g	1220	< LOQ	94.5	70-130	2.80	30
o-Xylene	2800	ug/g	2960	< LOQ	94.5	70-130	3.26	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B190308 - Potency/Terpenes**

Blank(B190308-BLK1)			Extracted - 02/25/19 11:53 Analyzed - 02/26/19 22:12					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
Caryophyllene Oxide	< LOQ	%						
alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
R-(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	1.615	%						
Citronellol	< LOQ	%						
gamma-Terpinene	< LOQ	%						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)


**Batch: B190308 - Potency/Terpenes (Continued)**

Duplicate(B190308-DUP1)		Extracted - 02/25/19 11:53 Analyzed - 02/26/19 22:12						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	1.279	%		1.278			0.0375	20
Myrcene	5.406	%		5.357			0.901	20
alpha Phellandrene	< LOQ	%		< LOQ				20
3-Carene	< LOQ	%		< LOQ				20
alpha Terpinene	< LOQ	%		< LOQ				20
Limonene	0.714	%		0.712			0.277	20
Terpinolene	0.110	%		0.126			14.0	20
Linalool	0.296	%		0.313			5.49	20
Fenchol	0.151	%		0.152			0.422	20
Borneol	0.100	%		0.103			3.37	20
Terpineol	0.157	%		0.155			1.63	20
Geraniol	< LOQ	%		< LOQ				20
alpha Humulene	0.566	%		0.583			3.03	20
beta Caryophyllene	1.629	%		1.621			0.487	20
Caryophyllene Oxide	0.128	%		0.131			2.23	20
alpha Bisabolol	< LOQ	%		< LOQ				20
Camphene	< LOQ	%		< LOQ				20
beta Pinene	0.253	%		0.243			3.86	20
Ocimene	0.312	%		0.313			0.283	20
Sabinene	< LOQ	%		< LOQ				20
Camphor	< LOQ	%		< LOQ				20
Isoborneol	0.128	%		0.128			0.384	20
Menthol	< LOQ	%		< LOQ				20
alpha Cedrene	< LOQ	%		< LOQ				20
Nerolidol	0.101	%		< LOQ			3.04	20
R-(+)-Pulegone	< LOQ	%		< LOQ				20
Eucalyptol	< LOQ	%		< LOQ				20
p-Cymene	< LOQ	%		< LOQ				20
(-)-Isopulegol	< LOQ	%		< LOQ				20
Geranyl Acetate	0.108	%		0.117			7.77	20
Guaiol	0.766	%		0.776			1.27	20
Valencene	0.208	%		< LOQ				20
Phytol	0.180	%		0.427			81.3	20
Citronellol	< LOQ	%		< LOQ				20
gamma-Terpinene	< LOQ	%		< LOQ				20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



19B0081

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.:</b>	<b>0001327212</b>	<b>Date Created:</b>	<b>2/20/2019 12:28 PM</b>
<b>Originating Entity:</b>	OM Extracts	<b>For OLCC Use Only</b>	
<b>Originating License Number:</b>	030-10051970949		
<b>Address of Originating Entity:</b>	500 Industrial Circle, Units E, F, G, and H White City, OR 97503		
<b>Phone No. of Originating Entity:</b>	503-688-3289		
<b>Contact Phone No. for Inquiries: 503-688-3289</b>			
<b>Destination # 1</b>	<b>SC Laboratories</b>	<b>Destination Phone No.:</b>	<b>707-339-0050</b>
<b>Destination License Number:</b>	010-1004748743D	<b>Date and Approx. Time of Departure:</b>	2/20/2019 12:18 PM
<b>Address of Destination:</b>	15865 SW 74th Avenue Ste 110 Tigard, OR 97224	<b>Date and Approx. Time of Arrival:</b>	2/21/2019 12:00 AM
		<b>Date/Time Received:</b>	2/21/19 1811
		<b>Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)</b>	
<b>Route to be Traveled:</b> 500 Industrial Cir White City, OR 97503 Take Pacific Ave to Table Rock Rd 2 min (0.5 mi) Continue on Table Rock Rd. Take Biddle Rd to Dakota Ave in Medford 17 min (8.4 mi) Turn left onto Dakota Ave Destination will be on the left 2 min (0.5 mi) 21 min (9.4 mi) **Overnight** 744 Dakota Ave Medford, OR 97501 Get on I-5 N from W Stewart Ave, Rogue Valley Hwy 99 and Garfield St 7 min (2.5 mi) Follow I-5 N to Lower Boones Ferry Rd in Tualatin. Take exit 290 from I-5 N 4 h 2 min (263 mi) Take SW Durham Rd to SW 74th Ave in Tigard 4 min (1.0 mi) 4 h 13 min (266 mi) 15865 SW 74th Ave Tigard, OR 97224			
<b>Name of Person Transporting:</b>	Joel Glimpse/ Scott Forster	<b>Handler Permit No. of Driver:</b>	102682/22
<b>State Driver's License No.:</b>	9474950/A625521	<b>Signature of Person Transporting:</b>	
<b>Make, Model, License Plate No.:</b> scion/Dodge /nissan XB/3500/NV 200 175 JLS/646FEF/825 KAT			
<b>Package # 1</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300014ADD000011480 Lab Test: SubmittedForTesting Status: Shipped		FECO Bulk - Lifter (Extracts)	Shp: 7.1200 g
<b>Package # 2</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300014ADD000011481 Lab Test: SubmittedForTesting Status: Shipped		FECO Bulk - Rogue Valley Poison (Extracts)	Shp: 7.0700 g
<b>Harvests:</b>	RogueValleyPoison 10/2		
<b>Package # 3</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300014ADD000011482 Lab Test: SubmittedForTesting Status: Shipped		FECO Bulk - Quantum Kush (Extracts)	Shp: 7.1200 g
<b>Harvests:</b>	qk 10/18		
<b>Package # 4</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300014ADD000011483 Lab Test: SubmittedForTesting Status: Shipped		FECO Bulk - Elektra (Extracts)	Shp: 7.1800 g





**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



19B0081

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.:</b>	<b>0001327212</b>	<b>Date Created:</b>	<b>2/20/2019 12:28 PM</b>
<b>PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)</b>			
<b>Name of Person Receiving or Rejecting Product:</b>	Justin Miller		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature:</b>	Justin Miller	<b>Date:</b>	2/21/19
<b>Signature of individual taking receipt of rejected portion of this shipment:</b>			

Client: OM Ext Client License: 10051970949 Date Sampled: Thermometer ID: T005  
 Address Where Sampled: 500 Industrial wy Requestor: Jamie Event ID: 19BOM20 Balance ID: BAL\_01  
 Sampling SOP & Rev. #: SC-OR-SAMP-002 rev. 1.01 Sampler: Joel Transporter: Joel/ Scott Hygrometer ID: an-03

Sampler Signature

Lab ORELAP ID: 4133  
 Lab OLCC ID: 1004748743D

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	weight Set ID 01	±2.5%	0.51	P	0.5	P
200		±2.5%	199.94		199.93	



Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Jar					Concentrate	Elektra FECO		1399
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000011477	66.7	41.5	1	Vial	4	6	0.583333333	Elektra FECO Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19BOM20-01	Elektra FECO-1		A1	14.59	15.17	0.58	1A4010300014ADD000011483	
19BOM20-01	Elektra FECO-1		A1	15.17	15.75	0.58	1A4010300014ADD000011483	
19BOM20-01	Elektra FECO-1		A1	15.75	16.33	0.58	1A4010300014ADD000011483	
19BOM20-01	Elektra FECO-1		A2	16.33	16.91	0.58	1A4010300014ADD000011483	
19BOM20-01	Elektra FECO-1		A3	16.91	17.49	0.58	1A4010300014ADD000011483	
19BOM20-01	Elektra FECO-1		A3	17.49	18.22	0.73	1A4010300014ADD000011483	
<b>Totals:</b>								
6			6		Total Primary Mass = 3.63		Primary + Duplicate Mass = 7.18 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000011477	66.7	41.5	1	Vial	4	6	0.583333333	Elektra FECO Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19BOM20-02	Elektra FECO-1		A1	14.59	15.17	0.58	1A4010300014ADD000011483	
19BOM20-02	Elektra FECO-1		A2	15.17	15.75	0.58	1A4010300014ADD000011483	
19BOM20-02	Elektra FECO-1		A3	15.75	16.33	0.58	1A4010300014ADD000011483	
19BOM20-02	Elektra FECO-1		A3	16.33	16.91	0.58	1A4010300014ADD000011483	
19BOM20-02	Elektra FECO-1		A3	16.91	17.49	0.58	1A4010300014ADD000011483	
19BOM20-02	Elektra FECO-1		A3	17.49	18.14	0.65	1A4010300014ADD000011483	

<b>Totals:</b>	6	6	Total Duplicate Mass = 3.55			Primary + Duplicate Mass = 7.18 g	
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Jar					Concentrate	Lifter FECO		1399
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000011478	66.7	41.5	1	Vial	4	6	0.58333333	Lifter FECO Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19BOM20-03	Lifter FECO-1		A1	14.61	15.19	0.58	1A4010300014ADD000011480	
19BOM20-03	Lifter FECO-1		A2	15.19	15.77	0.58	1A4010300014ADD000011480	
19BOM20-03	Lifter FECO-1		A2	15.77	16.35	0.58	1A4010300014ADD000011480	
19BOM20-03	Lifter FECO-1		A3	16.35	16.93	0.58	1A4010300014ADD000011480	
19BOM20-03	Lifter FECO-1		A4	16.93	17.51	0.58	1A4010300014ADD000011480	
19BOM20-03	Lifter FECO-1		A4	17.51	18.19	0.68	1A4010300014ADD000011480	
<b>Totals:</b>	6	6	Total Primary Mass = 3.58			Primary + Duplicate Mass = 7.12 g		

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000011478	66.7	41.5	1	Vial	4	6	0.58333333	Lifter FECO Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19BOM20-04	Lifter FECO-1		A1	14.58	15.16	0.58	1A4010300014ADD000011480	
19BOM20-04	Lifter FECO-1		A1	15.16	15.74	0.58	1A4010300014ADD000011480	
19BOM20-04	Lifter FECO-1		A1	15.74	16.32	0.58	1A4010300014ADD000011480	
19BOM20-04	Lifter FECO-1		A2	16.32	16.9	0.58	1A4010300014ADD000011480	
19BOM20-04	Lifter FECO-1		A2	16.9	17.48	0.58	1A4010300014ADD000011480	
19BOM20-04	Lifter FECO-1		A3	17.48	18.12	0.64	1A4010300014ADD000011480	

Totals:									
		6		6		Total Duplicate Mass = 3.54		Primary + Duplicate Mass = 7.12 g	
Observations and Abnormalities:			Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

Container Type	METRC Harvest/Processing Lot ID #:					Product Type	Client Sample Name	Product Date	Batch Size (g)
Jar						Concentrate	Rogue Velley Poison FECO		1399
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name	
1A4010300014ADD000010351	66.7	41.5	1	Vial	4	6	0.583333333	Rogue Velley Poison FECO Primary	
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#		
19BOM20-05	Rogue Velley Poison FECO-1		A1	14.5	15.08	0.58	1A4010300014ADD000011481		
19BOM20-05	Rogue Velley Poison FECO-1		A2	15.08	15.66	0.58	1A4010300014ADD000011481		
19BOM20-05	Rogue Velley Poison FECO-1		A3	15.66	16.24	0.58	1A4010300014ADD000011481		
19BOM20-05	Rogue Velley Poison FECO-1		A4	16.24	16.82	0.58	1A4010300014ADD000011481		
19BOM20-05	Rogue Velley Poison FECO-1		A4	16.82	17.4	0.58	1A4010300014ADD000011481		
19BOM20-05	Rogue Velley Poison FECO-1		A4	17.4	18.09	0.69	1A4010300014ADD000011481		
Totals:									
		6		6		Total Primary Mass = 3.59		Primary + Duplicate Mass = 7.07 g	
Observations and Abnormalities:			Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name	
1A4010300014ADD000010351	66.7	41.5	1	Vial	4	6	0.583333333	Rogue Velley Poison FECO Duplicate	
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#		
19BOM20-06	Rogue Velley Poison FECO-1		A2	14.61	15.19	0.58	1A4010300014ADD000011481		
19BOM20-06	Rogue Velley Poison FECO-1		A3	15.19	15.77	0.58	1A4010300014ADD000011481		
19BOM20-06	Rogue Velley Poison FECO-1		A3	15.77	16.35	0.58	1A4010300014ADD000011481		
19BOM20-06	Rogue Velley Poison FECO-1		A3	16.35	16.93	0.58	1A4010300014ADD000011481		

19BOM20-06	Rogue Valley Poison FECO-1	A3	16.93	17.51	0.58	1A4010300014ADD000011481	
19BOM20-06	Rogue Valley Poison FECO-1	A4	17.51	18.09	0.58	1A4010300014ADD000011481	
<b>Totals:</b>		6	6	Total Duplicate Mass = 3.48		Primary + Duplicate Mass = 7.07 g	
<b>Observations and Abnormalities:</b>	<b>Batch #</b>	<b>Equipment</b>	<b>Cont. Types/Sizes</b>	<b>Uniform</b>	<b>Plant Colors</b>	<b>Shape and Size</b>	<b>Sampling Plan ID &amp; Rev. Date</b>

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Jar					Concentrate	Quantum Kush FECO		1399
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000011479	66.7	41.5	1	Vial	4	6	0.583333333	Quantum Kush FECO Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19BOM20-07	Quantum Kush FECO-1		A1	14.65	15.23	0.58	1A4010300014ADD000011482	
19BOM20-07	Quantum Kush FECO-1		A2	15.23	15.81	0.58	1A4010300014ADD000011482	
19BOM20-07	Quantum Kush FECO-1		A3	15.81	16.39	0.58	1A4010300014ADD000011482	
19BOM20-07	Quantum Kush FECO-1		A3	16.39	16.97	0.58	1A4010300014ADD000011482	
19BOM20-07	Quantum Kush FECO-1		A3	16.97	17.55	0.58	1A4010300014ADD000011482	
19BOM20-07	Quantum Kush FECO-1		A3	17.55	18.13	0.58	1A4010300014ADD000011482	
<b>Totals:</b>		6	6	Total Primary Mass = 3.48		Primary + Duplicate Mass = 7.12 g		
<b>Observations and Abnormalities:</b>	<b>Batch #</b>	<b>Equipment</b>	<b>Cont. Types/Sizes</b>	<b>Uniform</b>	<b>Plant Colors</b>	<b>Shape and Size</b>	<b>Sampling Plan ID &amp; Rev. Date</b>	
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
1A4010300014ADD000011479	66.7	41.5	1	Vial	4	6	0.583333333	Quantum Kush FECO Duplicate

Lab Sample ID	Container ID	Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19BOM20-08	Quantum Kush FECO-1	A1	14.57	15.15	0.58	1A4010300014ADD000011482	
19BOM20-08	Quantum Kush FECO-1	A1	15.15	15.73	0.58	1A4010300014ADD000011482	
19BOM20-08	Quantum Kush FECO-1	A2	15.73	16.31	0.58	1A4010300014ADD000011482	
19BOM20-08	Quantum Kush FECO-1	A3	16.31	16.89	0.58	1A4010300014ADD000011482	
19BOM20-08	Quantum Kush FECO-1	A3	16.89	17.47	0.58	1A4010300014ADD000011482	
19BOM20-08	Quantum Kush FECO-1	A4	17.47	18.21	0.74	1A4010300014ADD000011482	
<b>Totals:</b>		6	6	Total Duplicate Mass = 3.64		Primary + Duplicate Mass = 7.12 g	
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

# CHAIN OF CUSTODY

SC Laboratories Oregon LLC  
 15865 SW 74th Avenue, Ste 110  
 Tigard OR, 97224  
 (503) 272-8630  
 ORELAP ID # 4133  
[www.sclabs.com](http://www.sclabs.com)



19B0081

Client	OM Ext	COC #	1/1
Address Where Sampled	500 Industrial wy	Work Order #	19BOM20 1980071
Date Sampled	2/20/19	Received By	JM
OLCC License #	10051970949	Received Date	2/21/19
OLCC License Type	Processor	Courier	Joel/ Scott
Email	On file	Name of Sampler	Joel
Phone		Transfer Manifest #	1327212
Sampler OLCC License #	010-1004748743D	Place where Sampled	500 Industrial wy

Sample Type Legend  
 U - Usable Marijuana  
 C - Concentrate  
 P - Product  
 O - Other

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	TESTS REQUESTED						Sample Specific Notes
								Potency	Water Activity	Moisture Content	Pesticide	Residual Solvent	Terpene	
Elektra FECO Primary	11:46	1A4010300014ADD000011483	Elektra FECO	19BOM20-01	C	3.63	6	X	X	X	X	X	X	
Elektra FECO Duplicate	11:47	1A4010300014ADD000011483	Elektra FECO	19BOM20-02	C	3.55	6	X	X	X	X	X	X	
Lifter FECO Primary	11:50	1A4010300014ADD000011480	Lifter FECO	19BOM20-03	C	3.58	6	X	X	X	X	X	X	
Lifter FECO Duplicate	11:53	1A4010300014ADD000011480	Lifter FECO	19BOM20-04	C	3.54	6	X	X	X	X	X	X	
Rogue Velley Poison FECO Primary	11:59	1A4010300014ADD000011481	Rogue Velley Poison FECO	19BOM20-05	C	3.59	6	X	X	X	X	X	X	
Rogue Velley Poison FECO Duplicate	12:03	1A4010300014ADD000011481	Rogue Velley Poison FECO	19BOM20-06	C	3.48	6	X	X	X	X	X	X	
Quantum Kush FECO Primary	12:06	1A4010300014ADD000011482	Quantum Kush FECO	19BOM20-07	C	3.48	6	X	X	X	X	X	X	
Quantum Kush FECO Duplicate	12:07	1A4010300014ADD000011482	Quantum Kush FECO	19BOM20-08	C	3.64	6	X	X	X	X	X	X	

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

Samples Relinquished	Samples Received
Print Name: <u>Joel</u> Date: <u>2/20/19</u> Representative of: <u>SC Labs</u> Signature: <u>[Signature]</u> Time: <u>12:30pm</u>	Print Name: <u>Scott F.</u> Date: <u>2-21</u> Representative of: <u>SCL</u> Signature: <u>[Signature]</u> Time: <u>1:00</u>