

Sample Name: **Suver Haze - FECO Primary**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19C0104-13

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000013316

Lot # 190320-SH FECO

Batch RFID: 1A4010300014ADD000013293

Batch Size: 1399 (g)

License: 10051970949

Date Sampled: 03/21/19 09:32

Date Accepted: 03/21/19




Potency Analysis

Date Extracted: 03/25/19

Date Analyzed: 03/25/19

Analysis Method/SOP: Potency

* - ORELAP certified analyte

| Cannabinoids | % weight | mg/g | LOQ (%) | Cannabinoids Profile | | | | | | | | | | | | | | | | | | |
|--|--------------|--------------|-------------|---|-----|------|------|------|-----|-------|------|-------|-----|------|------|------|------|------|-----|------|---------------|--------------|
| Total THC ((THCA*0.877)+d9) | 2.15 | 21.5 | 0.07 |  <table border="1"> <tr><td>THC</td><td>1.10</td></tr> <tr><td>THCA</td><td>1.19</td></tr> <tr><td>CBD</td><td>13.21</td></tr> <tr><td>CBDA</td><td>45.81</td></tr> <tr><td>CBG</td><td>0.28</td></tr> <tr><td>CBGA</td><td>0.81</td></tr> <tr><td>CBDV</td><td>0.21</td></tr> <tr><td>CBC</td><td>0.50</td></tr> <tr><td>Total:</td><td>63.11</td></tr> </table> | THC | 1.10 | THCA | 1.19 | CBD | 13.21 | CBDA | 45.81 | CBG | 0.28 | CBGA | 0.81 | CBDV | 0.21 | CBC | 0.50 | Total: | 63.11 |
| THC | 1.10 | | | | | | | | | | | | | | | | | | | | | |
| THCA | 1.19 | | | | | | | | | | | | | | | | | | | | | |
| CBD | 13.21 | | | | | | | | | | | | | | | | | | | | | |
| CBDA | 45.81 | | | | | | | | | | | | | | | | | | | | | |
| CBG | 0.28 | | | | | | | | | | | | | | | | | | | | | |
| CBGA | 0.81 | | | | | | | | | | | | | | | | | | | | | |
| CBDV | 0.21 | | | | | | | | | | | | | | | | | | | | | |
| CBC | 0.50 | | | | | | | | | | | | | | | | | | | | | |
| Total: | 63.11 | | | | | | | | | | | | | | | | | | | | | |
| Total CBD ((CBDA*0.877)+CBD) | 53.39 | 533.9 | 0.07 | | | | | | | | | | | | | | | | | | | |
| d9-THC (d9-Tetrahydrocannabinol)* | 1.10 | 11 | 0.07 | | | | | | | | | | | | | | | | | | | |
| d8-THC (d8-Tetrahydrocannabinol)* | < LOQ | < LOQ | 0.09 | | | | | | | | | | | | | | | | | | | |
| THCA (d9-Tetrahydrocannabinolic Acid)* | 1.19 | 11.9 | 0.14 | | | | | | | | | | | | | | | | | | | |
| CBD (Cannabidiol)* | 13.21 | 132.1 | 0.07 | | | | | | | | | | | | | | | | | | | |
| CBDA (Cannabidiolic Acid)* | 45.81 | 458.1 | 0.14 | | | | | | | | | | | | | | | | | | | |
| CBN (Cannabinol)* | < LOQ | < LOQ | 0.07 | | | | | | | | | | | | | | | | | | | |
| CBG (Cannabigerol)* | 0.28 | 2.8 | 0.09 | | | | | | | | | | | | | | | | | | | |
| CBGA (Cannabigerolic Acid) | 0.81 | 8.1 | 0.09 | | | | | | | | | | | | | | | | | | | |
| CBDV (Cannabidivarin)* | 0.21 | 2.1 | 0.09 | | | | | | | | | | | | | | | | | | | |
| CBDVA (Cannabidivarinic Acid) | < LOQ | < LOQ | 0.09 | | | | | | | | | | | | | | | | | | | |
| CBC (Cannabichromene)* | 0.50 | 5 | 0.09 | | | | | | | | | | | | | | | | | | | |
| THCV (Tetrahydrocannabivarin) | < LOQ | < LOQ | 0.09 | | | | | | | | | | | | | | | | | | | |
| Total Cannabinoids | 63.11 | 631.1 | 0.07 | | | | | | | | | | | | | | | | | | | |

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Duplicate**
Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19C0104-14

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000013316

Lot # 190320-SH FECO

License: 10051970949

Batch RFID: 1A4010300014ADD000013293

Date Sampled: 03/21/19 09:36

Batch Size: 1399 (g)

Date Accepted: 03/21/19




Potency Analysis

Date Extracted: 03/25/19

Analysis Method/SOP: Potency

Date Analyzed: 03/25/19

* - ORELAP certified analyte

| Cannabinoids | % weight | mg/g | LOQ (%) | Cannabinoids Profile | | | | | | | | | | | | | | | | | | | | |
|--|--------------|--------------|-------------|--|-----|------|------|------|-----|-------|------|-------|-----|------|------|------|------|------|-------|------|-----|------|--------|-------|
| Total THC ((THCA*0.877)+d9) | 2.15 | 21.5 | 0.07 |  <table border="1"> <tr><td>THC</td><td>1.11</td></tr> <tr><td>THCA</td><td>1.18</td></tr> <tr><td>CBD</td><td>13.28</td></tr> <tr><td>CBDA</td><td>45.72</td></tr> <tr><td>CBG</td><td>0.30</td></tr> <tr><td>CBGA</td><td>0.79</td></tr> <tr><td>CBDV</td><td>0.28</td></tr> <tr><td>CBDVA</td><td>0.21</td></tr> <tr><td>CBC</td><td>0.48</td></tr> <tr><td>Total:</td><td>63.34</td></tr> </table> | THC | 1.11 | THCA | 1.18 | CBD | 13.28 | CBDA | 45.72 | CBG | 0.30 | CBGA | 0.79 | CBDV | 0.28 | CBDVA | 0.21 | CBC | 0.48 | Total: | 63.34 |
| THC | 1.11 | | | | | | | | | | | | | | | | | | | | | | | |
| THCA | 1.18 | | | | | | | | | | | | | | | | | | | | | | | |
| CBD | 13.28 | | | | | | | | | | | | | | | | | | | | | | | |
| CBDA | 45.72 | | | | | | | | | | | | | | | | | | | | | | | |
| CBG | 0.30 | | | | | | | | | | | | | | | | | | | | | | | |
| CBGA | 0.79 | | | | | | | | | | | | | | | | | | | | | | | |
| CBDV | 0.28 | | | | | | | | | | | | | | | | | | | | | | | |
| CBDVA | 0.21 | | | | | | | | | | | | | | | | | | | | | | | |
| CBC | 0.48 | | | | | | | | | | | | | | | | | | | | | | | |
| Total: | 63.34 | | | | | | | | | | | | | | | | | | | | | | | |
| Total CBD ((CBDA*0.877)+CBD) | 53.38 | 533.8 | 0.07 | | | | | | | | | | | | | | | | | | | | | |
| d9-THC (d9-Tetrahydrocannabinol)* | 1.11 | 11.1 | 0.07 | | | | | | | | | | | | | | | | | | | | | |
| d8-THC (d8-Tetrahydrocannabinol)* | < LOQ | < LOQ | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| THCA (d9-Tetrahydrocannabinolic Acid)* | 1.18 | 11.8 | 0.14 | | | | | | | | | | | | | | | | | | | | | |
| CBD (Cannabidiol)* | 13.28 | 132.8 | 0.07 | | | | | | | | | | | | | | | | | | | | | |
| CBDA (Cannabidiolic Acid)* | 45.72 | 457.2 | 0.14 | | | | | | | | | | | | | | | | | | | | | |
| CBN (Cannabinol)* | < LOQ | < LOQ | 0.07 | | | | | | | | | | | | | | | | | | | | | |
| CBG (Cannabigerol)* | 0.30 | 3 | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| CBGA (Cannabigerolic Acid) | 0.79 | 7.9 | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| CBDV (Cannabidivarin)* | 0.28 | 2.8 | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| CBDVA (Cannabidivarinic Acid) | 0.21 | 2.1 | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| CBC (Cannabichromene)* | 0.48 | 4.8 | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| THCV (Tetrahydrocannabivarin) | < LOQ | < LOQ | 0.09 | | | | | | | | | | | | | | | | | | | | | |
| Total Cannabinoids | 63.34 | 633.4 | 0.07 | | | | | | | | | | | | | | | | | | | | | |

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Suver Haze - FECO**

Sample Metrc ID: **1A4010300014ADD000013316**

| | Primary Result % | Duplicate Result % | Average % | % RPD | Pass/Fail (<20%RPD) |
|-------------------------------------|------------------|--------------------|-----------|--------|---------------------|
| Total THC ((THCA*0.877)+d9) | 2.15 | 2.15 | 2.15 | 0 | PASS |
| Total CBD ((CBDA*0.877)+CBD) | 53.39 | 53.38 | 53.39 | 0.0187 | NA |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

| | |
|---|--|
| Sample Name: Suver Haze - FECO Primary | License: 10051970949 |
| Tested for: OM Extracts | Date Sampled: 03/21/19 09:32 |
| Compliance Extract | Date Accepted: 03/21/19 |
| Laboratory ID: 19C0104-13 | Sample Metrc ID: 1A4010300014ADD000013316 |
| Matrix: Extracts and Concentrates | Batch RFID: 1A4010300014ADD000013293 |
| Lot # 190320-SH FECO | Batch Size: 1399 (g) |

Terpene Analysis

Date Extracted: 03/25/19

Analysis Method/SOP: Terpenes

Date Analyzed: 03/26/19

| Analyte | Result (%) | LOQ | Analyte | Result | LOQ |
|-----------------------|------------|-------|--------------------|----------------|-------|
| alpha Pinene | 0.493 | 0.092 | Myrcene | 2.624 | 0.092 |
| alpha Phellandrene | < LOQ | 0.092 | 3-Carene | < LOQ | 0.092 |
| alpha Terpinene | < LOQ | 0.092 | Limonene | 0.381 | 0.092 |
| Terpinolene | < LOQ | 0.092 | Linalool | 0.288 | 0.092 |
| Fenchol | 0.097 | 0.092 | Borneol | < LOQ | 0.092 |
| Terpineol | < LOQ | 0.092 | Geraniol | < LOQ | 0.092 |
| alpha Humulene | 0.644 | 0.092 | beta Caryophyllene | 1.643 | 0.092 |
| Caryophyllene Oxide | 0.129 | 0.092 | alpha Bisabolol | 0.688 | 0.092 |
| Camphene | < LOQ | 0.092 | beta Pinene | 0.109 | 0.092 |
| Ocimene | 0.335 | 0.092 | Sabinene | < LOQ | 0.092 |
| Camphor | < LOQ | 0.092 | Isoborneol | < LOQ | 0.092 |
| Menthol | < LOQ | 0.092 | alpha Cedrene | < LOQ | 0.092 |
| Nerolidol | 0.111 | 0.092 | R-(+)-Pulegone | < LOQ | 0.092 |
| Eucalyptol | < LOQ | 0.092 | p-Cymene | < LOQ | 0.092 |
| (-)-Isopulegol | < LOQ | 0.092 | Geranyl Acetate | 0.124 | 0.092 |
| Guaiol | 0.467 | 0.092 | Valencene | 0.322 | 0.092 |
| Phytol | 0.294 | 0.092 | Citronellol | < LOQ | 0.092 |
| gamma-Terpinene | < LOQ | 0.092 | | | |
| Total Terpenes | | | | 8.750 % | |

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Primary**

License: **10051970949**

Tested for: **OM Extracts**

Date Sampled: **03/21/19 09:32**


Compliance Extract

Date Accepted: **03/21/19 17:57**

Laboratory ID: **19C0104-13** Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000013316**

Terpene Profile



Brian Weigel
 Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Primary** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **03/21/19 09:32**
Compliance Extract Date Accepted: **03/21/19**

Laboratory ID: **19C0104-13** Sample Metric ID: **1A4010300014ADD000013316**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000013293**
 Lot # **190320-SH FECO** Batch Size: **1399 (g)**

Pesticide Analysis in ppm

Date Extracted: 03/25/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 03/27/19 Results above the action levels are highlighted in red #.

| Analyte | Result | Action Level | LOQ | Analyte | Result | Action Level | LOQ |
|-------------------|--------|--------------|-------|---------------------|--------|--------------|-------|
| Abamectin | < LOQ | 0.5 | 0.233 | Acephate | < LOQ | 0.4 | 0.187 |
| Acequinocyl | < LOQ | 2 | 0.933 | Acetamiprid | < LOQ | 0.2 | 0.093 |
| Aldicarb | < LOQ | 0.4 | 0.187 | Azoxystrobin | < LOQ | 0.2 | 0.093 |
| Bifenazate | < LOQ | 0.2 | 0.093 | Bifenthrin | < LOQ | 0.2 | 0.093 |
| Boscalid | < LOQ | 0.4 | 0.187 | Carbaryl | < LOQ | 0.2 | 0.093 |
| Carbofuran | < LOQ | 0.2 | 0.093 | Chlorantraniliprole | < LOQ | 0.2 | 0.093 |
| Chlorfenapyr | < LOQ | 1 | 0.467 | Chlorpyrifos | < LOQ | 0.2 | 0.093 |
| Clofentezine | < LOQ | 0.2 | 0.093 | Cyfluthrin | < LOQ | 1 | 0.467 |
| Cypermethrin | < LOQ | 1 | 0.467 | Daminozide | < LOQ | 1 | 0.467 |
| DDVP (Dichlorvos) | < LOQ | 1 | 0.467 | Diazinon | < LOQ | 0.2 | 0.093 |
| Dimethoate | < LOQ | 0.2 | 0.093 | Ethoprophos | < LOQ | 0.2 | 0.093 |
| Etofenprox | < LOQ | 0.4 | 0.187 | Etoxazole | < LOQ | 0.2 | 0.093 |
| Fenoxycarb | < LOQ | 0.2 | 0.093 | Fenpyroximate | < LOQ | 0.4 | 0.187 |
| Fipronil | < LOQ | 0.4 | 0.187 | Fonicamid | < LOQ | 1 | 0.467 |
| Fludioxonil | < LOQ | 0.4 | 0.187 | Hexythiazox | < LOQ | 1 | 0.467 |
| Imazalil | < LOQ | 0.2 | 0.093 | Imidacloprid | < LOQ | 0.4 | 0.187 |
| Kresoxim-methyl | < LOQ | 0.4 | 0.187 | Malathion | < LOQ | 0.2 | 0.093 |
| Metalaxyl | < LOQ | 0.2 | 0.093 | Methiocarb | < LOQ | 0.2 | 0.093 |
| Methomyl | < LOQ | 0.4 | 0.187 | Methyl parathion | < LOQ | 0.2 | 0.093 |
| MGK-264 | < LOQ | 0.2 | 0.093 | Myclobutanil | < LOQ | 0.2 | 0.093 |
| Naled | < LOQ | 0.5 | 0.233 | Oxamyl | < LOQ | 1 | 0.467 |
| Paclobutrazol | < LOQ | 0.4 | 0.187 | Permethrins (total) | < LOQ | 0.2 | 0.093 |
| Phosmet | < LOQ | 0.2 | 0.093 | Piperonyl butoxide | < LOQ | 2 | 0.467 |
| Prallethrin | < LOQ | 0.2 | 0.093 | Propiconazole | < LOQ | 0.4 | 0.187 |
| Propoxur | < LOQ | 0.2 | 0.093 | Pyrethrins (total) | < LOQ | 1 | 0.467 |
| Pyridaben | < LOQ | 0.2 | 0.093 | Spinosad | < LOQ | 0.2 | 0.093 |
| Spiromesifen | < LOQ | 0.2 | 0.093 | Spirotetramat | < LOQ | 0.2 | 0.093 |
| Spiroxamine | < LOQ | 0.4 | 0.187 | Tebuconazole | < LOQ | 0.4 | 0.187 |
| Thiacloprid | < LOQ | 0.2 | 0.093 | Thiamethoxam | < LOQ | 0.2 | 0.093 |
| Trifloxystrobin | < LOQ | 0.2 | 0.093 | | | | |

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Duplicate** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **03/21/19 09:36**
Compliance Extract Date Accepted: **03/21/19**

Laboratory ID: **19C0104-14** Sample Metric ID: **1A4010300014ADD000013316**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000013293**
 Lot # **190320-SH FECO** Batch Size: **1399 (g)**

Pesticide Analysis in ppm

Date Extracted: 03/25/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 03/27/19 Results above the action levels are highlighted in red #.

| Analyte | Result | Action Level | LOQ | Analyte | Result | Action Level | LOQ |
|-------------------|--------|--------------|-------|---------------------|--------|--------------|-------|
| Abamectin | < LOQ | 0.5 | 0.244 | Acephate | < LOQ | 0.4 | 0.195 |
| Acequinocyl | < LOQ | 2 | 0.975 | Acetamiprid | < LOQ | 0.2 | 0.097 |
| Aldicarb | < LOQ | 0.4 | 0.195 | Azoxystrobin | < LOQ | 0.2 | 0.097 |
| Bifenazate | < LOQ | 0.2 | 0.097 | Bifenthrin | < LOQ | 0.2 | 0.097 |
| Boscalid | < LOQ | 0.4 | 0.195 | Carbaryl | < LOQ | 0.2 | 0.097 |
| Carbofuran | < LOQ | 0.2 | 0.097 | Chlorantraniliprole | < LOQ | 0.2 | 0.097 |
| Chlorfenapyr | < LOQ | 1 | 0.487 | Chlorpyrifos | < LOQ | 0.2 | 0.097 |
| Clofentezine | < LOQ | 0.2 | 0.097 | Cyfluthrin | < LOQ | 1 | 0.487 |
| Cypermethrin | < LOQ | 1 | 0.487 | Daminozide | < LOQ | 1 | 0.487 |
| DDVP (Dichlorvos) | < LOQ | 1 | 0.487 | Diazinon | < LOQ | 0.2 | 0.097 |
| Dimethoate | < LOQ | 0.2 | 0.097 | Ethoprophos | < LOQ | 0.2 | 0.097 |
| Etofenprox | < LOQ | 0.4 | 0.195 | Etoxazole | < LOQ | 0.2 | 0.097 |
| Fenoxycarb | < LOQ | 0.2 | 0.097 | Fenpyroximate | < LOQ | 0.4 | 0.195 |
| Fipronil | < LOQ | 0.4 | 0.195 | Fonicamid | < LOQ | 1 | 0.487 |
| Fludioxonil | < LOQ | 0.4 | 0.195 | Hexythiazox | < LOQ | 1 | 0.487 |
| Imazalil | < LOQ | 0.2 | 0.097 | Imidacloprid | < LOQ | 0.4 | 0.195 |
| Kresoxim-methyl | < LOQ | 0.4 | 0.195 | Malathion | < LOQ | 0.2 | 0.097 |
| Metalaxyl | < LOQ | 0.2 | 0.097 | Methiocarb | < LOQ | 0.2 | 0.097 |
| Methomyl | < LOQ | 0.4 | 0.195 | Methyl parathion | < LOQ | 0.2 | 0.097 |
| MGK-264 | < LOQ | 0.2 | 0.097 | Myclobutanil | < LOQ | 0.2 | 0.097 |
| Naled | < LOQ | 0.5 | 0.244 | Oxamyl | < LOQ | 1 | 0.487 |
| Paclobutrazol | < LOQ | 0.4 | 0.195 | Permethrins (total) | < LOQ | 0.2 | 0.097 |
| Phosmet | < LOQ | 0.2 | 0.097 | Piperonyl butoxide | < LOQ | 2 | 0.487 |
| Prallethrin | < LOQ | 0.2 | 0.097 | Propiconazole | < LOQ | 0.4 | 0.195 |
| Propoxur | < LOQ | 0.2 | 0.097 | Pyrethrins (total) | < LOQ | 1 | 0.487 |
| Pyridaben | < LOQ | 0.2 | 0.097 | Spinosad | < LOQ | 0.2 | 0.097 |
| Spiromesifen | < LOQ | 0.2 | 0.097 | Spirotetramat | < LOQ | 0.2 | 0.097 |
| Spiroxamine | < LOQ | 0.4 | 0.195 | Tebuconazole | < LOQ | 0.4 | 0.195 |
| Thiacloprid | < LOQ | 0.2 | 0.097 | Thiamethoxam | < LOQ | 0.2 | 0.097 |
| Trifloxystrobin | < LOQ | 0.2 | 0.097 | | | | |

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

| | |
|---|---|
| Sample Name: Suver Haze - FECO Primary | License: 10051970949 |
| Tested for: OM Extracts | Date Sampled: 03/21/19 09:32 |
| Compliance Extract | Date Accepted: 03/21/19 |
| Laboratory ID: 19C0104-13 | Sample Metric ID: 1A4010300014ADD000013316 |
| Matrix: Extracts and Concentrates | Batch RFID: 1A4010300014ADD000013293 |
| Lot # 190320-SH FECO | Batch Size: 1399 (g) |

Residual Solvents

| Solvent | Results in ug/g | Action Level | LOQ | Date Extracted: 03/25/19 |
|--------------------------------------|-----------------|--------------|-------|--------------------------|
| 1,4-Dioxane | < LOQ | 380 | 180 | Date Analyzed: 03/26/19 |
| 2-Butanol | < LOQ | 5000 | 2370 | Analysis Method/SOP: RST |
| 2-Ethoxyethanol | < LOQ | 160 | 75.7 | |
| 2-Propanol (IPA) | < LOQ | 5000 | 2370 | |
| Acetone | < LOQ | 5000 | 2370 | |
| Acetonitrile | < LOQ | 400 | 194 | |
| Benzene | < LOQ | 2 | 0.947 | |
| Butanes | < LOQ | 5000 | 2370 | |
| Cyclohexane | < LOQ | 3880 | 1840 | |
| Dichloromethane (methylene chloride) | < LOQ | 600 | 284 | |
| Ethyl acetate | < LOQ | 5000 | 2370 | |
| Ethyl ether | < LOQ | 5000 | 2370 | |
| Ethylbenzene | < LOQ | 2170 | 1030 | |
| Ethylene glycol | < LOQ | 620 | 293 | |
| Ethylene oxide | < LOQ | 50 | 23.7 | |
| Heptane | < LOQ | 5000 | 2370 | |
| Hexanes | < LOQ | 290 | 137 | |
| Isopropyl acetate | < LOQ | 5000 | 2370 | |
| Isopropylbenzene (cumene) | < LOQ | 70 | 33.1 | |
| Methanol | < LOQ | 3000 | 1420 | |
| Pentanes | < LOQ | 5000 | 2370 | |
| Propane | < LOQ | 5000 | 2370 | |
| Tetrahydrofuran | < LOQ | 720 | 341 | |
| Toluene | < LOQ | 890 | 421 | |
| Xylenes | < LOQ | 2170 | 1030 | |

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Duplicate**
 Tested for: **OM Extracts**
Compliance Extract

License: **10051970949**
 Date Sampled: **03/21/19 09:36**
 Date Accepted: **03/21/19**

Laboratory ID: **19C0104-14**

Sample Metric ID: **1A4010300014ADD000013316**

Matrix: **Extracts and Concentrates**

Batch RFID: **1A4010300014ADD000013293**

Lot # **190320-SH FECO**

Batch Size: **1399 (g)**

Residual Solvents

| Solvent | Results in ug/g | Action Level | LOQ |
|--------------------------------------|-----------------|--------------|-------|
| 1,4-Dioxane | < LOQ | 380 | 185 |
| 2-Butanol | < LOQ | 5000 | 2440 |
| 2-Ethoxyethanol | < LOQ | 160 | 78.0 |
| 2-Propanol (IPA) | < LOQ | 5000 | 2440 |
| Acetone | < LOQ | 5000 | 2440 |
| Acetonitrile | < LOQ | 400 | 200 |
| Benzene | < LOQ | 2 | 0.974 |
| Butanes | < LOQ | 5000 | 2440 |
| Cyclohexane | < LOQ | 3880 | 1890 |
| Dichloromethane (methylene chloride) | < LOQ | 600 | 292 |
| Ethyl acetate | < LOQ | 5000 | 2440 |
| Ethyl ether | < LOQ | 5000 | 2440 |
| Ethylbenzene | < LOQ | 2170 | 1060 |
| Ethylene glycol | < LOQ | 620 | 302 |
| Ethylene oxide | < LOQ | 50 | 24.4 |
| Heptane | < LOQ | 5000 | 2440 |
| Hexanes | < LOQ | 290 | 141 |
| Isopropyl acetate | < LOQ | 5000 | 2440 |
| Isopropylbenzene (cumene) | < LOQ | 70 | 34.1 |
| Methanol | < LOQ | 3000 | 1460 |
| Pentanes | < LOQ | 5000 | 2440 |
| Propane | < LOQ | 5000 | 2440 |
| Tetrahydrofuran | < LOQ | 720 | 351 |
| Toluene | < LOQ | 890 | 434 |
| Xylenes | < LOQ | 2170 | 1060 |

Date Extracted: 03/25/19
 Date Analyzed: 03/26/19
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvent - 2-Ethoxyethanol and Ethylene glycol above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and Matrix Spike Duplicate. Analytes below reporting limit in all client samples. 2-Ethoxyethanol results exceeded the instrument calibration in these samples. Reported results are considered estimates.

Isopropylbenzene above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte below the reporting limit in all client samples.

Pesticides - Chlorantraniliprole and Fludioxonil recovered low in BS, however it recovered above 15%, MS RPD is low, and all samples are ND, so results are acceptable.

Daminozide recovered below 15% in BS with a high MS RPD, however it recovered higher than the control chart calculated lower recovery limit, and all samples are ND, so results are acceptable.

Acequinocyl recovered low in MS/MSD. However, BS recovered within acceptable limits, MS RPD is low, and all samples are ND, so results are acceptable.

**Quality Control
Potency**

Batch: B190490 - Potency/Terpenes

| Blank(B190490-BLK1) | | | Extracted - 03/25/19 12:49 Analyzed - 03/25/19 19:43 | | | | | |
|---------------------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| d9-THC (d9-Tetrahydrocannabinol) | < LOQ | % | | | | | | |
| d8-THC (d8-Tetrahydrocannabinol) | < LOQ | % | | | | | | |
| THCA (d9-Tetrahydrocannabinolic Acid) | < LOQ | % | | | | | | |
| CBD (Cannabidiol) | < LOQ | % | | | | | | |
| CBDA (Cannabidiolic Acid) | < LOQ | % | | | | | | |
| CBN (Cannabinol) | < LOQ | % | | | | | | |
| CBG (Cannabigerol) | < LOQ | % | | | | | | |
| CBGA (Cannabigerolic Acid) | < LOQ | % | | | | | | |
| CBDV (Cannabidivarin) | < LOQ | % | | | | | | |
| CBDVA (Cannabidivarinic Acid) | < LOQ | % | | | | | | |
| CBC (Cannabichromene) | < LOQ | % | | | | | | |
| THCV (Tetrahydrocannabivarin) | < LOQ | % | | | | | | |

| Duplicate(B190490-DUP1) | | | Extracted - 03/25/19 12:49 Analyzed - 03/25/19 19:52 | | | | | |
|----------------------------------|--------|-------|--|---------------|------|-------------|------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| d9-THC (d9-Tetrahydrocannabinol) | 63.89 | % | | 62.77 | | | 1.77 | 20 |
| d8-THC (d8-Tetrahydrocannabinol) | < LOQ | % | | < LOQ | | | | 20 |
| CBD (Cannabidiol) | 0.11 | % | | 0.13 | | | 13.5 | 20 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B190490 - Potency/Terpenes (Continued)

| Duplicate(B190490-DUP1) | | Extracted - 03/25/19 12:49 Analyzed - 03/25/19 19:52 | | | | | | |
|-------------------------------|--------|--|-------------|---------------|------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| CBDA (Cannabidiolic Acid) | 0.09 | % | | 0.08 | | | 7.45 | 20 |
| CBN (Cannabinol) | 0.71 | % | | 0.69 | | | 2.96 | 20 |
| CBG (Cannabigerol) | 1.05 | % | | 1.05 | | | 0.445 | 20 |
| CBGA (Cannabigerolic Acid) | 0.21 | % | | 0.20 | | | 0.919 | 20 |
| CBDV (Cannabidivarin) | < LOQ | % | | < LOQ | | | | 20 |
| CBDVA (Cannabidivarinic Acid) | < LOQ | % | | < LOQ | | | | 20 |
| CBC (Cannabichromene) | 1.19 | % | | 1.13 | | | 5.39 | 20 |
| THCV (Tetrahydrocannabivarin) | 0.53 | % | | 0.54 | | | 2.17 | 20 |

| LCS(B190490-BS1) | | Extracted - 03/25/19 12:49 Analyzed - 03/25/19 19:35 | | | | | | |
|----------------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| d9-THC (d9-Tetrahydrocannabinol) | 0.19 | % | 0.200 | | 95.5 | 80-120 | | |
| CBD (Cannabidiol) | 0.20 | % | 0.200 | | 102 | 80-120 | | |
| CBDA (Cannabidiolic Acid) | 0.17 | % | 0.200 | | 85.5 | 80-120 | | |
| CBN (Cannabinol) | 0.18 | % | 0.200 | | 89.5 | 80-120 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B190489 - Pesticide Prep

| Blank(B190489-BLK1) | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:10 | | | | | | |
|---------------------|--------|---|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | < LOQ | ppm | | | | | | |
| Acephate | < LOQ | ppm | | | | | | |
| Acequinocyl | < LOQ | ppm | | | | | | |
| Acetamiprid | < LOQ | ppm | | | | | | |
| Aldicarb | < LOQ | ppm | | | | | | |
| Azoxystrobin | < LOQ | ppm | | | | | | |
| Bifenazate | < LOQ | ppm | | | | | | |
| Bifenthrin | < LOQ | ppm | | | | | | |
| Boscalid | < LOQ | ppm | | | | | | |
| Carbaryl | < LOQ | ppm | | | | | | |
| Carbofuran | < LOQ | ppm | | | | | | |
| Chlorantraniliprole | < LOQ | ppm | | | | | | |
| Chlorfenapyr | < LOQ | ppm | | | | | | |
| Chlorpyrifos | < LOQ | ppm | | | | | | |
| Clofentezine | < LOQ | ppm | | | | | | |
| Cyfluthrin | < LOQ | ppm | | | | | | |
| Cypermethrin | < LOQ | ppm | | | | | | |
| Daminozide | < LOQ | ppm | | | | | | |
| DDVP (Dichlorvos) | < LOQ | ppm | | | | | | |
| Diazinon | < LOQ | ppm | | | | | | |
| Dimethoate | < LOQ | ppm | | | | | | |
| Ethoprophos | < LOQ | ppm | | | | | | |
| Etofenprox | < LOQ | ppm | | | | | | |
| Etoxazole | < LOQ | ppm | | | | | | |
| Fenoxycarb | < LOQ | ppm | | | | | | |
| Fenpyroximate | < LOQ | ppm | | | | | | |
| Fipronil | < LOQ | ppm | | | | | | |
| Fonicamid | < LOQ | ppm | | | | | | |
| Fludioxonil | < LOQ | ppm | | | | | | |
| Hexythiazox | < LOQ | ppm | | | | | | |
| Imazalil | < LOQ | ppm | | | | | | |
| Imidacloprid | < LOQ | ppm | | | | | | |
| Kresoxim-methyl | < LOQ | ppm | | | | | | |
| Malathion | < LOQ | ppm | | | | | | |
| Metalaxyl | < LOQ | ppm | | | | | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B190489 - Pesticide Prep (Continued)

| Blank(B190489-BLK1) | | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:10 | | | | | |
|----------------------------|---------------|--------------|--|----------------------|-------------|--------------------|------------|------------------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Methiocarb | < LOQ | ppm | | | | | | |
| Methomyl | < LOQ | ppm | | | | | | |
| Methyl parathion | < LOQ | ppm | | | | | | |
| MGK-264 | < LOQ | ppm | | | | | | |
| Myclobutanil | < LOQ | ppm | | | | | | |
| Naled | < LOQ | ppm | | | | | | |
| Oxamyl | < LOQ | ppm | | | | | | |
| Pacllobutrazol | < LOQ | ppm | | | | | | |
| Permethrins (total) | < LOQ | ppm | | | | | | |
| Phosmet | < LOQ | ppm | | | | | | |
| Piperonyl butoxide | < LOQ | ppm | | | | | | |
| Prallethrin | < LOQ | ppm | | | | | | |
| Propiconazole | < LOQ | ppm | | | | | | |
| Propoxur | < LOQ | ppm | | | | | | |
| Pyrethrins (total) | < LOQ | ppm | | | | | | |
| Pyridaben | < LOQ | ppm | | | | | | |
| Spinosad | < LOQ | ppm | | | | | | |
| Spiromesifen | < LOQ | ppm | | | | | | |
| Spirotetramat | < LOQ | ppm | | | | | | |
| Spiroxamine | < LOQ | ppm | | | | | | |
| Tebuconazole | < LOQ | ppm | | | | | | |
| Thiacloprid | < LOQ | ppm | | | | | | |
| Thiamethoxam | < LOQ | ppm | | | | | | |
| Trifloxystrobin | < LOQ | ppm | | | | | | |

| LCS(B190489-BS1) | | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:26 | | | | | |
|-------------------------|---------------|--------------|--|----------------------|-------------|--------------------|------------|------------------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | 0.52 | ppm | 0.980 | | 52.6 | 15-150 | | |
| Acephate | 0.74 | ppm | 1.00 | | 73.6 | 51-141 | | |
| Acequinocyl | 0.50 | ppm | 1.00 | | 50.1 | 24-84 | | |
| Acetamiprid | 0.68 | ppm | 1.00 | | 68.1 | 50-150 | | |
| Aldicarb | 0.70 | ppm | 1.00 | | 69.9 | 49-146 | | |
| Azoxystrobin | 0.64 | ppm | 1.00 | | 64.3 | 52-136 | | |
| Bifenazate | 0.67 | ppm | 1.00 | | 67.0 | 41-133 | | |
| Bifenthrin | 0.61 | ppm | 1.00 | | 61.4 | 22-130 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B190489 - Pesticide Prep (Continued)

| LCS(B190489-BS1) | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:26 | | | | | | |
|---------------------|--------|---|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Boscalid | 0.51 | ppm | 1.00 | | 50.7 | 29-144 | | |
| Carbaryl | 0.72 | ppm | 1.00 | | 71.9 | 61-127 | | |
| Carbofuran | 0.71 | ppm | 1.00 | | 70.8 | 62-136 | | |
| Chlorantraniliprole | 0.29 | ppm | 1.00 | | 29.1 | 41-150 | | |
| Chlorfenapyr | 0.63 | ppm | 1.00 | | 63.5 | 23-143 | | |
| Chlorpyrifos | 0.80 | ppm | 1.00 | | 79.6 | 29-124 | | |
| Clofentezine | 0.69 | ppm | 1.00 | | 69.3 | 40-127 | | |
| Cyfluthrin | 0.57 | ppm | 1.00 | | 56.6 | 32-147 | | |
| Cypermethrin | 0.64 | ppm | 1.00 | | 63.7 | 21-144 | | |
| Daminozide | 0.14 | ppm | 1.00 | | 14.4 | 15-91 | | |
| DDVP (Dichlorvos) | 0.72 | ppm | 1.00 | | 72.4 | 55-150 | | |
| Diazinon | 0.82 | ppm | 1.00 | | 81.7 | 43-127 | | |
| Dimethoate | 0.73 | ppm | 1.00 | | 73.0 | 62-136 | | |
| Ethoprophos | 0.72 | ppm | 1.00 | | 72.0 | 45-142 | | |
| Etofenprox | 0.71 | ppm | 1.00 | | 71.3 | 24-113 | | |
| Etoxazole | 0.69 | ppm | 1.00 | | 68.9 | 34-121 | | |
| Fenoxycarb | 0.60 | ppm | 1.00 | | 60.3 | 22-150 | | |
| Fenpyroximate | 0.52 | ppm | 1.00 | | 51.8 | 34-144 | | |
| Fipronil | 0.49 | ppm | 1.00 | | 48.8 | 25-149 | | |
| Flonicamid | 0.55 | ppm | 1.00 | | 55.2 | 53-144 | | |
| Fludioxonil | 0.22 | ppm | 1.00 | | 21.8 | 29-132 | | |
| Hexythiazox | 0.59 | ppm | 1.00 | | 59.1 | 22-111 | | |
| Imazalil | 0.72 | ppm | 1.00 | | 72.0 | 48-125 | | |
| Imidacloprid | 0.59 | ppm | 1.00 | | 59.2 | 41-150 | | |
| Kresoxim-methyl | 0.81 | ppm | 1.00 | | 81.3 | 43-140 | | |
| Malathion | 0.71 | ppm | 1.00 | | 71.2 | 25-148 | | |
| Metalaxyl | 0.70 | ppm | 1.00 | | 70.0 | 50-136 | | |
| Methiocarb | 0.72 | ppm | 1.00 | | 71.6 | 56-132 | | |
| Methomyl | 0.69 | ppm | 1.00 | | 68.6 | 40-150 | | |
| Methyl parathion | 0.62 | ppm | 1.00 | | 61.5 | 15-150 | | |
| MGK-264 | 0.36 | ppm | 0.630 | | 57.3 | 32-134 | | |
| Myclobutanil | 0.58 | ppm | 1.00 | | 58.0 | 43-141 | | |
| Naled | 0.60 | ppm | 1.00 | | 59.8 | 15-136 | | |
| Oxamyl | 0.68 | ppm | 1.00 | | 67.5 | 56-133 | | |
| Paclobutrazol | 0.60 | ppm | 1.00 | | 60.5 | 34-143 | | |



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B190489 - Pesticide Prep (Continued)

| LCS(B190489-BS1) | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:26 | | | | | | |
|-------------------------|---------------|--|--------------------|----------------------|-------------|--------------------|------------|------------------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Permethrins (total) | 0.52 | ppm | | | | 31-113 | | |
| Phosmet | 0.65 | ppm | 1.00 | | 64.8 | 53-124 | | |
| Piperonyl butoxide | 0.71 | ppm | 1.00 | | 71.4 | 39-128 | | |
| Prallethrin | 0.50 | ppm | 1.00 | | 49.8 | 43-140 | | |
| Propiconazole | 0.61 | ppm | 1.00 | | 60.5 | 47-124 | | |
| Propoxur | 0.71 | ppm | 1.00 | | 70.8 | 63-135 | | |
| Pyrethrins (total) | 0.35 | ppm | | | | 19-144 | | |
| Pyridaben | 0.64 | ppm | 1.00 | | 63.8 | 31-122 | | |
| Spinosad | 0.55 | ppm | 0.820 | | 67.6 | 24-147 | | |
| Spiromesifen | 0.67 | ppm | 1.00 | | 67.4 | 49-133 | | |
| Spirotetramat | 0.57 | ppm | 1.00 | | 56.7 | 29-150 | | |
| Spiroxamine | 0.37 | ppm | 0.550 | | 67.8 | 15-122 | | |
| Tebuconazole | 0.72 | ppm | 1.00 | | 71.8 | 40-133 | | |
| Thiacloprid | 0.63 | ppm | 1.00 | | 63.1 | 60-143 | | |
| Thiamethoxam | 0.68 | ppm | 1.00 | | 67.5 | 42-146 | | |
| Trifloxystrobin | 0.75 | ppm | 1.00 | | 74.7 | 41-148 | | |

| Matrix Spike(B190489-MS1) | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:42 | | | | | | |
|----------------------------------|---------------|--|--------------------|----------------------|-------------|--------------------|------------|------------------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | 1.78 | ppm | 1.86 | < LOQ | 95.6 | 21-150 | | |
| Acephate | 1.94 | ppm | 1.90 | < LOQ | 102 | 48-131 | | |
| Acequinocyl | < LOQ | ppm | 1.90 | < LOQ | | 16-148 | | |
| Acetamiprid | 1.83 | ppm | 1.90 | < LOQ | 96.4 | 50-145 | | |
| Aldicarb | 1.88 | ppm | 1.90 | < LOQ | 98.9 | 53-133 | | |
| Azoxystrobin | 1.95 | ppm | 1.90 | < LOQ | 103 | 35-147 | | |
| Bifenazate | 2.03 | ppm | 1.90 | < LOQ | 107 | 43-143 | | |
| Bifenthrin | 0.76 | ppm | 1.90 | < LOQ | 39.9 | 16-107 | | |
| Boscalid | 1.58 | ppm | 1.90 | < LOQ | 83.4 | 42-140 | | |
| Carbaryl | 1.68 | ppm | 1.90 | < LOQ | 88.7 | 71-113 | | |
| Carbofuran | 1.84 | ppm | 1.90 | < LOQ | 96.8 | 73-118 | | |
| Chlorantraniliprole | 0.97 | ppm | 1.90 | < LOQ | 51.2 | 45-136 | | |
| Chlorfenapyr | 1.15 | ppm | 1.90 | < LOQ | 60.3 | 15-150 | | |
| Chlorpyrifos | 1.52 | ppm | 1.90 | < LOQ | 80.2 | 24-125 | | |
| Clofentezine | 1.03 | ppm | 1.90 | < LOQ | 54.2 | 38-118 | | |
| Cyfluthrin | 1.39 | ppm | 1.90 | < LOQ | 73.3 | 23-139 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B190489 - Pesticide Prep (Continued)

| Matrix Spike(B190489-MS1) | | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:42 | | | | | |
|---------------------------|--------|-------|---|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Cypermethrin | 2.11 | ppm | 1.90 | < LOQ | 111 | 38-150 | | |
| Daminozide | 1.69 | ppm | 1.90 | < LOQ | 89.1 | 15-150 | | |
| DDVP (Dichlorvos) | 1.78 | ppm | 1.90 | < LOQ | 93.6 | 64-124 | | |
| Diazinon | 1.86 | ppm | 1.90 | < LOQ | 98.1 | 50-123 | | |
| Dimethoate | 1.77 | ppm | 1.90 | < LOQ | 93.3 | 69-116 | | |
| Ethoprophos | 1.92 | ppm | 1.90 | < LOQ | 101 | 39-146 | | |
| Etofenprox | 1.01 | ppm | 1.90 | < LOQ | 53.4 | 31-117 | | |
| Etoxazole | 1.66 | ppm | 1.90 | < LOQ | 87.3 | 35-136 | | |
| Fenoxycarb | 1.72 | ppm | 1.90 | < LOQ | 90.6 | 23-150 | | |
| Fenpyroximate | 1.55 | ppm | 1.90 | < LOQ | 81.8 | 30-143 | | |
| Fipronil | 1.20 | ppm | 1.90 | < LOQ | 63.1 | 15-150 | | |
| Flonicamid | 1.39 | ppm | 1.90 | < LOQ | 73.0 | 50-131 | | |
| Fludioxonil | 1.13 | ppm | 1.90 | < LOQ | 59.3 | 44-150 | | |
| Hexythiazox | 1.73 | ppm | 1.90 | < LOQ | 91.3 | 34-144 | | |
| Imazalil | 1.84 | ppm | 1.90 | < LOQ | 96.8 | 54-124 | | |
| Imidacloprid | 1.83 | ppm | 1.90 | < LOQ | 96.3 | 39-150 | | |
| Kresoxim-methyl | 1.74 | ppm | 1.90 | < LOQ | 91.8 | 46-134 | | |
| Malathion | 2.13 | ppm | 1.90 | < LOQ | 112 | 26-148 | | |
| Metalaxyl | 2.05 | ppm | 1.90 | < LOQ | 108 | 60-127 | | |
| Methiocarb | 1.89 | ppm | 1.90 | < LOQ | 99.5 | 50-131 | | |
| Methomyl | 1.74 | ppm | 1.90 | < LOQ | 91.6 | 47-135 | | |
| Methyl parathion | 1.53 | ppm | 1.90 | < LOQ | 80.4 | 15-150 | | |
| MGK-264 | 0.82 | ppm | 1.20 | < LOQ | 68.7 | 20-130 | | |
| Myclobutanil | 1.70 | ppm | 1.90 | < LOQ | 89.3 | 43-134 | | |
| Naled | 1.77 | ppm | 1.90 | < LOQ | 93.3 | 38-140 | | |
| Oxamyl | 1.77 | ppm | 1.90 | < LOQ | 93.2 | 48-127 | | |
| Paclobutrazol | 1.56 | ppm | 1.90 | < LOQ | 82.3 | 30-136 | | |
| Permethrins (total) | 0.62 | ppm | | < LOQ | | 20-120 | | |
| Phosmet | 2.07 | ppm | 1.90 | < LOQ | 109 | 51-134 | | |
| Piperonyl butoxide | 1.80 | ppm | 1.90 | < LOQ | 94.6 | 36-134 | | |
| Prallethrin | 1.41 | ppm | 1.90 | < LOQ | 74.1 | 23-149 | | |
| Propiconazole | 1.29 | ppm | 1.90 | < LOQ | 68.0 | 45-133 | | |
| Propoxur | 1.80 | ppm | 1.90 | < LOQ | 95.0 | 59-130 | | |
| Pyrethrins (total) | 1.28 | ppm | | < LOQ | | 15-146 | | |
| Pyridaben | 0.88 | ppm | 1.90 | < LOQ | 46.4 | 15-150 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B190489 - Pesticide Prep (Continued)

| Matrix Spike(B190489-MS1) | | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 0:42 | | | | | |
|---------------------------|--------|-------|---|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Spinosad | 1.24 | ppm | 1.56 | < LOQ | 79.8 | 23-150 | | |
| Spiromesifen | 1.76 | ppm | 1.90 | < LOQ | 92.8 | 27-127 | | |
| Spirotetramat | 2.09 | ppm | 1.90 | < LOQ | 110 | 33-150 | | |
| Spiroxamine | 1.05 | ppm | 1.04 | < LOQ | 101 | 54-134 | | |
| Tebuconazole | 1.36 | ppm | 1.90 | < LOQ | 71.4 | 22-126 | | |
| Thiacloprid | 1.71 | ppm | 1.90 | < LOQ | 90.0 | 53-138 | | |
| Thiamethoxam | 1.72 | ppm | 1.90 | < LOQ | 90.5 | 40-134 | | |
| Trifloxystrobin | 1.92 | ppm | 1.90 | < LOQ | 101 | 25-140 | | |

| Matrix Spike Dup(B190489-MSD1) | | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 | | | | | |
|--------------------------------|--------|-------|--|---------------|------|-------------|------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Abamectin | 1.35 | ppm | 1.88 | < LOQ | 71.8 | 21-150 | 28.4 | 40 |
| Acephate | 1.98 | ppm | 1.91 | < LOQ | 104 | 48-131 | 1.59 | 26 |
| Acequinocyl | < LOQ | ppm | 1.91 | < LOQ | | 16-148 | | 50 |
| Acetamiprid | 1.81 | ppm | 1.91 | < LOQ | 94.6 | 50-145 | 1.81 | 30 |
| Aldicarb | 1.75 | ppm | 1.91 | < LOQ | 91.5 | 53-133 | 7.79 | 30 |
| Azoxystrobin | 1.88 | ppm | 1.91 | < LOQ | 98.3 | 35-147 | 4.53 | 29 |
| Bifenazate | 2.02 | ppm | 1.91 | < LOQ | 105 | 43-143 | 1.62 | 30 |
| Bifenthrin | 0.68 | ppm | 1.91 | < LOQ | 35.8 | 16-107 | 10.9 | 29 |
| Boscalid | 1.57 | ppm | 1.91 | < LOQ | 82.1 | 42-140 | 1.64 | 30 |
| Carbaryl | 1.64 | ppm | 1.91 | < LOQ | 85.6 | 71-113 | 3.51 | 20 |
| Carbofuran | 1.81 | ppm | 1.91 | < LOQ | 94.8 | 73-118 | 2.07 | 20 |
| Chlorantraniliprole | 0.96 | ppm | 1.91 | < LOQ | 50.3 | 45-136 | 1.73 | 30 |
| Chlorfenapyr | < LOQ | ppm | 1.91 | < LOQ | | 15-150 | | 50 |
| Chlorpyrifos | 1.45 | ppm | 1.91 | < LOQ | 75.6 | 24-125 | 5.92 | 29 |
| Clofentezine | 1.00 | ppm | 1.91 | < LOQ | 52.1 | 38-118 | 4.12 | 26 |
| Cyfluthrin | 1.58 | ppm | 1.91 | < LOQ | 82.3 | 23-139 | 11.6 | 50 |
| Cypermethrin | 2.05 | ppm | 1.91 | < LOQ | 107 | 38-150 | 3.70 | 30 |
| Daminozide | 1.86 | ppm | 1.91 | < LOQ | 97.4 | 15-150 | 8.83 | 26 |
| DDVP (Dichlorvos) | 1.77 | ppm | 1.91 | < LOQ | 92.5 | 64-124 | 1.18 | 27 |
| Diazinon | 1.84 | ppm | 1.91 | < LOQ | 96.3 | 50-123 | 1.86 | 20 |
| Dimethoate | 1.81 | ppm | 1.91 | < LOQ | 94.3 | 69-116 | 1.06 | 20 |
| Ethoprophos | 1.86 | ppm | 1.91 | < LOQ | 96.9 | 39-146 | 4.31 | 30 |
| Etofenprox | 0.95 | ppm | 1.91 | < LOQ | 49.5 | 31-117 | 7.63 | 27 |
| Etoxazole | 1.63 | ppm | 1.91 | < LOQ | 85.0 | 35-136 | 2.70 | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B190489 - Pesticide Prep (Continued)

| Matrix Spike Dup(B190489-MSD1) | | | Extracted - 03/25/19 12:48 Analyzed - 03/27/19 | | | | | |
|--------------------------------|--------|-------|--|---------------|------|-------------|--------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Fenoxycarb | 1.73 | ppm | 1.91 | < LOQ | 90.3 | 23-150 | 0.353 | 40 |
| Fenpyroximate | 1.52 | ppm | 1.91 | < LOQ | 79.3 | 30-143 | 3.20 | 26 |
| Fipronil | 1.14 | ppm | 1.91 | < LOQ | 59.5 | 15-150 | 5.81 | 30 |
| Flonicamid | 1.45 | ppm | 1.91 | < LOQ | 75.5 | 50-131 | 3.32 | 26 |
| Fludioxonil | 0.92 | ppm | 1.91 | < LOQ | 48.1 | 44-150 | 20.7 | 30 |
| Hexythiazox | 1.64 | ppm | 1.91 | < LOQ | 85.7 | 34-144 | 6.43 | 28 |
| Imazalil | 1.91 | ppm | 1.91 | < LOQ | 99.7 | 54-124 | 2.94 | 24 |
| Imidacloprid | 1.77 | ppm | 1.91 | < LOQ | 92.5 | 39-150 | 4.02 | 30 |
| Kresoxim-methyl | 1.70 | ppm | 1.91 | < LOQ | 88.7 | 46-134 | 3.45 | 20 |
| Malathion | 2.14 | ppm | 1.91 | < LOQ | 112 | 26-148 | 0.489 | 50 |
| Metalaxyl | 2.08 | ppm | 1.91 | < LOQ | 108 | 60-127 | 0.231 | 30 |
| Methiocarb | 1.83 | ppm | 1.91 | < LOQ | 95.7 | 50-131 | 3.92 | 30 |
| Methomyl | 1.75 | ppm | 1.91 | < LOQ | 91.6 | 47-135 | 0.0502 | 20 |
| Methyl parathion | 1.62 | ppm | 1.91 | < LOQ | 84.5 | 15-150 | 4.94 | 50 |
| MGK-264 | 0.83 | ppm | 1.21 | < LOQ | 68.7 | 20-130 | 0.0884 | 30 |
| Myclobutanil | 1.68 | ppm | 1.91 | < LOQ | 87.8 | 43-134 | 1.65 | 30 |
| Naled | 1.74 | ppm | 1.91 | < LOQ | 91.0 | 38-140 | 2.48 | 30 |
| Oxamyl | 1.81 | ppm | 1.91 | < LOQ | 94.5 | 48-127 | 1.35 | 28 |
| Paclbutrazol | 1.58 | ppm | 1.91 | < LOQ | 82.6 | 30-136 | 0.394 | 30 |
| Permethrins (total) | 0.59 | ppm | | < LOQ | | 20-120 | | 28 |
| Phosmet | 2.07 | ppm | 1.91 | < LOQ | 108 | 51-134 | 0.904 | 30 |
| Piperonyl butoxide | 1.74 | ppm | 1.91 | < LOQ | 90.6 | 36-134 | 4.28 | 30 |
| Prallethrin | 1.39 | ppm | 1.91 | < LOQ | 72.4 | 23-149 | 2.33 | 30 |
| Propiconazole | 1.23 | ppm | 1.91 | < LOQ | 64.4 | 45-133 | 5.45 | 30 |
| Propoxur | 1.78 | ppm | 1.91 | < LOQ | 92.8 | 59-130 | 2.30 | 29 |
| Pyrethrins (total) | 1.21 | ppm | | < LOQ | | 15-146 | | 28 |
| Pyridaben | 0.84 | ppm | 1.91 | < LOQ | 43.9 | 15-150 | 5.67 | 29 |
| Spinosad | 1.26 | ppm | 1.57 | < LOQ | 80.0 | 23-150 | 0.260 | 30 |
| Spiromesifen | 1.73 | ppm | 1.91 | < LOQ | 90.5 | 27-127 | 2.53 | 28 |
| Spirotetramat | 2.03 | ppm | 1.91 | < LOQ | 106 | 33-150 | 3.80 | 30 |
| Spiroxamine | 1.01 | ppm | 1.05 | < LOQ | 96.1 | 54-134 | 4.75 | 30 |
| Tebuconazole | 1.39 | ppm | 1.91 | < LOQ | 72.7 | 22-126 | 1.88 | 21 |
| Thiacloprid | 1.67 | ppm | 1.91 | < LOQ | 87.1 | 53-138 | 3.34 | 30 |
| Thiamethoxam | 1.78 | ppm | 1.91 | < LOQ | 93.1 | 40-134 | 2.84 | 28 |
| Trifloxystrobin | 1.81 | ppm | 1.91 | < LOQ | 94.8 | 25-140 | 6.24 | 30 |



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B190488 - Residual Solvent Prep

| Blank(B190488-BLK1) | | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 21:18 | | | | | |
|--------------------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | < LOQ | ug/g | | | | | | |
| 2-Butanol | < LOQ | ug/g | | | | | | |
| 2-Ethoxyethanol | < LOQ | ug/g | | | | | | |
| 2-Propanol (IPA) | < LOQ | ug/g | | | | | | |
| Acetone | < LOQ | ug/g | | | | | | |
| Acetonitrile | < LOQ | ug/g | | | | | | |
| Benzene | < LOQ | ug/g | | | | | | |
| Butanes | < LOQ | ug/g | | | | | | |
| Cyclohexane | < LOQ | ug/g | | | | | | |
| Dichloromethane (methylene chloride) | < LOQ | ug/g | | | | | | |
| Ethyl acetate | < LOQ | ug/g | | | | | | |
| Ethyl ether | < LOQ | ug/g | | | | | | |
| Ethylbenzene | < LOQ | ug/g | | | | | | |
| Ethylene glycol | < LOQ | ug/g | | | | | | |
| Ethylene oxide | < LOQ | ug/g | | | | | | |
| Heptane | < LOQ | ug/g | | | | | | |
| Hexanes | < LOQ | ug/g | | | | | | |
| Isopropyl acetate | < LOQ | ug/g | | | | | | |
| Isopropylbenzene (cumene) | < LOQ | ug/g | | | | | | |
| Methanol | < LOQ | ug/g | | | | | | |
| Pentanes | < LOQ | ug/g | | | | | | |
| Propane | < LOQ | ug/g | | | | | | |
| Tetrahydrofuran | < LOQ | ug/g | | | | | | |
| Toluene | < LOQ | ug/g | | | | | | |
| Xylenes | < LOQ | ug/g | | | | | | |

| LCS(B190488-BS1) | | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 20:15 | | | | | |
|------------------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | 549 | ug/g | 570 | | 96.2 | 70-130 | | |
| 2,2-Dimethylbutane | 426 | ug/g | 435 | | 98.0 | 70-130 | | |
| 2-Butanol | 3940 | ug/g | 3500 | | 113 | 70-130 | | |
| 2-Ethoxyethanol | 596 | ug/g | 240 | | 248 | 70-130 | | |
| 2-Methylbutane (isopentane) | 3760 | ug/g | 3500 | | 107 | 70-130 | | |
| 2-Methylpentane/2,3-Dimethylbutane | 904 | ug/g | 870 | | 104 | 70-130 | | |
| 2-Propanol (IPA) | 3880 | ug/g | 3500 | | 111 | 70-130 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B190488 - Residual Solvent Prep (Continued)

| LCS(B190488-BS1) | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 20:15 | | | | | | |
|--------------------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 3-Methylpentane | 432 | ug/g | 435 | | 99.3 | 70-130 | | |
| Acetone | 3820 | ug/g | 3500 | | 109 | 70-130 | | |
| Acetonitrile | 672 | ug/g | 615 | | 109 | 70-130 | | |
| Benzene | 2.99 | ug/g | 3.00 | | 99.5 | 70-130 | | |
| Cyclohexane | 5840 | ug/g | 5820 | | 100 | 70-130 | | |
| Dichloromethane (methylene chloride) | 950 | ug/g | 900 | | 106 | 70-130 | | |
| Ethyl acetate | 3730 | ug/g | 3500 | | 106 | 70-130 | | |
| Ethyl ether | 3570 | ug/g | 3500 | | 102 | 70-130 | | |
| Ethylbenzene | 3010 | ug/g | 3250 | | 92.7 | 70-130 | | |
| Ethylene glycol | 2190 | ug/g | 930 | | 236 | 70-130 | | |
| Heptane | 3650 | ug/g | 3500 | | 104 | 70-130 | | |
| Isopropyl acetate | 3730 | ug/g | 3500 | | 107 | 70-130 | | |
| Isopropylbenzene (cumene) | 95.4 | ug/g | 105 | | 90.9 | 70-130 | | |
| m,p-Xylene | 6050 | ug/g | 6510 | | 92.9 | 70-130 | | |
| Methanol | 2720 | ug/g | 2500 | | 109 | 70-130 | | |
| n-Hexane | 434 | ug/g | 435 | | 99.7 | 70-130 | | |
| n-Pentane | 3920 | ug/g | 3500 | | 112 | 70-130 | | |
| Tetrahydrofuran | 1120 | ug/g | 1080 | | 104 | 70-130 | | |
| Toluene | 1260 | ug/g | 1340 | | 94.2 | 70-130 | | |
| o-Xylene | 3020 | ug/g | 3250 | | 92.9 | 70-130 | | |

| Matrix Spike(B190488-MS1) | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 20:36 | | | | | | |
|------------------------------------|--------|--|-------------|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | 522 | ug/g | 560 | < LOQ | 93.2 | 70-130 | | |
| 2,2-Dimethylbutane | 421 | ug/g | 428 | < LOQ | 98.4 | 70-130 | | |
| 2-Butanol | 3750 | ug/g | 3440 | < LOQ | 109 | 70-130 | | |
| 2-Ethoxyethanol | 579 | ug/g | 236 | < LOQ | 245 | 70-130 | | |
| 2-Methylbutane (isopentane) | 3660 | ug/g | 3440 | < LOQ | 106 | 70-130 | | |
| 2-Methylpentane/2,3-Dimethylbutane | 888 | ug/g | 855 | < LOQ | 104 | 70-130 | | |
| 2-Propanol (IPA) | 5930 | ug/g | 3440 | 2140 | 110 | 70-130 | | |
| 3-Methylpentane | 433 | ug/g | 428 | < LOQ | 101 | 70-130 | | |
| Acetone | 3630 | ug/g | 3440 | 60.3 | 104 | 70-130 | | |
| Acetonitrile | 644 | ug/g | 604 | 37.5 | 100 | 70-130 | | |
| Benzene | 3.22 | ug/g | 2.95 | < LOQ | 109 | 70-130 | | |
| Cyclohexane | 5810 | ug/g | 5720 | < LOQ | 101 | 70-130 | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B190488 - Residual Solvent Prep (Continued)

| Matrix Spike(B190488-MS1) | | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 20:36 | | | | | |
|--------------------------------------|--------|-------|--|---------------|------|-------------|-----|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Dichloromethane (methylene chloride) | 936 | ug/g | 885 | < LOQ | 106 | 70-130 | | |
| Ethyl acetate | 3540 | ug/g | 3440 | < LOQ | 103 | 70-130 | | |
| Ethyl ether | 3450 | ug/g | 3440 | < LOQ | 100 | 70-130 | | |
| Ethylbenzene | 3030 | ug/g | 3190 | < LOQ | 94.7 | 70-130 | | |
| Ethylene glycol | 2240 | ug/g | 914 | < LOQ | 245 | 70-130 | | |
| Heptane | 3680 | ug/g | 3440 | < LOQ | 107 | 70-130 | | |
| Isopropyl acetate | 3590 | ug/g | 3440 | < LOQ | 104 | 70-130 | | |
| Isopropylbenzene (cumene) | 162 | ug/g | 103 | < LOQ | 157 | 70-130 | | |
| m,p-Xylene | 6050 | ug/g | 6400 | < LOQ | 94.5 | 70-130 | | |
| Methanol | 2610 | ug/g | 2460 | 33.1 | 105 | 70-130 | | |
| n-Hexane | 434 | ug/g | 428 | < LOQ | 102 | 70-130 | | |
| n-Pentane | 3790 | ug/g | 3440 | < LOQ | 110 | 70-130 | | |
| Tetrahydrofuran | 1060 | ug/g | 1060 | < LOQ | 100 | 70-130 | | |
| Toluene | 1280 | ug/g | 1310 | 54.8 | 93.5 | 70-130 | | |
| o-Xylene | 3090 | ug/g | 3190 | < LOQ | 96.6 | 70-130 | | |

| Matrix Spike Dup(B190488-MSD1) | | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 | | | | | |
|--------------------------------------|--------|-------|--|---------------|------|-------------|-------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| 1,4-Dioxane | 485 | ug/g | 509 | < LOQ | 95.1 | 70-130 | 7.48 | 30 |
| 2,2-Dimethylbutane | 395 | ug/g | 389 | < LOQ | 102 | 70-130 | 6.18 | 30 |
| 2-Butanol | 3580 | ug/g | 3130 | < LOQ | 114 | 70-130 | 4.82 | 30 |
| 2-Ethoxyethanol | 544 | ug/g | 215 | < LOQ | 253 | 70-130 | 6.25 | 30 |
| 2-Methylbutane (isopentane) | 3500 | ug/g | 3130 | < LOQ | 112 | 70-130 | 4.51 | 30 |
| 2-Methylpentane/2,3-Dimethylbutane | 844 | ug/g | 778 | < LOQ | 109 | 70-130 | 5.09 | 30 |
| 2-Propanol (IPA) | 5970 | ug/g | 3130 | 2140 | 122 | 70-130 | 0.705 | 30 |
| 3-Methylpentane | 403 | ug/g | 389 | < LOQ | 104 | 70-130 | 7.11 | 30 |
| Acetone | 3470 | ug/g | 3130 | 60.3 | 109 | 70-130 | 4.50 | 30 |
| Acetonitrile | 607 | ug/g | 550 | 37.5 | 104 | 70-130 | 5.84 | 30 |
| Benzene | 2.74 | ug/g | 2.68 | < LOQ | 102 | 70-130 | 16.1 | 30 |
| Cyclohexane | 5460 | ug/g | 5210 | < LOQ | 105 | 70-130 | 6.12 | 30 |
| Dichloromethane (methylene chloride) | 880 | ug/g | 804 | < LOQ | 109 | 70-130 | 6.19 | 30 |
| Ethyl acetate | 3330 | ug/g | 3130 | < LOQ | 106 | 70-130 | 6.25 | 30 |
| Ethyl ether | 3290 | ug/g | 3130 | < LOQ | 105 | 70-130 | 4.98 | 30 |
| Ethylbenzene | 2810 | ug/g | 2910 | < LOQ | 96.8 | 70-130 | 7.32 | 30 |
| Ethylene glycol | 2100 | ug/g | 831 | < LOQ | 252 | 70-130 | 6.34 | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B190488 - Residual Solvent Prep (Continued)

| Matrix Spike Dup(B190488-MSD1) | | | Extracted - 03/25/19 12:47 Analyzed - 03/25/19 | | | | | |
|--------------------------------|--------|-------|--|---------------|------|-------------|------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| Heptane | 3450 | ug/g | 3130 | < LOQ | 110 | 70-130 | 6.22 | 30 |
| Isopropyl acetate | 3380 | ug/g | 3130 | < LOQ | 108 | 70-130 | 5.89 | 30 |
| Isopropylbenzene (cumene) | 154 | ug/g | 93.9 | < LOQ | 164 | 70-130 | 5.04 | 30 |
| m,p-Xylene | 5600 | ug/g | 5820 | < LOQ | 96.2 | 70-130 | 7.68 | 30 |
| Methanol | 2510 | ug/g | 2230 | 33.1 | 111 | 70-130 | 4.11 | 30 |
| n-Hexane | 407 | ug/g | 389 | < LOQ | 105 | 70-130 | 6.39 | 30 |
| n-Pentane | 3600 | ug/g | 3130 | < LOQ | 115 | 70-130 | 5.23 | 30 |
| Tetrahydrofuran | 1000 | ug/g | 965 | < LOQ | 104 | 70-130 | 6.08 | 30 |
| Toluene | 1180 | ug/g | 1200 | 54.8 | 94.2 | 70-130 | 8.31 | 30 |
| o-Xylene | 2810 | ug/g | 2910 | < LOQ | 96.7 | 70-130 | 9.40 | 30 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B190491 - Potency/Terpenes

| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
|----------------------------|--------|-------|---|---------------|------|-------------|-----|-----------|
| Blank(B190491-BLK1) | | | Extracted - 03/25/19 12:49 Analyzed - 03/26/19 13:43 | | | | | |
| alpha Pinene | < LOQ | % | | | | | | |
| Myrcene | < LOQ | % | | | | | | |
| alpha Phellandrene | < LOQ | % | | | | | | |
| 3-Carene | < LOQ | % | | | | | | |
| alpha Terpinene | < LOQ | % | | | | | | |
| Limonene | < LOQ | % | | | | | | |
| Terpinolene | < LOQ | % | | | | | | |
| Linalool | < LOQ | % | | | | | | |
| Fenchol | < LOQ | % | | | | | | |
| Borneol | < LOQ | % | | | | | | |
| Terpineol | < LOQ | % | | | | | | |
| Geraniol | < LOQ | % | | | | | | |
| alpha Humulene | < LOQ | % | | | | | | |
| beta Caryophyllene | < LOQ | % | | | | | | |
| Caryophyllene Oxide | < LOQ | % | | | | | | |
| alpha Bisabolol | < LOQ | % | | | | | | |
| Camphene | < LOQ | % | | | | | | |
| beta Pinene | < LOQ | % | | | | | | |
| Ocimene | < LOQ | % | | | | | | |
| Sabinene | < LOQ | % | | | | | | |
| Camphor | < LOQ | % | | | | | | |
| Isoborneol | < LOQ | % | | | | | | |
| Menthol | < LOQ | % | | | | | | |
| alpha Cedrene | < LOQ | % | | | | | | |
| Nerolidol | < LOQ | % | | | | | | |
| R-(+)-Pulegone | < LOQ | % | | | | | | |
| Eucalyptol | < LOQ | % | | | | | | |
| p-Cymene | < LOQ | % | | | | | | |
| (-)-Isopulegol | < LOQ | % | | | | | | |
| Geranyl Acetate | < LOQ | % | | | | | | |
| Guaiol | < LOQ | % | | | | | | |
| Valencene | < LOQ | % | | | | | | |
| Phytol | 0.322 | % | | | | | | |
| Citronellol | < LOQ | % | | | | | | |
| gamma-Terpinene | < LOQ | % | | | | | | |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B190491 - Potency/Terpenes (Continued)

| Duplicate(B190491-DUP1) | | Extracted - 03/25/19 12:49 Analyzed - 03/26/19 13:43 | | | | | | |
|-------------------------|--------|--|-------------|---------------|------|-------------|--------|-----------|
| Analyte | Result | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit |
| alpha Pinene | 0.138 | % | | 0.132 | | | 4.19 | 20 |
| Myrcene | 0.388 | % | | 0.398 | | | 2.50 | 20 |
| alpha Phellandrene | < LOQ | % | | < LOQ | | | | 20 |
| 3-Carene | < LOQ | % | | < LOQ | | | | 20 |
| alpha Terpinene | < LOQ | % | | < LOQ | | | | 20 |
| Limonene | 0.503 | % | | 0.516 | | | 2.67 | 20 |
| Terpinolene | < LOQ | % | | < LOQ | | | | 20 |
| Linalool | 0.382 | % | | 0.378 | | | 1.06 | 20 |
| Fenchol | 0.168 | % | | 0.173 | | | 3.18 | 20 |
| Borneol | < LOQ | % | | < LOQ | | | | 20 |
| Terpineol | 0.159 | % | | 0.161 | | | 1.35 | 20 |
| Geraniol | < LOQ | % | | < LOQ | | | | 20 |
| alpha Humulene | 1.004 | % | | 1.009 | | | 0.496 | 20 |
| beta Caryophyllene | 2.314 | % | | 2.331 | | | 0.733 | 20 |
| Caryophyllene Oxide | 0.219 | % | | 0.226 | | | 2.85 | 20 |
| alpha Bisabolol | < LOQ | % | | < LOQ | | | | 20 |
| Camphene | < LOQ | % | | < LOQ | | | | 20 |
| beta Pinene | 0.121 | % | | 0.120 | | | 0.922 | 20 |
| Ocimene | < LOQ | % | | < LOQ | | | | 20 |
| Sabinene | < LOQ | % | | < LOQ | | | | 20 |
| Camphor | < LOQ | % | | < LOQ | | | | 20 |
| Isoborneol | < LOQ | % | | < LOQ | | | | 20 |
| Menthol | < LOQ | % | | < LOQ | | | | 20 |
| alpha Cedrene | < LOQ | % | | < LOQ | | | | 20 |
| Nerolidol | 0.394 | % | | 0.394 | | | 0.118 | 20 |
| R-(+)-Pulegone | < LOQ | % | | < LOQ | | | | 20 |
| Eucalyptol | < LOQ | % | | < LOQ | | | | 20 |
| p-Cymene | < LOQ | % | | < LOQ | | | | 20 |
| (-)-Isopulegol | < LOQ | % | | < LOQ | | | | 20 |
| Geranyl Acetate | < LOQ | % | | < LOQ | | | | 20 |
| Guaiol | 0.165 | % | | 0.168 | | | 1.83 | 20 |
| Valencene | < LOQ | % | | < LOQ | | | | 20 |
| Phytol | 0.368 | % | | 0.368 | | | 0.0538 | 20 |
| Citronellol | < LOQ | % | | < LOQ | | | | 20 |
| gamma-Terpinene | < LOQ | % | | < LOQ | | | | 20 |



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



19C0104

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

| | | | |
|--|---|---|--------------------------|
| Manifest No.: | 0001393707 | Date Created: | 3/21/2019 9:52 AM |
| Originating Entity: | OM Extracts | For OLCC Use Only | |
| Originating License Number: | 030-10051970949 | | |
| Address of Originating Entity: | 500 Industrial Circle, Units E, F, G, and H White City, OR 97503 | | |
| Phone No. of Originating Entity: | 503-688-3289 | | |
| Contact Phone No. for Inquiries: 503-688-3289 | | | |
| Destination # 1 | SC Laboratories | Destination Phone No.: | 707-339-0050 |
| Destination License Number: | 010-1004748743D | Date and Approx. Time of Departure: | 3/21/2019 9:48 AM |
| Address of Destination: | 15865 SW 74th Avenue Ste 110 Tigard, OR 97224 | Date and Approx. Time of Arrival: | 3/21/2019 7:00 PM |
| | | Date/Time Received: | 3/21/19 1757 |
| | | Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.) | |
| Route to be Traveled: | I-5 North to SC Laboratories 5865 SW 74 th Ave, Suite 110 Tigard , OR 97224 | | |
| Name of Person Transporting: | Joel Glimpse/ Scott Forster | Handler Permit No. of Driver: | 102682/22 |
| State Driver's License No.: | 9474950/A625521 | Signature of Person Transporting: | |
| Make, Model, License Plate No.: | scion/nissan XB/NV 200 175 JLS/825 KAT | | |
| Package # 1 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013308 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Blue Dream CBD (Extracts) | Shp: 7.0800 g |
| Harvests: | BDC1025 | | |
| Package # 2 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013309 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Blue City Diesel (Extracts) | Shp: 7.0400 g |
| Harvests: | GH 10.10.2018 BCD | | |
| Package # 3 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013310 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Cindy 99 (Extracts) | Shp: 7.0100 g |
| Harvests: | GH 10.04.2018 C99 | | |
| Package # 4 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013311 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Sour Tangie (Extracts) | Shp: 7.0500 g |
| Harvests: | SOTA1030, SOTAWF1107 | | |
| Package # 5 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013312 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Sour Diesel (Extracts) | Shp: 7.0100 g |
| Harvests: | Sour Diesel 11/13/18, Sour Diesel 11/14/18 | | |
| Package # 6 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013313 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Durban Poison (Extracts) | Shp: 7.0000 g |
| Harvests: | 2018-10-09-Room 5-H | | |



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

| | | | |
|--|-----------------------------|---|--------------------------|
| Manifest No.: | 0001393707 | Date Created: | 3/21/2019 9:52 AM |
| Package # 7 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013315 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Nine Pound Hammer (Extracts) | Shp: 7.1500 g |
| Harvests: | 3/26/18, OD 10.08.2018 9LB | | |
| Package # 8 | Production Batch No. | Item Name | Quantity |
| 1A4010300014ADD000013316 Lab Test: SubmittedForTesting Status: Shipped | | FECO Bulk - Suver Haze (Extracts) | Shp: 7.2500 g |
| PRODUCT REJECTION <i>(if only a portion of shipment is rejected, circle that portion above)</i> | | | |
| Name of Person Receiving or Rejecting Product: | | | |
| I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment. | | | |
| Signature: | | Date: | |
| Signature of individual taking receipt of rejected portion of this shipment: | | | |

Client: OM Ext Client License: 10051970949 Date Sampled: 3/21/2019 Thermometer ID: T005
 Address Where Sampled: 500 Industrial wy Requestor: Jamie Event ID: 19COM21 Balance ID: BAL_01
 Sampling SOP & Rev. #: SC-OR-SAMP-002 rev. 1.01 Sampler: Joel Transporter: Joel/ Scott Hygrometer ID:

Sampler Signature

Lab ORELAP ID: 4133
 Lab OLCC ID: 1004748743D

| Weight used (g) | Weight Set ID | Acceptance Criteria | Initial Measured | Initial P/F | Final Measured | Final P/F |
|-----------------|------------------|---------------------|------------------|-------------|----------------|-----------|
| 0.5 | weight Set ID 01 | ±2.5% | 0.5 | P | 0.5 | P |
| 200 | | ±2.5% | 199.94 | | 199.96 | |



| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--------------------------|------------------------------------|--------------|-----------------|------------------------|--------------------------|----------------------|--------------------------------|------------------------------|
| Jar | | | | | Concentrate | Durban Poisin - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013287 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Durban Poisin - FECO Primary |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-01 | Durban Poisin - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-01 | Durban Poisin - FECO-1 | | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-01 | Durban Poisin - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-01 | Durban Poisin - FECO-1 | | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-01 | Durban Poisin - FECO-1 | | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-01 | Durban Poisin - FECO-1 | | A4 | 2.9 | 3.5 | 0.6 | 1A4010300014ADD000013313 | |
| Totals: | | | | | | | | |
| 6 | | | 6 | | Total Primary Mass = 3.5 | | Primary + Duplicate Mass = 7 g | |

| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
|---------------------------------|---------|-----------|-------------------|---------|--------------|----------------|------------------------------|
| | | | | | | | |

| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
|--------------------------|------------------------|--------------|-----------------|------------------------|-------------------|----------------------|--------------------------|--------------------------------|
| 1A4010300014ADD000013287 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Durban Poisin - FECO Duplicate |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-02 | Durban Poisin - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-02 | Durban Poisin - FECO-1 | | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-02 | Durban Poisin - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-02 | Durban Poisin - FECO-1 | | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-02 | Durban Poisin - FECO-1 | | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013313 | |
| 19COM21-02 | Durban Poisin - FECO-1 | | A4 | 2.9 | 3.5 | 0.6 | 1A4010300014ADD000013313 | |

| | | | | | | | |
|---------------------------------|--|---------|-----------|-------------------|---------|----------------------------|------------------------------|
| | | | | | | | |
| Totals: | | 6 | | 6 | | Total Duplicate Mass = 3.5 | |
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size |
| | | | | | | | Sampling Plan ID & Rev. Date |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--------------------------|------------------------------------|--------------|-----------------|------------------------|-------------------|--------------------------|--------------------------|-----------------------------------|
| Jar | | | | | Concentrate | Sour Tangie - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013288 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.58333333 | Sour Tangie - FECO Primary |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-03 | Sour Tangie - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-03 | Sour Tangie - FECO-1 | | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-03 | Sour Tangie - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-03 | Sour Tangie - FECO-1 | | A2 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-03 | Sour Tangie - FECO-1 | | A4 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-03 | Sour Tangie - FECO-1 | | A4 | 2.9 | 3.5 | 0.6 | 1A4010300014ADD000013311 | |
| Totals: | | 6 | | 6 | | Total Primary Mass = 3.5 | | Primary + Duplicate Mass = 7.05 g |

| | | | | | | | | |
|---------------------------------|--|---------|-----------|-------------------|---------|--------------|----------------|------------------------------|
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | | |

| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
|--------------------------|----------------------|--------------|-----------------|------------------------|-------------------|----------------------|--------------------------|------------------------------|
| 1A4010300014ADD000013288 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.58333333 | Sour Tangie - FECO Duplicate |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-04 | Sour Tangie - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-04 | Sour Tangie - FECO-1 | | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-04 | Sour Tangie - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-04 | Sour Tangie - FECO-1 | | A2 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-04 | Sour Tangie - FECO-1 | | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013311 | |
| 19COM21-04 | Sour Tangie - FECO-1 | | A4 | 2.9 | 3.55 | 0.65 | 1A4010300014ADD000013311 | |

| | | | | | | | |
|---------------------------------|---------|-----------|-------------------|-----------------------------|--------------|-----------------------------------|------------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals: | | 6 | 6 | Total Duplicate Mass = 3.55 | | Primary + Duplicate Mass = 7.05 g | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | |
| | | | | | | | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--------------------------|------------------------------------|--------------|-----------------|---------------------------|-------------------|-----------------------------------|--------------------------|-------------------------|----------------|
| Jar | | | | | | Concentrate | Cindy 99 - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name | |
| 1A4010300014ADD000013289 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Cindy 99 - FECO Primary | |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | | |
| 19COM21-05 | Cindy 99 - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013310 | | |
| 19COM21-05 | Cindy 99 - FECO-1 | | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013310 | | |
| 19COM21-05 | Cindy 99 - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013310 | | |
| 19COM21-05 | Cindy 99 - FECO-1 | | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013310 | | |
| 19COM21-05 | Cindy 99 - FECO-1 | | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013310 | | |
| 19COM21-05 | Cindy 99 - FECO-1 | | A4 | 2.9 | 3.53 | 0.63 | 1A4010300014ADD000013310 | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Totals: | | 6 | 6 | Total Primary Mass = 3.53 | | Primary + Duplicate Mass = 7.08 g | | | |

| | | | | | | | |
|---------------------------------|---------|-----------|-------------------|---------|--------------|----------------|------------------------------|
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | |
| | | | | | | | |

| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
|--------------------------|-------------------|--------------|-----------------|------------------------|-------------------|----------------------|--------------------------|---------------------------|
| 1A4010300014ADD000013289 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Cindy 99 - FECO Duplicate |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-06 | Cindy 99 - FECO-1 | | A1 | | 0.58 | 0.58 | 1A4010300014ADD000013310 | |
| 19COM21-06 | Cindy 99 - FECO-1 | | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013310 | |
| 19COM21-06 | Cindy 99 - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013310 | |
| 19COM21-06 | Cindy 99 - FECO-1 | | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013310 | |

| | | | | | | | |
|--|-------------------|------------------|--------------------------|-----------------------------|---------------------|-----------------------------------|---|
| 19COM21-06 | Cindy 99 - FECO-1 | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013310 | |
| 19COM21-06 | Cindy 99 - FECO-1 | A4 | 2.9 | 3.55 | 0.65 | 1A4010300014ADD000013310 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals: | | 6 | 6 | Total Duplicate Mass = 3.55 | | Primary + Duplicate Mass = 7.08 g | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | |
| | | | | | | | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--|------------------------------------|------------------|--------------------------|---------------------------|---------------------|-----------------------------------|---|-----------------------------------|
| Jar | | | | | Concentrate | Blue City Diesel - FECO | | 1312 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013290 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Blue City Diesel - FECO Primary |
| Lab Sample ID | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-07 | Blue City Diesel - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-07 | Blue City Diesel - FECO-1 | | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-07 | Blue City Diesel - FECO-1 | | A1 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-07 | Blue City Diesel - FECO-1 | | A2 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-07 | Blue City Diesel - FECO-1 | | A2 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-07 | Blue City Diesel - FECO-1 | | A2 | 2.9 | 3.53 | 0.63 | 1A4010300014ADD000013309 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Totals: | | 6 | 6 | Total Primary Mass = 3.53 | | Primary + Duplicate Mass = 7.04 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |
| | | | | | | | | |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013290 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Blue City Diesel - FECO Duplicate |

| Lab Sample ID | Container ID | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
|--|---------------------------|----------------|------------------------|-----------------------------|----------------------|-----------------------------------|------------------------------|
| 19COM21-08 | Blue City Diesel - FECO-1 | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-08 | Blue City Diesel - FECO-1 | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-08 | Blue City Diesel - FECO-1 | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-08 | Blue City Diesel - FECO-1 | A4 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-08 | Blue City Diesel - FECO-1 | A4 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013309 | |
| 19COM21-08 | Blue City Diesel - FECO-1 | A4 | 2.9 | 3.51 | 0.61 | 1A4010300014ADD000013309 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Totals: | 6 | 6 | | Total Duplicate Mass = 3.51 | | Primary + Duplicate Mass = 7.04 g | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date |
| | | | | | | | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--|------------------------------------|----------------|------------------------|--------------------------|----------------------|-----------------------------------|------------------------------|----------------------------------|
| Jar | | | | | Concentrate | Nine Pound Hammer - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013291 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.58333333 | Nine Pound Hammer - FECO Primary |
| Lab Sample ID | Container ID | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | | |
| 19COM21-09 | Nine Pound Hammer - FECO-1 | A1 | | 0.58 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-09 | Nine Pound Hammer - FECO-1 | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-09 | Nine Pound Hammer - FECO-1 | A1 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-09 | Nine Pound Hammer - FECO-1 | A2 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-09 | Nine Pound Hammer - FECO-1 | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-09 | Nine Pound Hammer - FECO-1 | A3 | 2.9 | 3.5 | 0.6 | 1A4010300014ADD000013315 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Totals: | 6 | 6 | | Total Primary Mass = 3.5 | | Primary + Duplicate Mass = 7.15 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |

| Observations and Abnormalities: | | | | | | | | |
|---------------------------------|----------------------------|----------------|------------------------|-----------------------------|----------------------|-----------------------------------|------------------------------|------------------------------------|
| | | | | | | | | |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013291 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.58333333 | Nine Pound Hammer - FECO Duplicate |
| Lab Sample ID | Container ID | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | | |
| 19COM21-10 | Nine Pound Hammer - FECO-1 | A1 | | 0.58 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-10 | Nine Pound Hammer - FECO-1 | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-10 | Nine Pound Hammer - FECO-1 | A3 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-10 | Nine Pound Hammer - FECO-1 | A4 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-10 | Nine Pound Hammer - FECO-1 | A4 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013315 | | |
| 19COM21-10 | Nine Pound Hammer - FECO-1 | A4 | 2.9 | 3.65 | 0.75 | 1A4010300014ADD000013315 | | |
| Totals: | | 6 | 6 | Total Duplicate Mass = 3.65 | | Primary + Duplicate Mass = 7.15 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--------------------------|------------------------------------|----------------|------------------------|-------------------|----------------------|--------------------------|---------------|----------------------------|
| Jar | | | | | Concentrate | Sour Diesel - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013292 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.58333333 | Sour Diesel - FECO Primary |
| Lab Sample ID | Container ID | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | | |
| 19COM21-11 | Sour Diesel - FECO-1 | A1 | | 0.58 | 0.58 | 1A4010300014ADD000013312 | | |
| 19COM21-11 | Sour Diesel - FECO-1 | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013312 | | |
| 19COM21-11 | Sour Diesel - FECO-1 | A3 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013312 | | |
| 19COM21-11 | Sour Diesel - FECO-1 | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013312 | | |
| 19COM21-11 | Sour Diesel - FECO-1 | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013312 | | |
| 19COM21-11 | Sour Diesel - FECO-1 | A4 | 2.9 | 3.52 | 0.62 | 1A4010300014ADD000013312 | | |

| Totals: | | 6 | | 6 | | Total Primary Mass = 3.52 | | Primary + Duplicate Mass = 7.01 g | |
|---------------------------------|--|----------------------|--------------|-------------------|------------------------|-----------------------------|----------------------|-----------------------------------|------------------------------|
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| METRC Batch ID | | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013292 | | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Sour Diesel - FECO Duplicate |
| Lab Sample ID | | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-12 | | Sour Diesel - FECO-1 | | A1 | | 0.58 | 0.58 | 1A4010300014ADD000013312 | |
| 19COM21-12 | | Sour Diesel - FECO-1 | | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013312 | |
| 19COM21-12 | | Sour Diesel - FECO-1 | | A2 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013312 | |
| 19COM21-12 | | Sour Diesel - FECO-1 | | A2 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013312 | |
| 19COM21-12 | | Sour Diesel - FECO-1 | | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013312 | |
| 19COM21-12 | | Sour Diesel - FECO-1 | | A4 | 2.9 | 3.49 | 0.59 | 1A4010300014ADD000013312 | |
| Totals: | | 6 | | 6 | | Total Duplicate Mass = 3.49 | | Primary + Duplicate Mass = 7.01 g | |
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--------------------------|------------------------------------|---------------------|-----------------|----------------|------------------------|--------------------|----------------------|---------------------------|
| Jar | | | | | Concentrate | Suver Haze - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013293 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Suver Haze - FECO Primary |
| Lab Sample ID | | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# |
| 19COM21-13 | | Suver Haze - FECO-1 | | A2 | | 0.58 | 0.58 | 1A4010300014ADD000013316 |
| 19COM21-13 | | Suver Haze - FECO-1 | | A3 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013316 |
| 19COM21-13 | | Suver Haze - FECO-1 | | A4 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013316 |
| 19COM21-13 | | Suver Haze - FECO-1 | | A4 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013316 |
| 19COM21-13 | | Suver Haze - FECO-1 | | A4 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013316 |
| 19COM21-13 | | Suver Haze - FECO-1 | | A4 | 2.9 | 3.67 | 0.77 | 1A4010300014ADD000013316 |

| METRC Batch ID | | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
|---------------------------------|--|---------------------|--------------|-------------------|-----------------------------|-------------------|-----------------------------------|------------------------------|-----------------------------|
| 1A4010300014ADD000013293 | | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Suver Haze - FECO Duplicate |
| Lab Sample ID | | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-14 | | Suver Haze - FECO-1 | | A1 | | 0.58 | 0.58 | 1A4010300014ADD000013316 | |
| 19COM21-14 | | Suver Haze - FECO-1 | | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013316 | |
| 19COM21-14 | | Suver Haze - FECO-1 | | A1 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013316 | |
| 19COM21-14 | | Suver Haze - FECO-1 | | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013316 | |
| 19COM21-14 | | Suver Haze - FECO-1 | | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013316 | |
| 19COM21-14 | | Suver Haze - FECO-1 | | A4 | 2.9 | 3.58 | 0.68 | 1A4010300014ADD000013316 | |
| Totals: | | 6 | | 6 | Total Duplicate Mass = 3.58 | | Primary + Duplicate Mass = 7.25 g | | |
| Observations and Abnormalities: | | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |

| Container Type | METRC Harvest/Processing Lot ID #: | | | | | Product Type | Client Sample Name | Product Date | Batch Size (g) |
|--------------------------|------------------------------------|---------------------|-----------------|----------------|------------------------|-------------------|----------------------|---------------------------|----------------|
| Jar | | | | | | Concentrate | Blue Dream - FECO | | 1399 |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name | |
| 1A4010300014ADD000013306 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Blue Dream - FECO Primary | |
| Lab Sample ID | | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# | |
| 19COM21-15 | | Blue Dream - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013308 | |
| 19COM21-15 | | Blue Dream - FECO-1 | | A2 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013308 | |
| 19COM21-15 | | Blue Dream - FECO-1 | | A3 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013308 | |

| | | | | | | | | |
|---------------------------------|---------------------|---------------------|-------------------|-----------------------------|------------------------|-----------------------------------|------------------------------|-----------------------------|
| 19COM21-15 | Blue Dream - FECO-1 | A3 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013308 | | |
| 19COM21-15 | Blue Dream - FECO-1 | A3 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013308 | | |
| 19COM21-15 | Blue Dream - FECO-1 | A4 | 2.9 | 3.5 | 0.6 | 1A4010300014ADD000013308 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Totals: | | 6 | 6 | Total Primary Mass = 3.5 | | Primary + Duplicate Mass = 7.08 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |
| | | | | | | | | |
| METRC Batch ID | Product Temp (°C) | Humidity (%) | # of Containers | Sampling Media | # Zones | # of Inc. | 1° Sample (g) | Sample Name |
| 1A4010300014ADD000013306 | 63.3 | 43.1 | 1 | Vial | 4 | 6 | 0.583333333 | Blue Dream - FECO Duplicate |
| Lab Sample ID | | Container ID | | Increment Zone | Sampling Media Wt. (g) | Wt. Inc+Media (g) | Increment Weight (g) | Sample METRC ID# |
| 19COM21-16 | | Blue Dream - FECO-1 | | A1 | 0 | 0.58 | 0.58 | 1A4010300014ADD000013308 |
| 19COM21-16 | | Blue Dream - FECO-1 | | A1 | 0.58 | 1.16 | 0.58 | 1A4010300014ADD000013308 |
| 19COM21-16 | | Blue Dream - FECO-1 | | A1 | 1.16 | 1.74 | 0.58 | 1A4010300014ADD000013308 |
| 19COM21-16 | | Blue Dream - FECO-1 | | A2 | 1.74 | 2.32 | 0.58 | 1A4010300014ADD000013308 |
| 19COM21-16 | | Blue Dream - FECO-1 | | A2 | 2.32 | 2.9 | 0.58 | 1A4010300014ADD000013308 |
| 19COM21-16 | | Blue Dream - FECO-1 | | A3 | 2.9 | 3.58 | 0.68 | 1A4010300014ADD000013308 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Totals: | | 6 | 6 | Total Duplicate Mass = 3.58 | | Primary + Duplicate Mass = 7.08 g | | |
| Observations and Abnormalities: | Batch # | Equipment | Cont. Types/Sizes | Uniform | Plant Colors | Shape and Size | Sampling Plan ID & Rev. Date | |
| | | | | | | | | |
| | | | | | | | | |

CHAIN OF CUSTODY

SC Laboratories Oregon LLC
 15865 SW 74th Avenue, Ste 110
 Tigard OR, 97224
 (503) 272-8830
 ORELAP ID # 4133
www.sclabs.com

| | | | | |
|------------------------|-------------------|---------------------|-------------------|----------------------|
| Client | OM Ext | COC # | 1/2 | 19C0104 |
| Address Where Sampled | 500 Industrial wy | Work Order # | 19COM2 | |
| Date Sampled | 3/21/2019 | Received By | SM | |
| OLCC License # | 10051970949 | Received Date | 3/21/19 | |
| OLCC License Type | Processor | Courier | Joel Scott | Sample Type Legend |
| Email | | Name of Sampler | Joel | U - Usable Marijuana |
| Phone | | Transfer Manifest # | 1393707 | C - Concentrate |
| Sampler OLCC License # | 010-1004748743D | Place where Sampled | 500 Industrial wy | P - Product |
| | | | | O - Other |



| Sample Name | Time | METRC Label | Unique Batch Number | SC Labs LIMIS ID | Sample Type | Total Sample Mass | # of Increments | TESTS REQUESTED | | | | | Sample Specific Notes |
|------------------------------------|------|--------------------------|--------------------------|------------------|-------------|-------------------|-----------------|-----------------|----------------|------------------|-----------|------------------|-----------------------|
| | | | | | | | | Potency | Water Activity | Moisture Content | Pesticide | Residual Solvent | |
| Durban Poisin - FECO Primary | 8:45 | 1A4010300014ADD000013313 | Durban Poisin - FECO | 19COM21-01 | C | 3.5 | 6 | X | X | X | X | X | 19C004-01 |
| Durban Poisin - FECO Duplicate | 8:46 | 1A4010300014ADD000013313 | Durban Poisin - FECO | 19COM21-02 | C | 3.5 | 6 | X | X | X | X | X | 19C0104-02 |
| Sour Tangle - FECO Primary | 8:46 | 1A4010300014ADD000013311 | Sour Tangle - FECO | 19COM21-03 | C | 3.5 | 6 | X | X | X | X | X | 19C0104-03 |
| Sour Tangle - FECO Duplicate | 8:46 | 1A4010300014ADD000013311 | Sour Tangle - FECO | 19COM21-04 | C | 3.55 | 6 | X | X | X | X | X | 19C0104-04 |
| Cindy 99 - FECO Primary | 8:46 | 1A4010300014ADD000013310 | Cindy 99 - FECO | 19COM21-05 | C | 3.53 | 6 | X | X | X | X | X | 19C0104-05 |
| Cindy 99 - FECO Duplicate | 9:01 | 1A4010300014ADD000013310 | Cindy 99 - FECO | 19COM21-06 | C | 3.55 | 6 | X | X | X | X | X | 19C0104-06 |
| Blue City Diesel - FECO Primary | 8:54 | 1A4010300014ADD000013309 | Blue City Diesel - FECO | 19COM21-07 | C | 3.53 | 6 | X | X | X | X | X | 19C0104-07 |
| Blue City Diesel - FECO Duplicate | 8:54 | 1A4010300014ADD000013309 | Blue City Diesel - FECO | 19COM21-08 | C | 3.51 | 6 | X | X | X | X | X | 19C0104-08 |
| Nine Pound Hammer - FECO Primary | 9:08 | 1A4010300014ADD000013315 | Nine Pound Hammer - FECO | 19COM21-09 | C | 3.5 | 6 | X | X | X | X | X | 19C0104-09 |
| Nine Pound Hammer - FECO Duplicate | 9:09 | 1A4010300014ADD000013315 | Nine Pound Hammer - FECO | 19COM21-10 | C | 3.65 | 6 | X | X | X | X | X | 19C0104-10 |
| Sour Diesel - FECO Primary | 9:26 | 1A4010300014ADD000013312 | Sour Diesel - FECO | 19COM21-11 | C | 3.52 | 6 | X | X | X | X | X | 19C0104-11 |
| Sour Diesel - FECO Duplicate | 9:29 | 1A4010300014ADD000013312 | Sour Diesel - FECO | 19COM21-12 | C | 3.49 | 6 | X | X | X | X | X | 19C0104-12 |

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes No

| Samples Relinquished | Samples Received |
|--|--|
| Print Name: <u>Joel Scott</u> Date: <u>3/21/19</u> Representative of: <u>SC Labs</u> Signature: <u>[Signature]</u> Time: <u>10:05 AM</u> | Print Name: <u>Joel Scott</u> Date: <u>3/21</u> Representative of: <u>SC</u> Signature: <u>[Signature]</u> Time: <u>2:30</u> |

CHAIN OF CUSTODY

SC Laboratories Oregon LLC
 15865 SW 74th Avenue, Ste 110
 Tigard OR, 97224
 (503) 272-8830
 ORELAP ID # 4133
www.sclabs.com

Client
 Address: 500 Industrial wy
 Date Sampled: 3/21/2019
 OLCC License #: 10051970949
 OLCC License Type: Processor
 Email: Joel Scott
 Phone: 139 3707
 Sampler OLCC License #: 010-1004748743D

OM Ext
 500 Industrial wy
 3/21/2019
 10051970949
 Processor
 Name of Sampler: Joel
 Transfer Manifest #: 139 3707
 Place where Sampled: 500 Industrial wy

COC #
 Work Order #: 19C0104
 Received By: [Signature]
 Received Date: 3/21/19
 Courier: Joel Scott



Sample Type Legend
 U - Usable Marijuana
 C - Concentrate
 P - Product
 O - Other

| Sample Name | Time | METRC Label | Unique Batch Number | SC Labs LIMS ID | Sample Type | Total Sample Mass | TESTS REQUESTED | | | | | | Sample Specific Notes | | |
|-----------------------------|------|--------------------------|---------------------|-----------------|-------------|-------------------|-----------------|---------|----------------|------------------|-----------|------------------|-----------------------|---------|------------|
| | | | | | | | # of Increments | Potency | Water Activity | Moisture Content | Pesticide | Residual Solvent | | Terpene | |
| Suver Haze - FECO Primary | 9:32 | 1A4010300014ADD000013316 | Suver Haze - FECO | 19COM21-13 | C | 3.67 | 6 | X | | | | X | X | X | 19C0104-13 |
| Suver Haze - FECO Duplicate | 9:36 | 1A4010300014ADD000013316 | Suver Haze - FECO | 19COM21-14 | C | 3.58 | 6 | X | | | | X | X | X | 19C0104-14 |
| Blue Dream - FECO Primary | 8:47 | 1A4010300014ADD000013308 | Blue Dream - FECO | 19COM21-15 | C | 3.5 | 6 | X | | | | X | X | X | 19C0104-15 |
| Blue Dream - FECO Duplicate | 8:50 | 1A4010300014ADD000013308 | Blue Dream - FECO | 19COM21-16 | C | 3.58 | 6 | X | | | | X | X | X | 19C0104-16 |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes No

| | | | |
|--|---|---|---|
| Samples Relinquished Print Name: [Signature] Date: 3/21/19 Representative of: OM Extracts, LLC Signature: [Signature] Time: 10:05 AM | Samples Relinquished Print Name: [Signature] Date: 3/21/19 Representative of: [Signature] Signature: [Signature] Time: 10:05 AM | Samples Received Print Name: [Signature] Date: 3/21/19 Representative of: [Signature] Signature: [Signature] Time: 10:05 AM | Samples Received Print Name: [Signature] Date: 3/21/19 Representative of: [Signature] Signature: [Signature] Time: 2:30 |
|--|---|---|---|