

Sample Name: **Lifter FECO Primary**  
 Tested for: **OM Extracts**  
**Compliance Extract**

Laboratory ID: 19B0081-03

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000011480

Lot # NA

Date Sampled: 02/20/19 11:50

Batch RFID: 1A4010300014ADD000011478

Date Accepted: 02/21/19

Batch Size: 1399 (g)




### Potency Analysis

Date Extracted: 02/25/19

Analysis Method/SOP: Potency

Date Analyzed: 02/26/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																
<b>Total THC</b> ((THCA*0.877)+d9)	6.00	60	0.14	 <table border="1"> <tr><td>THC</td><td>4.94</td></tr> <tr><td>THCA</td><td>1.21</td></tr> <tr><td>CBD</td><td>27.19</td></tr> <tr><td>CBDA</td><td>30.87</td></tr> <tr><td>CBG</td><td>0.54</td></tr> <tr><td>CBGA</td><td>0.75</td></tr> <tr><td>CBC</td><td>0.81</td></tr> <tr><td><b>Total:</b></td><td><b>66.29</b></td></tr> </table>	THC	4.94	THCA	1.21	CBD	27.19	CBDA	30.87	CBG	0.54	CBGA	0.75	CBC	0.81	<b>Total:</b>	<b>66.29</b>
THC	4.94																			
THCA	1.21																			
CBD	27.19																			
CBDA	30.87																			
CBG	0.54																			
CBGA	0.75																			
CBC	0.81																			
<b>Total:</b>	<b>66.29</b>																			
<b>Total CBD</b> ((CBDA*0.877)+CBD)	54.26	542.6	0.14																	
d9-THC (d9-Tetrahydrocannabinol)*	4.94	49.4	0.14																	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.18																	
THCA (d9-Tetrahydrocannabinolic Acid)*	1.21	12.1	0.28																	
CBD (Cannabidiol)*	27.19	271.9	0.14																	
CBDA (Cannabidiolic Acid)*	30.87	308.7	0.28																	
CBN (Cannabinol)*	< LOQ	< LOQ	0.14																	
CBG (Cannabigerol)*	0.54	5.4	0.18																	
CBGA (Cannabigerolic Acid)	0.75	7.5	0.18																	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.18																	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.18																	
CBC (Cannabichromene)*	0.81	8.1	0.18																	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.18																	
<b>Total Cannabinoids</b>	<b>66.29</b>	<b>662.9</b>	<b>0.14</b>																	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Lifter FECO Duplicate**  
Tested for: **OM Extracts**  
**Compliance Extract**

Laboratory ID: 19B0081-04

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000011480

Lot # NA

Date Sampled: 02/20/19 11:53

Batch RFID: 1A4010300014ADD000011478

Date Accepted: 02/21/19

Batch Size: 1399 (g)




## Potency Analysis

Date Extracted: 02/25/19

Analysis Method/SOP: Potency

Date Analyzed: 02/26/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																
<b>Total THC</b> ((THCA*0.877)+d9)	5.84	58.4	0.14	 <table border="1"> <tr><td>THC</td><td>4.83</td></tr> <tr><td>THCA</td><td>1.16</td></tr> <tr><td>CBD</td><td>26.37</td></tr> <tr><td>CBDA</td><td>29.73</td></tr> <tr><td>CBG</td><td>0.51</td></tr> <tr><td>CBGA</td><td>0.71</td></tr> <tr><td>CBC</td><td>1.08</td></tr> <tr><td>Total</td><td>64.39</td></tr> </table>	THC	4.83	THCA	1.16	CBD	26.37	CBDA	29.73	CBG	0.51	CBGA	0.71	CBC	1.08	Total	64.39
THC	4.83																			
THCA	1.16																			
CBD	26.37																			
CBDA	29.73																			
CBG	0.51																			
CBGA	0.71																			
CBC	1.08																			
Total	64.39																			
<b>Total CBD</b> ((CBDA*0.877)+CBD)	52.44	524.4	0.14																	
d9-THC (d9-Tetrahydrocannabinol)*	4.83	48.3	0.14																	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.18																	
THCA (d9-Tetrahydrocannabinolic Acid)*	1.16	11.6	0.27																	
CBD (Cannabidiol)*	26.37	263.7	0.14																	
CBDA (Cannabidiolic Acid)*	29.73	297.3	0.27																	
CBN (Cannabinol)*	< LOQ	< LOQ	0.14																	
CBG (Cannabigerol)*	0.51	5.1	0.18																	
CBGA (Cannabigerolic Acid)	0.71	7.1	0.18																	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.18																	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.18																	
CBC (Cannabichromene)*	1.08	10.8	0.18																	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.18																	
<b>Total Cannabinoids</b>	64.39	643.9	0.14																	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Lifter FECO**

Sample Metrc ID: **1A4010300014ADD000011480**

	Primary Result	Duplicate Result	Average	% RPD	Pass/Fail (<20%RPD)
	%	%	%		
<b>Total THC</b> ((THCA*0.877)+d9)	6.00	5.84	5.92	2.7	PASS



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Lifter FECO Primary</b>	Date Sampled: <b>02/20/19 11:50</b>
Tested for: <b>OM Extracts</b>	Date Accepted: <b>02/21/19</b>
<b>Compliance Extract</b>	
Laboratory ID: <b>19B0081-03</b>	Sample Metrc ID: <b>1A4010300014ADD000011480</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300014ADD000011478</b>
Lot # <b>NA</b>	Batch Size: <b>1399 (g)</b>

## Terpene Analysis

Date Extracted: 02/25/19	Analysis Method/SOP: Terpenes				
Date Analyzed: 02/26/19					
Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.318	0.092	Myrcene	1.696	0.092
alpha Phellandrene	< LOQ	0.092	3-Carene	< LOQ	0.092
alpha Terpinene	< LOQ	0.092	Limonene	0.300	0.092
Terpinolene	0.344	0.092	Linalool	0.180	0.092
Fenchol	< LOQ	0.092	Borneol	< LOQ	0.092
Terpineol	< LOQ	0.092	Geraniol	< LOQ	0.092
alpha Humulene	0.508	0.092	beta Caryophyllene	1.227	0.092
Caryophyllene Oxide	< LOQ	0.092	alpha Bisabolol	0.510	0.092
Camphene	< LOQ	0.092	beta Pinene	< LOQ	0.092
Ocimene	0.222	0.092	Sabinene	< LOQ	0.092
Camphor	< LOQ	0.092	Isoborneol	< LOQ	0.092
Menthol	< LOQ	0.092	alpha Cedrene	< LOQ	0.092
Nerolidol	< LOQ	0.092	R-(+)-Pulegone	< LOQ	0.092
Eucalyptol	< LOQ	0.092	p-Cymene	< LOQ	0.092
(-)-Isopulegol	< LOQ	0.092	Geranyl Acetate	< LOQ	0.092
Guaiol	0.259	0.092	Valencene	0.236	0.092
Phytol	0.186	0.092	Citronellol	< LOQ	0.092
gamma-Terpinene	< LOQ	0.092			
<b>Total Terpenes</b>				<b>5.987 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Terpene Analysis is not ORELAP Accredited.



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Lifter FECO Primary**

Date Sampled: **02/20/19 11:50**

Tested for: **OM Extracts**

Date Accepted: **02/21/19 18:11**


**Compliance Extract**

Laboratory ID: **19B0081-03**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000011480**

**Terpene Profile**



*Brian Weigel*  
 Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Lifter FECO Primary** Date Sampled: **02/20/19 11:50**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-03** Sample Metrc ID: **1A4010300014ADD000011480**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011478**  
 Lot # **NA** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 02/25/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 02/26/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.246	Acephate	< LOQ	0.4	0.197
Acequinocyl	< LOQ	2	0.985	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.197	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.197	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.493	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.493
Cypermethrin	< LOQ	1	0.493	Daminozide	< LOQ	1	0.493
DDVP (Dichlorvos)	< LOQ	1	0.493	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.197	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.197
Fipronil	< LOQ	0.4	0.197	Fonicamid	< LOQ	1	0.493
Fludioxonil	< LOQ	0.4	0.197	Hexythiazox	< LOQ	1	0.493
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.197
Kresoxim-methyl	< LOQ	0.4	0.197	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.197	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.246	Oxamyl	< LOQ	1	0.493
Paclobutrazol	< LOQ	0.4	0.197	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.493
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.197
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.493
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.197	Tebuconazole	< LOQ	0.4	0.197
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Lifter FECO Duplicate** Date Sampled: **02/20/19 11:53**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-04** Sample Metrc ID: **1A4010300014ADD000011480**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011478**  
 Lot # **NA** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 02/25/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 02/26/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.247	Acephate	< LOQ	0.4	0.198
Acequinocyl	< LOQ	2	0.989	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.198	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.198	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.494	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.494
Cypermethrin	< LOQ	1	0.494	Daminozide	< LOQ	1	0.494
DDVP (Dichlorvos)	< LOQ	1	0.494	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.198	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.198
Fipronil	< LOQ	0.4	0.198	Fonicamid	< LOQ	1	0.494
Fludioxonil	< LOQ	0.4	0.198	Hexythiazox	< LOQ	1	0.494
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.198
Kresoxim-methyl	< LOQ	0.4	0.198	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.198	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.247	Oxamyl	< LOQ	1	0.494
Paclobutrazol	< LOQ	0.4	0.198	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.494
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.198
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.494
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.198	Tebuconazole	< LOQ	0.4	0.198
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Lifter FECO Primary** Date Sampled: **02/20/19 11:50**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-03** Sample Metric ID: **1A4010300014ADD000011480**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011478**  
 Lot # **NA** Batch Size: **1399 (g)**

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 02/25/19
1,4-Dioxane	< LOQ	380	185	Date Analyzed: 02/26/19
2-Butanol	< LOQ	5000	2440	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	78.0	
2-Propanol (IPA)	< LOQ	5000	2440	
Acetone	< LOQ	5000	2440	
Acetonitrile	< LOQ	400	200	
Benzene	< LOQ	2	0.976	
Butanes	< LOQ	5000	2440	
Cyclohexane	< LOQ	3880	1890	
Dichloromethane (methylene chloride)	< LOQ	600	293	
Ethyl acetate	< LOQ	5000	2440	
Ethyl ether	< LOQ	5000	2440	
Ethylbenzene	< LOQ	2170	1060	
Ethylene glycol	< LOQ	620	302	
Ethylene oxide	< LOQ	50	24.4	
Heptane	< LOQ	5000	2440	
Hexanes	< LOQ	290	141	
Isopropyl acetate	< LOQ	5000	2440	
Isopropylbenzene (cumene)	< LOQ	70	34.1	
Methanol	< LOQ	3000	1460	
Pentanes	< LOQ	5000	2440	
Propane	< LOQ	5000	2440	
Tetrahydrofuran	< LOQ	720	351	
Toluene	< LOQ	890	434	
Xylenes	< LOQ	2170	1060	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Lifter FECO Duplicate** Date Sampled: **02/20/19 11:53**  
 Tested for: **OM Extracts** Date Accepted: **02/21/19**  
**Compliance Extract**

Laboratory ID: **19B0081-04** Sample Metric ID: **1A4010300014ADD000011480**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000011478**  
 Lot # **NA** Batch Size: **1399 (g)**

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 02/25/19
1,4-Dioxane	< LOQ	380	184	Date Analyzed: 02/26/19
2-Butanol	< LOQ	5000	2430	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	77.7	
2-Propanol (IPA)	< LOQ	5000	2430	
Acetone	< LOQ	5000	2430	
Acetonitrile	< LOQ	400	199	
Benzene	< LOQ	2	0.971	
Butanes	< LOQ	5000	2430	
Cyclohexane	< LOQ	3880	1880	
Dichloromethane (methylene chloride)	< LOQ	600	291	
Ethyl acetate	< LOQ	5000	2430	
Ethyl ether	< LOQ	5000	2430	
Ethylbenzene	< LOQ	2170	1050	
Ethylene glycol	< LOQ	620	301	
Ethylene oxide	< LOQ	50	24.3	
Heptane	< LOQ	5000	2430	
Hexanes	< LOQ	290	141	
Isopropyl acetate	< LOQ	5000	2430	
Isopropylbenzene (cumene)	< LOQ	70	34.0	
Methanol	< LOQ	3000	1460	
Pentanes	< LOQ	5000	2430	
Propane	< LOQ	5000	2430	
Tetrahydrofuran	< LOQ	720	350	
Toluene	< LOQ	890	432	
Xylenes	< LOQ	2170	1050	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.