

Sample Name: **Suver Haze - FECO Primary**  
 Tested for: **OM Extracts**  
**Compliance Extract**

Laboratory ID: 19C0104-13

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000013316

Lot # 190320-SH FECO

Batch RFID: 1A4010300014ADD000013293

Batch Size: 1399 (g)

License: 10051970949

Date Sampled: 03/21/19 09:32

Date Accepted: 03/21/19




## Potency Analysis

Date Extracted: 03/25/19

Date Analyzed: 03/25/19

Analysis Method/SOP: Potency

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
<b>Total THC</b> ((THCA*0.877)+d9)	2.15	21.5	0.07	 <table border="1"> <tr><td>THC</td><td>1.10</td></tr> <tr><td>THCA</td><td>1.19</td></tr> <tr><td>CBD</td><td>13.21</td></tr> <tr><td>CBDA</td><td>45.81</td></tr> <tr><td>CBG</td><td>0.28</td></tr> <tr><td>CBGA</td><td>0.81</td></tr> <tr><td>CBDV</td><td>0.21</td></tr> <tr><td>CBC</td><td>0.50</td></tr> <tr><td><b>Total:</b></td><td><b>63.11</b></td></tr> </table>	THC	1.10	THCA	1.19	CBD	13.21	CBDA	45.81	CBG	0.28	CBGA	0.81	CBDV	0.21	CBC	0.50	<b>Total:</b>	<b>63.11</b>
THC	1.10																					
THCA	1.19																					
CBD	13.21																					
CBDA	45.81																					
CBG	0.28																					
CBGA	0.81																					
CBDV	0.21																					
CBC	0.50																					
<b>Total:</b>	<b>63.11</b>																					
<b>Total CBD</b> ((CBDA*0.877)+CBD)	53.39	533.9	0.07																			
d9-THC (d9-Tetrahydrocannabinol)*	1.10	11	0.07																			
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.09																			
THCA (d9-Tetrahydrocannabinolic Acid)*	1.19	11.9	0.14																			
CBD (Cannabidiol)*	13.21	132.1	0.07																			
CBDA (Cannabidiolic Acid)*	45.81	458.1	0.14																			
CBN (Cannabinol)*	< LOQ	< LOQ	0.07																			
CBG (Cannabigerol)*	0.28	2.8	0.09																			
CBGA (Cannabigerolic Acid)	0.81	8.1	0.09																			
CBDV (Cannabidivarin)*	0.21	2.1	0.09																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09																			
CBC (Cannabichromene)*	0.50	5	0.09																			
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.09																			
<b>Total Cannabinoids</b>	<b>63.11</b>	<b>631.1</b>	<b>0.07</b>																			

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Duplicate**

Tested for: **OM Extracts  
Compliance Extract**

Laboratory ID: 19C0104-14

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000013316

Lot # 190320-SH FECO

License: 10051970949

Batch RFID: 1A4010300014ADD000013293

Date Sampled: 03/21/19 09:36

Batch Size: 1399 (g)

Date Accepted: 03/21/19




### Potency Analysis

Date Extracted: 03/25/19

Analysis Method/SOP: Potency

Date Analyzed: 03/25/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																				
<b>Total THC</b> ((THCA*0.877)+d9)	2.15	21.5	0.07	 <table border="1"> <tr><td>THC</td><td>1.11</td></tr> <tr><td>THCA</td><td>1.18</td></tr> <tr><td>CBD</td><td>13.28</td></tr> <tr><td>CBDA</td><td>45.72</td></tr> <tr><td>CBG</td><td>0.30</td></tr> <tr><td>CBGA</td><td>0.79</td></tr> <tr><td>CBDV</td><td>0.28</td></tr> <tr><td>CBDVA</td><td>0.21</td></tr> <tr><td>CBC</td><td>0.48</td></tr> <tr><td><b>Total:</b></td><td><b>63.34</b></td></tr> </table>	THC	1.11	THCA	1.18	CBD	13.28	CBDA	45.72	CBG	0.30	CBGA	0.79	CBDV	0.28	CBDVA	0.21	CBC	0.48	<b>Total:</b>	<b>63.34</b>
THC	1.11																							
THCA	1.18																							
CBD	13.28																							
CBDA	45.72																							
CBG	0.30																							
CBGA	0.79																							
CBDV	0.28																							
CBDVA	0.21																							
CBC	0.48																							
<b>Total:</b>	<b>63.34</b>																							
<b>Total CBD</b> ((CBDA*0.877)+CBD)	53.38	533.8	0.07																					
d9-THC (d9-Tetrahydrocannabinol)*	1.11	11.1	0.07																					
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.09																					
THCA (d9-Tetrahydrocannabinolic Acid)*	1.18	11.8	0.14																					
CBD (Cannabidiol)*	13.28	132.8	0.07																					
CBDA (Cannabidiolic Acid)*	45.72	457.2	0.14																					
CBN (Cannabinol)*	< LOQ	< LOQ	0.07																					
CBG (Cannabigerol)*	0.30	3	0.09																					
CBGA (Cannabigerolic Acid)	0.79	7.9	0.09																					
CBDV (Cannabidivarin)*	0.28	2.8	0.09																					
CBDVA (Cannabidivarinic Acid)	0.21	2.1	0.09																					
CBC (Cannabichromene)*	0.48	4.8	0.09																					
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.09																					
<b>Total Cannabinoids</b>	<b>63.34</b>	<b>633.4</b>	<b>0.07</b>																					

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Suver Haze - FECO**

Sample Metrc ID: **1A4010300014ADD000013316**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<20%RPD)
<b>Total THC</b> ((THCA*0.877)+d9)	2.15	2.15	2.15	0	PASS
<b>Total CBD</b> ((CBDA*0.877)+CBD)	53.39	53.38	53.39	0.0187	NA



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

<b>Sample Name:</b> Suver Haze - FECO Primary	<b>License:</b> 10051970949
<b>Tested for:</b> OM Extracts	<b>Date Sampled:</b> 03/21/19 09:32
Compliance Extract	<b>Date Accepted:</b> 03/21/19
<b>Laboratory ID:</b> 19C0104-13	<b>Sample Metrc ID:</b> 1A4010300014ADD000013316
<b>Matrix:</b> Extracts and Concentrates	<b>Batch RFID:</b> 1A4010300014ADD000013293
<b>Lot #</b> 190320-SH FECO	<b>Batch Size:</b> 1399 (g)

### Terpene Analysis

Date Extracted: 03/25/19

Analysis Method/SOP: Terpenes

Date Analyzed: 03/26/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.493	0.092	Myrcene	2.624	0.092
alpha Phellandrene	< LOQ	0.092	3-Carene	< LOQ	0.092
alpha Terpinene	< LOQ	0.092	Limonene	0.381	0.092
Terpinolene	< LOQ	0.092	Linalool	0.288	0.092
Fenchol	0.097	0.092	Borneol	< LOQ	0.092
Terpineol	< LOQ	0.092	Geraniol	< LOQ	0.092
alpha Humulene	0.644	0.092	beta Caryophyllene	1.643	0.092
Caryophyllene Oxide	0.129	0.092	alpha Bisabolol	0.688	0.092
Camphene	< LOQ	0.092	beta Pinene	0.109	0.092
Ocimene	0.335	0.092	Sabinene	< LOQ	0.092
Camphor	< LOQ	0.092	Isoborneol	< LOQ	0.092
Menthol	< LOQ	0.092	alpha Cedrene	< LOQ	0.092
Nerolidol	0.111	0.092	R-(+)-Pulegone	< LOQ	0.092
Eucalyptol	< LOQ	0.092	p-Cymene	< LOQ	0.092
(-)-Isopulegol	< LOQ	0.092	Geranyl Acetate	0.124	0.092
Guaiol	0.467	0.092	Valencene	0.322	0.092
Phytol	0.294	0.092	Citronellol	< LOQ	0.092
gamma-Terpinene	< LOQ	0.092			
<b>Total Terpenes</b>				<b>8.750 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Primary**

License: **10051970949**

Tested for: **OM Extracts**

Date Sampled: **03/21/19 09:32**


**Compliance Extract**

Date Accepted: **03/21/19 17:57**

Laboratory ID: **19C0104-13** Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000013316**

**Terpene Profile**




Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Primary** License: **10051970949**  
 Tested for: **OM Extracts** Date Sampled: **03/21/19 09:32**  
**Compliance Extract** Date Accepted: **03/21/19**

Laboratory ID: **19C0104-13** Sample Metric ID: **1A4010300014ADD000013316**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000013293**  
 Lot # **190320-SH FECO** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 03/25/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 03/27/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.233	Acephate	< LOQ	0.4	0.187
Acequinocyl	< LOQ	2	0.933	Acetamiprid	< LOQ	0.2	0.093
Aldicarb	< LOQ	0.4	0.187	Azoxystrobin	< LOQ	0.2	0.093
Bifenazate	< LOQ	0.2	0.093	Bifenthrin	< LOQ	0.2	0.093
Boscalid	< LOQ	0.4	0.187	Carbaryl	< LOQ	0.2	0.093
Carbofuran	< LOQ	0.2	0.093	Chlorantraniliprole	< LOQ	0.2	0.093
Chlorfenapyr	< LOQ	1	0.467	Chlorpyrifos	< LOQ	0.2	0.093
Clofentezine	< LOQ	0.2	0.093	Cyfluthrin	< LOQ	1	0.467
Cypermethrin	< LOQ	1	0.467	Daminozide	< LOQ	1	0.467
DDVP (Dichlorvos)	< LOQ	1	0.467	Diazinon	< LOQ	0.2	0.093
Dimethoate	< LOQ	0.2	0.093	Ethoprophos	< LOQ	0.2	0.093
Etofenprox	< LOQ	0.4	0.187	Etoxazole	< LOQ	0.2	0.093
Fenoxycarb	< LOQ	0.2	0.093	Fenpyroximate	< LOQ	0.4	0.187
Fipronil	< LOQ	0.4	0.187	Fonicamid	< LOQ	1	0.467
Fludioxonil	< LOQ	0.4	0.187	Hexythiazox	< LOQ	1	0.467
Imazalil	< LOQ	0.2	0.093	Imidacloprid	< LOQ	0.4	0.187
Kresoxim-methyl	< LOQ	0.4	0.187	Malathion	< LOQ	0.2	0.093
Metalaxyl	< LOQ	0.2	0.093	Methiocarb	< LOQ	0.2	0.093
Methomyl	< LOQ	0.4	0.187	Methyl parathion	< LOQ	0.2	0.093
MGK-264	< LOQ	0.2	0.093	Myclobutanil	< LOQ	0.2	0.093
Naled	< LOQ	0.5	0.233	Oxamyl	< LOQ	1	0.467
Paclobutrazol	< LOQ	0.4	0.187	Permethrins (total)	< LOQ	0.2	0.093
Phosmet	< LOQ	0.2	0.093	Piperonyl butoxide	< LOQ	2	0.467
Prallethrin	< LOQ	0.2	0.093	Propiconazole	< LOQ	0.4	0.187
Propoxur	< LOQ	0.2	0.093	Pyrethrins (total)	< LOQ	1	0.467
Pyridaben	< LOQ	0.2	0.093	Spinosad	< LOQ	0.2	0.093
Spiromesifen	< LOQ	0.2	0.093	Spirotetramat	< LOQ	0.2	0.093
Spiroxamine	< LOQ	0.4	0.187	Tebuconazole	< LOQ	0.4	0.187
Thiacloprid	< LOQ	0.2	0.093	Thiamethoxam	< LOQ	0.2	0.093
Trifloxystrobin	< LOQ	0.2	0.093				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Suver Haze - FECO Duplicate** License: **10051970949**  
 Tested for: **OM Extracts** Date Sampled: **03/21/19 09:36**  
**Compliance Extract** Date Accepted: **03/21/19**

Laboratory ID: **19C0104-14** Sample Metric ID: **1A4010300014ADD000013316**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000013293**  
 Lot # **190320-SH FECO** Batch Size: **1399 (g)**

## Pesticide Analysis in ppm

Date Extracted: 03/25/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 03/27/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.244	Acephate	< LOQ	0.4	0.195
Acequinocyl	< LOQ	2	0.975	Acetamiprid	< LOQ	0.2	0.097
Aldicarb	< LOQ	0.4	0.195	Azoxystrobin	< LOQ	0.2	0.097
Bifenazate	< LOQ	0.2	0.097	Bifenthrin	< LOQ	0.2	0.097
Boscalid	< LOQ	0.4	0.195	Carbaryl	< LOQ	0.2	0.097
Carbofuran	< LOQ	0.2	0.097	Chlorantraniliprole	< LOQ	0.2	0.097
Chlorfenapyr	< LOQ	1	0.487	Chlorpyrifos	< LOQ	0.2	0.097
Clofentezine	< LOQ	0.2	0.097	Cyfluthrin	< LOQ	1	0.487
Cypermethrin	< LOQ	1	0.487	Daminozide	< LOQ	1	0.487
DDVP (Dichlorvos)	< LOQ	1	0.487	Diazinon	< LOQ	0.2	0.097
Dimethoate	< LOQ	0.2	0.097	Ethoprophos	< LOQ	0.2	0.097
Etofenprox	< LOQ	0.4	0.195	Etoxazole	< LOQ	0.2	0.097
Fenoxycarb	< LOQ	0.2	0.097	Fenpyroximate	< LOQ	0.4	0.195
Fipronil	< LOQ	0.4	0.195	Fonicamid	< LOQ	1	0.487
Fludioxonil	< LOQ	0.4	0.195	Hexythiazox	< LOQ	1	0.487
Imazalil	< LOQ	0.2	0.097	Imidacloprid	< LOQ	0.4	0.195
Kresoxim-methyl	< LOQ	0.4	0.195	Malathion	< LOQ	0.2	0.097
Metalaxyl	< LOQ	0.2	0.097	Methiocarb	< LOQ	0.2	0.097
Methomyl	< LOQ	0.4	0.195	Methyl parathion	< LOQ	0.2	0.097
MGK-264	< LOQ	0.2	0.097	Myclobutanil	< LOQ	0.2	0.097
Naled	< LOQ	0.5	0.244	Oxamyl	< LOQ	1	0.487
Paclobutrazol	< LOQ	0.4	0.195	Permethrins (total)	< LOQ	0.2	0.097
Phosmet	< LOQ	0.2	0.097	Piperonyl butoxide	< LOQ	2	0.487
Prallethrin	< LOQ	0.2	0.097	Propiconazole	< LOQ	0.4	0.195
Propoxur	< LOQ	0.2	0.097	Pyrethrins (total)	< LOQ	1	0.487
Pyridaben	< LOQ	0.2	0.097	Spinosad	< LOQ	0.2	0.097
Spiromesifen	< LOQ	0.2	0.097	Spirotetramat	< LOQ	0.2	0.097
Spiroxamine	< LOQ	0.4	0.195	Tebuconazole	< LOQ	0.4	0.195
Thiacloprid	< LOQ	0.2	0.097	Thiamethoxam	< LOQ	0.2	0.097
Trifloxystrobin	< LOQ	0.2	0.097				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Suver Haze - FECO Primary</b>	License: <b>10051970949</b>
Tested for: <b>OM Extracts</b>	Date Sampled: <b>03/21/19 09:32</b>
<b>Compliance Extract</b>	Date Accepted: <b>03/21/19</b>
Laboratory ID: <b>19C0104-13</b>	Sample Metric ID: <b>1A4010300014ADD000013316</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300014ADD000013293</b>
Lot # <b>190320-SH FECO</b>	Batch Size: <b>1399 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 03/25/19
1,4-Dioxane	< LOQ	380	180	Date Analyzed: 03/26/19
2-Butanol	< LOQ	5000	2370	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	75.7	
2-Propanol (IPA)	< LOQ	5000	2370	
Acetone	< LOQ	5000	2370	
Acetonitrile	< LOQ	400	194	
Benzene	< LOQ	2	0.947	
Butanes	< LOQ	5000	2370	
Cyclohexane	< LOQ	3880	1840	
Dichloromethane (methylene chloride)	< LOQ	600	284	
Ethyl acetate	< LOQ	5000	2370	
Ethyl ether	< LOQ	5000	2370	
Ethylbenzene	< LOQ	2170	1030	
Ethylene glycol	< LOQ	620	293	
Ethylene oxide	< LOQ	50	23.7	
Heptane	< LOQ	5000	2370	
Hexanes	< LOQ	290	137	
Isopropyl acetate	< LOQ	5000	2370	
Isopropylbenzene (cumene)	< LOQ	70	33.1	
Methanol	< LOQ	3000	1420	
Pentanes	< LOQ	5000	2370	
Propane	< LOQ	5000	2370	
Tetrahydrofuran	< LOQ	720	341	
Toluene	< LOQ	890	421	
Xylenes	< LOQ	2170	1030	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Suver Haze - FECO Duplicate</b>	License: <b>10051970949</b>
Tested for: <b>OM Extracts</b>	Date Sampled: <b>03/21/19 09:36</b>
<b>Compliance Extract</b>	Date Accepted: <b>03/21/19</b>
Laboratory ID: <b>19C0104-14</b>	Sample Metric ID: <b>1A4010300014ADD000013316</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300014ADD000013293</b>
Lot # <b>190320-SH FECO</b>	Batch Size: <b>1399 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 03/25/19
1,4-Dioxane	< LOQ	380	185	Date Analyzed: 03/26/19
2-Butanol	< LOQ	5000	2440	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	78.0	
2-Propanol (IPA)	< LOQ	5000	2440	
Acetone	< LOQ	5000	2440	
Acetonitrile	< LOQ	400	200	
Benzene	< LOQ	2	0.974	
Butanes	< LOQ	5000	2440	
Cyclohexane	< LOQ	3880	1890	
Dichloromethane (methylene chloride)	< LOQ	600	292	
Ethyl acetate	< LOQ	5000	2440	
Ethyl ether	< LOQ	5000	2440	
Ethylbenzene	< LOQ	2170	1060	
Ethylene glycol	< LOQ	620	302	
Ethylene oxide	< LOQ	50	24.4	
Heptane	< LOQ	5000	2440	
Hexanes	< LOQ	290	141	
Isopropyl acetate	< LOQ	5000	2440	
Isopropylbenzene (cumene)	< LOQ	70	34.1	
Methanol	< LOQ	3000	1460	
Pentanes	< LOQ	5000	2440	
Propane	< LOQ	5000	2440	
Tetrahydrofuran	< LOQ	720	351	
Toluene	< LOQ	890	434	
Xylenes	< LOQ	2170	1060	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.