

Sample Name: **Electra Vape Primary**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19G0150-09

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000016266

Lot # 190722-Elektra Vape

Batch RFID: 1A4010300014ADD000016222

Batch Size: 1226 (g)

License: 10051970949

Date Sampled: 07/23/19 09:45

Date Accepted: 07/23/19




Potency Analysis

Date Extracted: 07/29/19

Date Analyzed: 07/29/19

Analysis Method/SOP: Potency

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	6.41	64.1	0.08	
Total CBD ((CBDA*0.877)+CBD)	59.89	598.9	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	6.41	64.1	0.08	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.11	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.17	
CBD (Cannabidiol)*	54.32	543.2	0.08	
CBDA (Cannabidiolic Acid)*	6.34	63.4	0.17	
CBN (Cannabinol)*	0.13	1.3	0.08	
CBG (Cannabigerol)*	1.60	16	0.11	
CBGA (Cannabigerolic Acid)	0.25	2.5	0.11	
CBDV (Cannabidivarin)*	0.19	1.9	0.11	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.11	
CBC (Cannabichromene)*	1.56	15.6	0.11	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.11	
Total Cannabinoids	70.81	708.1	0.08	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra Vape Duplicate**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19G0150-10

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000016266

Lot # 190722-Elektra Vape

License: 10051970949

Batch RFID: 1A4010300014ADD000016222

Date Sampled: 07/23/19 09:45

Batch Size: 1226 (g)

Date Accepted: 07/23/19


Potency Analysis

Date Extracted: 07/29/19

Analysis Method/SOP: Potency

Date Analyzed: 07/29/19

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	6.29	62.9	0.08	
Total CBD ((CBDA*0.877)+CBD)	59.46	594.6	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	6.29	62.9	0.08	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.11	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.17	
CBD (Cannabidiol)*	53.95	539.5	0.08	
CBDA (Cannabidiolic Acid)*	6.29	62.9	0.17	
CBN (Cannabinol)*	0.12	1.2	0.08	
CBG (Cannabigerol)*	1.59	15.9	0.11	
CBGA (Cannabigerolic Acid)	0.25	2.5	0.11	
CBDV (Cannabidivarin)*	0.27	2.7	0.11	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.11	
CBC (Cannabichromene)*	1.54	15.4	0.11	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.11	
Total Cannabinoids	70.31	703.1	0.08	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Electra Vape**

Sample Metrc ID: 1A4010300014ADD000016266

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
Total THC ((THCA*0.877)+d9)	6.41	6.29	6.35	1.89	PASS
Total CBD ((CBDA*0.877)+CBD)	59.89	59.46	59.68	NA	NA



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra Vape Primary	License: 10051970949
Tested for: OM Extracts	Date Sampled: 07/23/19 09:45
Compliance Extract	Date Accepted: 07/23/19
Laboratory ID:	Sample Metrc ID: 1A4010300014ADD000016266
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000016222
Lot # 190722-Elektra Vape	Batch Size: 1226 (g)

Terpene Analysis

Date Extracted: 07/29/19 Analysis Method/SOP: Terpenes
Date Analyzed: 07/29/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	< LOQ	0.101	Myrcene	0.509	0.101
alpha Phellandrene	< LOQ	0.101	3-Carene	< LOQ	0.101
alpha Terpinene	< LOQ	0.101	Limonene	0.195	0.101
Terpinolene	< LOQ	0.101	Linalool	0.164	0.101
Fenchol	< LOQ	0.101	Borneol	< LOQ	0.101
Terpineol	< LOQ	0.101	Geraniol	< LOQ	0.101
alpha Humulene	0.280	0.101	beta Caryophyllene	0.713	0.101
Caryophyllene Oxide	< LOQ	0.101	alpha Bisabolol	0.632	0.101
Camphene	< LOQ	0.101	beta Pinene	< LOQ	0.101
Ocimene	< LOQ	0.101	Sabinene	< LOQ	0.101
Camphor	< LOQ	0.101	Isoborneol	< LOQ	0.101
Menthol	< LOQ	0.101	alpha Cedrene	< LOQ	0.101
Nerolidol	< LOQ	0.101	R-(+)-Pulegone	< LOQ	0.101
Eucalyptol	< LOQ	0.101	p-Cymene	< LOQ	0.101
(-)-Isopulegol	< LOQ	0.101	Geranyl Acetate	< LOQ	0.101
Guaiol	0.418	0.101	Valencene	< LOQ	0.101
Phytol	0.170	0.101	Citronellol	< LOQ	0.101
gamma-Terpinene	< LOQ	0.101			
			Total Terpenes	3.079 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected
Terpene Analysis is not ORELAP Accredited.




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra Vape Primary	License: 10051970949
Tested for: OM Extracts	Date Sampled: 07/23/19 09:45
Compliance Extract	Date Accepted: 07/23/19 17:58
Laboratory ID: 19G0150-09 Matrix: Extracts and	Client/Metric ID: 1A4010300014ADD000016266

Terpene Profile




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra Vape Primary** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **07/23/19 09:45**
Compliance Extract Date Accepted: **07/23/19**

Laboratory ID: **19G0150-09** Sample Metric ID: **1A4010300014ADD000016266**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000016222**
 Lot # **190722-Elektra Vape** Batch Size: **1226 (g)**

Pesticide Analysis in ppm

Date Extracted: 07/29/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 07/30/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.242	Acephate	< LOQ	0.4	0.193
Acequinocyl	< LOQ	2	0.966	Acetamiprid	< LOQ	0.2	0.097
Aldicarb	< LOQ	0.4	0.193	Azoxystrobin	< LOQ	0.2	0.097
Bifenazate	< LOQ	0.2	0.097	Bifenthrin	< LOQ	0.2	0.097
Boscalid	< LOQ	0.4	0.193	Carbaryl	< LOQ	0.2	0.097
Carbofuran	< LOQ	0.2	0.097	Chlorantraniliprole	< LOQ	0.2	0.097
Chlorfenapyr	< LOQ	1	0.483	Chlorpyrifos	< LOQ	0.2	0.097
Clofentezine	< LOQ	0.2	0.097	Cyfluthrin	< LOQ	1	0.483
Cypermethrin	< LOQ	1	0.483	Daminozide	< LOQ	1	0.483
DDVP (Dichlorvos)	< LOQ	1	0.483	Diazinon	< LOQ	0.2	0.097
Dimethoate	< LOQ	0.2	0.097	Ethoprophos	< LOQ	0.2	0.097
Etofenprox	< LOQ	0.4	0.193	Etoxazole	< LOQ	0.2	0.097
Fenoxycarb	< LOQ	0.2	0.097	Fenpyroximate	< LOQ	0.4	0.193
Fipronil	< LOQ	0.4	0.193	Fonicamid	< LOQ	1	0.483
Fludioxonil	< LOQ	0.4	0.193	Hexythiazox	< LOQ	1	0.483
Imazalil	< LOQ	0.2	0.097	Imidacloprid	< LOQ	0.4	0.193
Kresoxim-methyl	< LOQ	0.4	0.193	Malathion	< LOQ	0.2	0.097
Metalaxyl	< LOQ	0.2	0.097	Methiocarb	< LOQ	0.2	0.097
Methomyl	< LOQ	0.4	0.193	Methyl parathion	< LOQ	0.2	0.097
MGK-264	< LOQ	0.2	0.097	Myclobutanil	< LOQ	0.2	0.097
Naled	< LOQ	0.5	0.242	Oxamyl	< LOQ	1	0.483
Paclobutrazol	< LOQ	0.4	0.193	Permethrins (total)	< LOQ	0.2	0.097
Phosmet	< LOQ	0.2	0.097	Piperonyl butoxide	< LOQ	2	0.483
Prallethrin	< LOQ	0.2	0.097	Propiconazole	< LOQ	0.4	0.193
Propoxur	< LOQ	0.2	0.097	Pyrethrins (total)	< LOQ	1	0.483
Pyridaben	< LOQ	0.2	0.097	Spinosad	< LOQ	0.2	0.097
Spiromesifen	< LOQ	0.2	0.097	Spirotetramat	< LOQ	0.2	0.097
Spiroxamine	< LOQ	0.4	0.193	Tebuconazole	< LOQ	0.4	0.193
Thiacloprid	< LOQ	0.2	0.097	Thiamethoxam	< LOQ	0.2	0.097
Trifloxystrobin	< LOQ	0.2	0.097				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra Vape Duplicate** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **07/23/19 09:45**
Compliance Extract Date Accepted: **07/23/19**

Laboratory ID: **19G0150-10** Sample Metrc ID: **1A4010300014ADD000016266**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000016222**
 Lot # **190722-Elektra Vape** Batch Size: **1226 (g)**

Pesticide Analysis in ppm

Date Extracted: 07/29/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 07/30/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.239	Acephate	< LOQ	0.4	0.191
Acequinocyl	< LOQ	2	0.957	Acetamiprid	< LOQ	0.2	0.096
Aldicarb	< LOQ	0.4	0.191	Azoxystrobin	< LOQ	0.2	0.096
Bifenazate	< LOQ	0.2	0.096	Bifenthrin	< LOQ	0.2	0.096
Boscalid	< LOQ	0.4	0.191	Carbaryl	< LOQ	0.2	0.096
Carbofuran	< LOQ	0.2	0.096	Chlorantraniliprole	< LOQ	0.2	0.096
Chlorfenapyr	< LOQ	1	0.478	Chlorpyrifos	< LOQ	0.2	0.096
Clofentezine	< LOQ	0.2	0.096	Cyfluthrin	< LOQ	1	0.478
Cypermethrin	< LOQ	1	0.478	Daminozide	< LOQ	1	0.478
DDVP (Dichlorvos)	< LOQ	1	0.478	Diazinon	< LOQ	0.2	0.096
Dimethoate	< LOQ	0.2	0.096	Ethoprophos	< LOQ	0.2	0.096
Etofenprox	< LOQ	0.4	0.191	Etoxazole	< LOQ	0.2	0.096
Fenoxycarb	< LOQ	0.2	0.096	Fenpyroximate	< LOQ	0.4	0.191
Fipronil	< LOQ	0.4	0.191	Fonicamid	< LOQ	1	0.478
Fludioxonil	< LOQ	0.4	0.191	Hexythiazox	< LOQ	1	0.478
Imazalil	< LOQ	0.2	0.096	Imidacloprid	< LOQ	0.4	0.191
Kresoxim-methyl	< LOQ	0.4	0.191	Malathion	< LOQ	0.2	0.096
Metalaxyl	< LOQ	0.2	0.096	Methiocarb	< LOQ	0.2	0.096
Methomyl	< LOQ	0.4	0.191	Methyl parathion	< LOQ	0.2	0.096
MGK-264	< LOQ	0.2	0.096	Myclobutanil	< LOQ	0.2	0.096
Naled	< LOQ	0.5	0.239	Oxamyl	< LOQ	1	0.478
Paclobutrazol	< LOQ	0.4	0.191	Permethrins (total)	< LOQ	0.2	0.096
Phosmet	< LOQ	0.2	0.096	Piperonyl butoxide	< LOQ	2	0.478
Prallethrin	< LOQ	0.2	0.096	Propiconazole	< LOQ	0.4	0.191
Propoxur	< LOQ	0.2	0.096	Pyrethrins (total)	< LOQ	1	0.478
Pyridaben	< LOQ	0.2	0.096	Spinosad	< LOQ	0.2	0.096
Spiromesifen	< LOQ	0.2	0.096	Spirotetramat	< LOQ	0.2	0.096
Spiroxamine	< LOQ	0.4	0.191	Tebuconazole	< LOQ	0.4	0.191
Thiacloprid	< LOQ	0.2	0.096	Thiamethoxam	< LOQ	0.2	0.096
Trifloxystrobin	< LOQ	0.2	0.096				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra Vape Primary	License: 10051970949
Tested for: OM Extracts	Date Sampled: 07/23/19 09:45
Compliance Extract	Date Accepted: 07/23/19
Laboratory ID: 19G0150-09	Sample Metric ID: 1A4010300014ADD000016266
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000016222
Lot # 190722-Elektra Vape	Batch Size: 1226 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 07/26/19
1,4-Dioxane	< LOQ	380	201	Date Analyzed: 07/27/19
2-Butanol	< LOQ	5000	2650	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	84.7	
2-Propanol (IPA)	< LOQ	5000	2650	
Acetone	< LOQ	5000	2650	
Acetonitrile	< LOQ	400	217	
Benzene	< LOQ	2	1.06	
Butanes	< LOQ	5000	2650	
Cyclohexane	< LOQ	3880	2050	
Dichloromethane (methylene chloride)	< LOQ	600	317	
Ethyl acetate	< LOQ	5000	2650	
Ethyl ether	< LOQ	5000	2650	
Ethylbenzene	< LOQ	2170	1150	
Ethylene glycol	< LOQ	620	328	
Ethylene oxide	< LOQ	50	26.5	
Heptane	< LOQ	5000	2650	
Hexanes	< LOQ	290	153	
Isopropyl acetate	< LOQ	5000	2650	
Isopropylbenzene (cumene)	< LOQ	70	37.0	
Methanol	< LOQ	3000	1590	
Pentanes	< LOQ	5000	2650	
Propane	< LOQ	5000	2650	
Tetrahydrofuran	< LOQ	720	381	
Toluene	< LOQ	890	471	
Xylenes	< LOQ	2170	1150	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra Vape Duplicate	License: 10051970949
Tested for: OM Extracts	Date Sampled: 07/23/19 09:45
Compliance Extract	Date Accepted: 07/23/19
Laboratory ID: 19G0150-10	Sample Metric ID: 1A4010300014ADD000016266
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000016222
Lot # 190722-Elektra Vape	Batch Size: 1226 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	205
2-Butanol	< LOQ	5000	2700
2-Ethoxyethanol	< LOQ	160	86.5
2-Propanol (IPA)	< LOQ	5000	2700
Acetone	< LOQ	5000	2700
Acetonitrile	< LOQ	400	222
Benzene	< LOQ	2	1.08
Butanes	< LOQ	5000	2700
Cyclohexane	< LOQ	3880	2100
Dichloromethane (methylene chloride)	< LOQ	600	324
Ethyl acetate	< LOQ	5000	2700
Ethyl ether	< LOQ	5000	2700
Ethylbenzene	< LOQ	2170	1170
Ethylene glycol	< LOQ	620	335
Ethylene oxide	< LOQ	50	27.0
Heptane	< LOQ	5000	2700
Hexanes	< LOQ	290	157
Isopropyl acetate	< LOQ	5000	2700
Isopropylbenzene (cumene)	< LOQ	70	37.8
Methanol	< LOQ	3000	1620
Pentanes	< LOQ	5000	2700
Propane	< LOQ	5000	2700
Tetrahydrofuran	< LOQ	720	389
Toluene	< LOQ	890	481
Xylenes	< LOQ	2170	1170

Date Extracted: 07/26/19
 Date Analyzed: 07/27/19
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.