

Sample Name: **Electra- FECO Bulk Primary**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19F0089-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000015253

Lot # 190617 Electra FECO

Batch RFID: 1A4010300014ADD000014949

Batch Size: 1399 (g)

License: 10051970949

Date Sampled: 06/17/19 11:36

Date Accepted: 06/18/19




Potency Analysis

Date Extracted: 06/24/19

Date Analyzed: 06/25/19

Analysis Method/SOP: Potency

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																
Total THC ((THCA*0.877)+d9)	4.20	42	0.08	 <table border="1"> <tr><td>THC</td><td>4.20</td></tr> <tr><td>CBD</td><td>40.72</td></tr> <tr><td>CBDA</td><td>15.80</td></tr> <tr><td>CBG</td><td>1.16</td></tr> <tr><td>CBGA</td><td>0.44</td></tr> <tr><td>CBDV</td><td>0.24</td></tr> <tr><td>CBC</td><td>1.17</td></tr> <tr><td>Total</td><td>63.72</td></tr> </table>	THC	4.20	CBD	40.72	CBDA	15.80	CBG	1.16	CBGA	0.44	CBDV	0.24	CBC	1.17	Total	63.72
THC	4.20																			
CBD	40.72																			
CBDA	15.80																			
CBG	1.16																			
CBGA	0.44																			
CBDV	0.24																			
CBC	1.17																			
Total	63.72																			
Total CBD ((CBDA*0.877)+CBD)	54.58	545.8	0.08																	
d9-THC (d9-Tetrahydrocannabinol)*	4.20	42	0.08																	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.10																	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.15																	
CBD (Cannabidiol)*	40.72	407.2	0.08																	
CBDA (Cannabidiolic Acid)*	15.80	158	0.15																	
CBN (Cannabinol)*	< LOQ	< LOQ	0.08																	
CBG (Cannabigerol)*	1.16	11.6	0.10																	
CBGA (Cannabigerolic Acid)	0.44	4.4	0.10																	
CBDV (Cannabidivarin)*	0.24	2.4	0.10																	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.10																	
CBC (Cannabichromene)*	1.17	11.7	0.10																	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.10																	
Total Cannabinoids	63.72	637.2	0.08																	

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra- FECO Bulk Duplicate**
Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19F0089-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000015253

Lot # 190617 Electra FECO

License: 10051970949

Batch RFID: 1A4010300014ADD000014949

Date Sampled: 06/17/19 11:38

Batch Size: 1399 (g)

Date Accepted: 06/18/19




Potency Analysis

Date Extracted: 06/24/19

Analysis Method/SOP: Potency

Date Analyzed: 06/25/19

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																				
Total THC ((THCA*0.877)+d9)	4.10	41	0.07	 <table border="1"> <tr><td>THC</td><td>4.10</td></tr> <tr><td>CBD</td><td>39.50</td></tr> <tr><td>CBDA</td><td>15.29</td></tr> <tr><td>CBN</td><td>0.07</td></tr> <tr><td>CBG</td><td>1.12</td></tr> <tr><td>CBGA</td><td>0.43</td></tr> <tr><td>CBDV</td><td>0.26</td></tr> <tr><td>CBDVA</td><td>0.09</td></tr> <tr><td>CBC</td><td>1.15</td></tr> <tr><td>Total:</td><td>62.01</td></tr> </table>	THC	4.10	CBD	39.50	CBDA	15.29	CBN	0.07	CBG	1.12	CBGA	0.43	CBDV	0.26	CBDVA	0.09	CBC	1.15	Total:	62.01
THC	4.10																							
CBD	39.50																							
CBDA	15.29																							
CBN	0.07																							
CBG	1.12																							
CBGA	0.43																							
CBDV	0.26																							
CBDVA	0.09																							
CBC	1.15																							
Total:	62.01																							
Total CBD ((CBDA*0.877)+CBD)	52.91	529.1	0.07																					
d9-THC (d9-Tetrahydrocannabinol)*	4.10	41	0.07																					
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.09																					
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.14																					
CBD (Cannabidiol)*	39.50	395	0.07																					
CBDA (Cannabidiolic Acid)*	15.29	152.9	0.14																					
CBN (Cannabinol)*	0.07	0.7	0.07																					
CBG (Cannabigerol)*	1.12	11.2	0.09																					
CBGA (Cannabigerolic Acid)	0.43	4.3	0.09																					
CBDV (Cannabidivarin)*	0.26	2.6	0.09																					
CBDVA (Cannabidivarinic Acid)	0.09	0.9	0.09																					
CBC (Cannabichromene)*	1.15	11.5	0.09																					
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.09																					
Total Cannabinoids	61.92	619.2	0.07																					

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Electra- FECO Bulk**

Sample Metrc ID: **1A4010300014ADD000015253**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
Total THC ((THCA*0.877)+d9)	4.20	4.10	4.15	2.41	PASS
Total CBD ((CBDA*0.877)+CBD)	54.58	52.91	53.75	NA	NA


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra- FECO Bulk Primary	License: 10051970949
Tested for: OM Extracts Compliance Extract	Date Sampled: 06/17/19 11:36
Laboratory ID: 19F0089-01	Date Accepted: 06/18/19
Matrix: Extracts and Concentrates	Sample Metric ID: 1A4010300014ADD000015253
Lot # 190617 Electra FECO	Batch RFID: 1A4010300014ADD000014949
	Batch Size: 1399 (g)

Terpene Analysis

Date Extracted: 06/24/19 Analysis Method/SOP: Terpenes
Date Analyzed: 06/24/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	1.158	0.094	Myrcene	2.793	0.094
alpha Phellandrene	< LOQ	0.094	3-Carene	< LOQ	0.094
alpha Terpinene	< LOQ	0.094	Limonene	0.440	0.094
Terpinolene	< LOQ	0.094	Linalool	0.184	0.094
Fenchol	0.104	0.094	Borneol	< LOQ	0.094
Terpineol	0.100	0.094	Geraniol	< LOQ	0.094
alpha Humulene	0.375	0.094	beta Caryophyllene	0.977	0.094
Caryophyllene Oxide	< LOQ	0.094	alpha Bisabolol	0.752	0.094
Camphene	< LOQ	0.094	beta Pinene	< LOQ	0.094
Ocimene	0.156	0.094	Sabinene	< LOQ	0.094
Camphor	< LOQ	0.094	Isoborneol	< LOQ	0.094
Menthol	< LOQ	0.094	alpha Cedrene	< LOQ	0.094
Nerolidol	< LOQ	0.094	R-(+)-Pulegone	< LOQ	0.094
Eucalyptol	< LOQ	0.094	p-Cymene	< LOQ	0.094
(-)-Isopulegol	< LOQ	0.094	Geranyl Acetate	< LOQ	0.094
Guaiol	0.483	0.094	Valencene	< LOQ	0.094
Phytol	0.175	0.094	Citronellol	< LOQ	0.094
gamma-Terpinene	< LOQ	0.094			
			Total Terpenes	7.696 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected
Terpene Analysis is not ORELAP Accredited.


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra- FECO Bulk Primary**

License: **10051970949**

Tested for: **OM Extracts**

Date Sampled: **06/17/19 11:36**

Compliance Extract


Date Accepted: **06/18/19 18:42**

Laboratory ID: **19F0089-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000015253**

Terpene Profile



Breeanna Hamilton
 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra- FECO Bulk Primary** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **06/17/19 11:36**
Compliance Extract Date Accepted: **06/18/19**

Laboratory ID: **19F0089-01** Sample Metric ID: **1A4010300014ADD000015253**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000014949**
 Lot # **190617 Electra FECO** Batch Size: **1399 (g)**

Pesticide Analysis in ppm

Date Extracted: 06/24/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 06/25/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.239	Acephate	< LOQ	0.4	0.191
Acequinocyl	< LOQ	2	0.954	Acetamiprid	< LOQ	0.2	0.095
Aldicarb	< LOQ	0.4	0.191	Azoxystrobin	< LOQ	0.2	0.095
Bifenazate	< LOQ	0.2	0.095	Bifenthrin	< LOQ	0.2	0.095
Boscalid	< LOQ	0.4	0.191	Carbaryl	< LOQ	0.2	0.095
Carbofuran	< LOQ	0.2	0.095	Chlorantraniliprole	< LOQ	0.2	0.095
Chlorfenapyr	< LOQ	1	0.477	Chlorpyrifos	< LOQ	0.2	0.095
Clofentezine	< LOQ	0.2	0.095	Cyfluthrin	< LOQ	1	0.477
Cypermethrin	< LOQ	1	0.477	Daminozide	< LOQ	1	0.477
DDVP (Dichlorvos)	< LOQ	1	0.477	Diazinon	< LOQ	0.2	0.095
Dimethoate	< LOQ	0.2	0.095	Ethoprophos	< LOQ	0.2	0.095
Etofenprox	< LOQ	0.4	0.191	Etoxazole	< LOQ	0.2	0.095
Fenoxycarb	< LOQ	0.2	0.095	Fenpyroximate	< LOQ	0.4	0.191
Fipronil	< LOQ	0.4	0.191	Fonicamid	< LOQ	1	0.477
Fludioxonil	< LOQ	0.4	0.191	Hexythiazox	< LOQ	1	0.477
Imazalil	< LOQ	0.2	0.095	Imidacloprid	< LOQ	0.4	0.191
Kresoxim-methyl	< LOQ	0.4	0.191	Malathion	< LOQ	0.2	0.095
Metalaxyl	< LOQ	0.2	0.095	Methiocarb	< LOQ	0.2	0.095
Methomyl	< LOQ	0.4	0.191	Methyl parathion	< LOQ	0.2	0.095
MGK-264	< LOQ	0.2	0.095	Myclobutanil	< LOQ	0.2	0.095
Naled	< LOQ	0.5	0.239	Oxamyl	< LOQ	1	0.477
Paclobutrazol	< LOQ	0.4	0.191	Permethrins (total)	< LOQ	0.2	0.095
Phosmet	< LOQ	0.2	0.095	Piperonyl butoxide	< LOQ	2	0.477
Prallethrin	< LOQ	0.2	0.095	Propiconazole	< LOQ	0.4	0.191
Propoxur	< LOQ	0.2	0.095	Pyrethrins (total)	< LOQ	1	0.477
Pyridaben	< LOQ	0.2	0.095	Spinosad	< LOQ	0.2	0.095
Spiromesifen	< LOQ	0.2	0.095	Spirotetramat	< LOQ	0.2	0.095
Spiroxamine	< LOQ	0.4	0.191	Tebuconazole	< LOQ	0.4	0.191
Thiacloprid	< LOQ	0.2	0.095	Thiamethoxam	< LOQ	0.2	0.095
Trifloxystrobin	< LOQ	0.2	0.095				

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Electra- FECO Bulk Duplicate** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **06/17/19 11:38**
Compliance Extract Date Accepted: **06/18/19**

Laboratory ID: **19F0089-02** Sample Metric ID: **1A4010300014ADD000015253**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000014949**
 Lot # **190617 Electra FECO** Batch Size: **1399 (g)**

Pesticide Analysis in ppm

Date Extracted: 06/24/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 06/25/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.246	Acephate	< LOQ	0.4	0.197
Acequinocyl	< LOQ	2	0.984	Acetamiprid	< LOQ	0.2	0.098
Aldicarb	< LOQ	0.4	0.197	Azoxystrobin	< LOQ	0.2	0.098
Bifenazate	< LOQ	0.2	0.098	Bifenthrin	< LOQ	0.2	0.098
Boscalid	< LOQ	0.4	0.197	Carbaryl	< LOQ	0.2	0.098
Carbofuran	< LOQ	0.2	0.098	Chlorantraniliprole	< LOQ	0.2	0.098
Chlorfenapyr	< LOQ	1	0.492	Chlorpyrifos	< LOQ	0.2	0.098
Clofentezine	< LOQ	0.2	0.098	Cyfluthrin	< LOQ	1	0.492
Cypermethrin	< LOQ	1	0.492	Daminozide	< LOQ	1	0.492
DDVP (Dichlorvos)	< LOQ	1	0.492	Diazinon	< LOQ	0.2	0.098
Dimethoate	< LOQ	0.2	0.098	Ethoprophos	< LOQ	0.2	0.098
Etofenprox	< LOQ	0.4	0.197	Etoxazole	< LOQ	0.2	0.098
Fenoxycarb	< LOQ	0.2	0.098	Fenpyroximate	< LOQ	0.4	0.197
Fipronil	< LOQ	0.4	0.197	Fonicamid	< LOQ	1	0.492
Fludioxonil	< LOQ	0.4	0.197	Hexythiazox	< LOQ	1	0.492
Imazalil	< LOQ	0.2	0.098	Imidacloprid	< LOQ	0.4	0.197
Kresoxim-methyl	< LOQ	0.4	0.197	Malathion	< LOQ	0.2	0.098
Metalaxyl	< LOQ	0.2	0.098	Methiocarb	< LOQ	0.2	0.098
Methomyl	< LOQ	0.4	0.197	Methyl parathion	< LOQ	0.2	0.098
MGK-264	< LOQ	0.2	0.098	Myclobutanil	< LOQ	0.2	0.098
Naled	< LOQ	0.5	0.246	Oxamyl	< LOQ	1	0.492
Paclobutrazol	< LOQ	0.4	0.197	Permethrins (total)	< LOQ	0.2	0.098
Phosmet	< LOQ	0.2	0.098	Piperonyl butoxide	< LOQ	2	0.492
Prallethrin	< LOQ	0.2	0.098	Propiconazole	< LOQ	0.4	0.197
Propoxur	< LOQ	0.2	0.098	Pyrethrins (total)	< LOQ	1	0.492
Pyridaben	< LOQ	0.2	0.098	Spinosad	< LOQ	0.2	0.098
Spiromesifen	< LOQ	0.2	0.098	Spirotetramat	< LOQ	0.2	0.098
Spiroxamine	< LOQ	0.4	0.197	Tebuconazole	< LOQ	0.4	0.197
Thiacloprid	< LOQ	0.2	0.098	Thiamethoxam	< LOQ	0.2	0.098
Trifloxystrobin	< LOQ	0.2	0.098				

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra- FECO Bulk Primary	License: 10051970949
Tested for: OM Extracts	Date Sampled: 06/17/19 11:36
Compliance Extract	Date Accepted: 06/18/19
Laboratory ID: 19F0089-01	Sample Metric ID: 1A4010300014ADD000015253
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000014949
Lot # 190617 Electra FECO	Batch Size: 1399 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 06/21/19
1,4-Dioxane	< LOQ	380	193	Date Analyzed: 06/22/19
2-Butanol	< LOQ	5000	2540	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	81.4	
2-Propanol (IPA)	< LOQ	5000	2540	
Acetone	< LOQ	5000	2540	
Acetonitrile	< LOQ	400	209	
Benzene	< LOQ	2	1.02	
Butanes	< LOQ	5000	2540	
Cyclohexane	< LOQ	3880	1970	
Dichloromethane (methylene chloride)	< LOQ	600	305	
Ethyl acetate	< LOQ	5000	2540	
Ethyl ether	< LOQ	5000	2540	
Ethylbenzene	< LOQ	2170	1100	
Ethylene glycol	< LOQ	620	316	
Ethylene oxide	< LOQ	50	25.4	
Heptane	< LOQ	5000	2540	
Hexanes	< LOQ	290	148	
Isopropyl acetate	< LOQ	5000	2540	
Isopropylbenzene (cumene)	< LOQ	70	35.6	
Methanol	< LOQ	3000	1530	
Pentanes	< LOQ	5000	2540	
Propane	< LOQ	5000	2540	
Tetrahydrofuran	< LOQ	720	366	
Toluene	< LOQ	890	453	
Xylenes	< LOQ	2170	1100	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Electra- FECO Bulk Duplicate	License: 10051970949
Tested for: OM Extracts	Date Sampled: 06/17/19 11:38
Compliance Extract	Date Accepted: 06/18/19
Laboratory ID: 19F0089-02	Sample Metric ID: 1A4010300014ADD000015253
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000014949
Lot # 190617 Electra FECO	Batch Size: 1399 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 06/21/19
1,4-Dioxane	< LOQ	380	190	Date Analyzed: 06/22/19
2-Butanol	< LOQ	5000	2500	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	79.9	
2-Propanol (IPA)	< LOQ	5000	2500	
Acetone	< LOQ	5000	2500	
Acetonitrile	< LOQ	400	205	
Benzene	< LOQ	2	0.999	
Butanes	< LOQ	5000	2500	
Cyclohexane	< LOQ	3880	1940	
Dichloromethane (methylene chloride)	< LOQ	600	300	
Ethyl acetate	< LOQ	5000	2500	
Ethyl ether	< LOQ	5000	2500	
Ethylbenzene	< LOQ	2170	1080	
Ethylene glycol	< LOQ	620	310	
Ethylene oxide	< LOQ	50	25.0	
Heptane	< LOQ	5000	2500	
Hexanes	< LOQ	290	145	
Isopropyl acetate	< LOQ	5000	2500	
Isopropylbenzene (cumene)	< LOQ	70	35.0	
Methanol	< LOQ	3000	1500	
Pentanes	< LOQ	5000	2500	
Propane	< LOQ	5000	2500	
Tetrahydrofuran	< LOQ	720	360	
Toluene	< LOQ	890	444	
Xylenes	< LOQ	2170	1080	

<LOQ - Results below the Limit of Quantitation - Compound not detected
Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.