

Sample Name: **Mr. Clean FECO Primary**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19G0150-05

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000016264

Lot # 190722-Mr Clean Feco

License: 10051970949

Batch RFID: 1A4010300014ADD000016220

Date Sampled: 07/23/19 09:38

Batch Size: 958 (g)

Date Accepted: 07/23/19



Potency Analysis

Date Extracted: 07/29/19

Analysis Method/SOP: Potency

Date Analyzed: 07/29/19

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
Total THC ((THCA*0.877)+d9)	63.53	635.3	0.08	<table border="1"> <tr><td>THC</td><td>42.73</td></tr> <tr><td>THCA</td><td>23.71</td></tr> <tr><td>CBDA</td><td>0.17</td></tr> <tr><td>CBN</td><td>0.30</td></tr> <tr><td>CBG</td><td>1.63</td></tr> <tr><td>CBGA</td><td>2.96</td></tr> <tr><td>CBC</td><td>0.57</td></tr> <tr><td>THCV</td><td>0.32</td></tr> <tr><td>Total</td><td>72.40</td></tr> </table>	THC	42.73	THCA	23.71	CBDA	0.17	CBN	0.30	CBG	1.63	CBGA	2.96	CBC	0.57	THCV	0.32	Total	72.40
THC	42.73																					
THCA	23.71																					
CBDA	0.17																					
CBN	0.30																					
CBG	1.63																					
CBGA	2.96																					
CBC	0.57																					
THCV	0.32																					
Total	72.40																					
Total CBD ((CBDA*0.877)+CBD)	0.15	1.5	0.08																			
d9-THC (d9-Tetrahydrocannabinol)*	42.73	427.3	0.08																			
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.11																			
THCA (d9-Tetrahydrocannabinolic Acid)*	23.71	237.1	0.16																			
CBD (Cannabidiol)*	< LOQ	< LOQ	0.08																			
CBDA (Cannabidiolic Acid)*	0.17	1.7	0.16																			
CBN (Cannabinol)*	0.30	3	0.08																			
CBG (Cannabigerol)*	1.63	16.3	0.11																			
CBGA (Cannabigerolic Acid)	2.96	29.6	0.11																			
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.11																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.11																			
CBC (Cannabichromene)*	0.57	5.7	0.11																			
THCV (Tetrahydrocannabivarin)	0.32	3.2	0.11																			
Total Cannabinoids	72.40	724	0.08																			

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mr. Clean FECO Duplicate**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 19G0150-06

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000016264

Lot # 190722-Mr Clean Feco

License: 10051970949

Batch RFID: 1A4010300014ADD000016220

Date Sampled: 07/23/19 09:42

Batch Size: 958 (g)

Date Accepted: 07/23/19


Potency Analysis

Date Extracted: 07/29/19

Analysis Method/SOP: Potency

Date Analyzed: 07/29/19

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	63.54	635.4	0.07	
Total CBD ((CBDA*0.877)+CBD)	0.16	1.6	0.07	
d9-THC (d9-Tetrahydrocannabinol)*	42.70	427	0.07	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.10	
THCA (d9-Tetrahydrocannabinolic Acid)*	23.76	237.6	0.14	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.07	
CBDA (Cannabidiolic Acid)*	0.18	1.8	0.14	
CBN (Cannabinol)*	0.30	3	0.07	
CBG (Cannabigerol)*	1.65	16.5	0.10	
CBGA (Cannabigerolic Acid)	2.95	29.5	0.10	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.10	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.10	
CBC (Cannabichromene)*	0.62	6.2	0.10	
THCV (Tetrahydrocannabivarin)	0.30	3	0.10	
Total Cannabinoids	72.46	724.6	0.07	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Mr. Clean FECO**

Sample Metrc ID: 1A4010300014ADD000016264

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
Total THC ((THCA*0.877)+d9)	63.53	63.54	63.54	0.0157	PASS
Total CBD ((CBDA*0.877)+CBD)	0.15	0.16	0.16	NA	NA



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mr. Clean FECO Primary	License: 10051970949
Tested for: OM Extracts Compliance Extract	Date Sampled: 07/23/19 09:38
Laboratory ID:	Date Accepted: 07/23/19
Matrix: Extracts and Concentrates	Sample Metrc ID: 1A4010300014ADD000016264
Lot # 190722-Mr Clean Feco	Batch RFID: 1A4010300014ADD000016220
	Batch Size: 958 (g)

Terpene Analysis

Date Extracted: 07/29/19 Analysis Method/SOP: Terpenes
Date Analyzed: 07/29/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.146	0.100	Myrcene	0.208	0.100
alpha Phellandrene	< LOQ	0.100	3-Carene	< LOQ	0.100
alpha Terpinene	< LOQ	0.100	Limonene	0.481	0.100
Terpinolene	0.802	0.100	Linalool	0.150	0.100
Fenchol	0.107	0.100	Borneol	< LOQ	0.100
Terpineol	0.107	0.100	Geraniol	< LOQ	0.100
alpha Humulene	0.404	0.100	beta Caryophyllene	1.053	0.100
Caryophyllene Oxide	< LOQ	0.100	alpha Bisabolol	0.271	0.100
Camphene	< LOQ	0.100	beta Pinene	< LOQ	0.100
Ocimene	0.109	0.100	Sabinene	< LOQ	0.100
Camphor	< LOQ	0.100	Isoborneol	< LOQ	0.100
Menthol	< LOQ	0.100	alpha Cedrene	< LOQ	0.100
Nerolidol	< LOQ	0.100	R-(+)-Pulegone	< LOQ	0.100
Eucalyptol	< LOQ	0.100	p-Cymene	< LOQ	0.100
(-)-Isopulegol	< LOQ	0.100	Geranyl Acetate	< LOQ	0.100
Guaiol	< LOQ	0.100	Valencene	< LOQ	0.100
Phytol	0.102	0.100	Citronellol	< LOQ	0.100
gamma-Terpinene	< LOQ	0.100			
			Total Terpenes	3.939 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected
Terpene Analysis is not ORELAP Accredited.




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mr. Clean FECO Primary	License: 10051970949
Tested for: OM Extracts	Date Sampled: 07/23/19 09:38
Compliance Extract	Date Accepted: 07/23/19 17:58
Laboratory ID: 19G0150-05 Matrix: Extracts and	Client/Metric ID: 1A4010300014ADD000016264

Terpene Profile




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mr. Clean FECO Primary** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **07/23/19 09:38**
Compliance Extract Date Accepted: **07/23/19**

Laboratory ID: **19G0150-05** Sample Metric ID: **1A4010300014ADD000016264**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000016220**
 Lot # **190722-Mr Clean Feco** Batch Size: **958 (g)**

Pesticide Analysis in ppm

Date Extracted: 07/29/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 07/30/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.239	Acephate	< LOQ	0.4	0.191
Acequinocyl	< LOQ	2	0.957	Acetamiprid	< LOQ	0.2	0.096
Aldicarb	< LOQ	0.4	0.191	Azoxystrobin	< LOQ	0.2	0.096
Bifenazate	< LOQ	0.2	0.096	Bifenthrin	< LOQ	0.2	0.096
Boscalid	< LOQ	0.4	0.191	Carbaryl	< LOQ	0.2	0.096
Carbofuran	< LOQ	0.2	0.096	Chlorantraniliprole	< LOQ	0.2	0.096
Chlorfenapyr	< LOQ	1	0.478	Chlorpyrifos	< LOQ	0.2	0.096
Clofentezine	< LOQ	0.2	0.096	Cyfluthrin	< LOQ	1	0.478
Cypermethrin	< LOQ	1	0.478	Daminozide	< LOQ	1	0.478
DDVP (Dichlorvos)	< LOQ	1	0.478	Diazinon	< LOQ	0.2	0.096
Dimethoate	< LOQ	0.2	0.096	Ethoprophos	< LOQ	0.2	0.096
Etofenprox	< LOQ	0.4	0.191	Etoxazole	< LOQ	0.2	0.096
Fenoxycarb	< LOQ	0.2	0.096	Fenpyroximate	< LOQ	0.4	0.191
Fipronil	< LOQ	0.4	0.191	Fonicamid	< LOQ	1	0.478
Fludioxonil	< LOQ	0.4	0.191	Hexythiazox	< LOQ	1	0.478
Imazalil	< LOQ	0.2	0.096	Imidacloprid	< LOQ	0.4	0.191
Kresoxim-methyl	< LOQ	0.4	0.191	Malathion	< LOQ	0.2	0.096
Metalaxyl	< LOQ	0.2	0.096	Methiocarb	< LOQ	0.2	0.096
Methomyl	< LOQ	0.4	0.191	Methyl parathion	< LOQ	0.2	0.096
MGK-264	< LOQ	0.2	0.096	Myclobutanil	< LOQ	0.2	0.096
Naled	< LOQ	0.5	0.239	Oxamyl	< LOQ	1	0.478
Paclobutrazol	< LOQ	0.4	0.191	Permethrins (total)	< LOQ	0.2	0.096
Phosmet	< LOQ	0.2	0.096	Piperonyl butoxide	< LOQ	2	0.478
Prallethrin	< LOQ	0.2	0.096	Propiconazole	< LOQ	0.4	0.191
Propoxur	< LOQ	0.2	0.096	Pyrethrins (total)	< LOQ	1	0.478
Pyridaben	< LOQ	0.2	0.096	Spinosad	< LOQ	0.2	0.096
Spiromesifen	< LOQ	0.2	0.096	Spirotetramat	< LOQ	0.2	0.096
Spiroxamine	< LOQ	0.4	0.191	Tebuconazole	< LOQ	0.4	0.191
Thiacloprid	< LOQ	0.2	0.096	Thiamethoxam	< LOQ	0.2	0.096
Trifloxystrobin	< LOQ	0.2	0.096				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mr. Clean FECO Duplicate** License: **10051970949**
 Tested for: **OM Extracts** Date Sampled: **07/23/19 09:42**
Compliance Extract Date Accepted: **07/23/19**

Laboratory ID: **19G0150-06** Sample Metric ID: **1A4010300014ADD000016264**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000016220**
 Lot # **190722-Mr Clean Feco** Batch Size: **958 (g)**

Pesticide Analysis in ppm

Date Extracted: 07/29/19 Analysis Method/SOP: Pesticides
 Date Analyzed: 07/30/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.237	Acephate	< LOQ	0.4	0.190
Acequinocyl	< LOQ	2	0.950	Acetamiprid	< LOQ	0.2	0.095
Aldicarb	< LOQ	0.4	0.190	Azoxystrobin	< LOQ	0.2	0.095
Bifenazate	< LOQ	0.2	0.095	Bifenthrin	< LOQ	0.2	0.095
Boscalid	< LOQ	0.4	0.190	Carbaryl	< LOQ	0.2	0.095
Carbofuran	< LOQ	0.2	0.095	Chlorantraniliprole	< LOQ	0.2	0.095
Chlorfenapyr	< LOQ	1	0.475	Chlorpyrifos	< LOQ	0.2	0.095
Clofentezine	< LOQ	0.2	0.095	Cyfluthrin	< LOQ	1	0.475
Cypermethrin	< LOQ	1	0.475	Daminozide	< LOQ	1	0.475
DDVP (Dichlorvos)	< LOQ	1	0.475	Diazinon	< LOQ	0.2	0.095
Dimethoate	< LOQ	0.2	0.095	Ethoprophos	< LOQ	0.2	0.095
Etofenprox	< LOQ	0.4	0.190	Etoxazole	< LOQ	0.2	0.095
Fenoxycarb	< LOQ	0.2	0.095	Fenpyroximate	< LOQ	0.4	0.190
Fipronil	< LOQ	0.4	0.190	Fonicamid	< LOQ	1	0.475
Fludioxonil	< LOQ	0.4	0.190	Hexythiazox	< LOQ	1	0.475
Imazalil	< LOQ	0.2	0.095	Imidacloprid	< LOQ	0.4	0.190
Kresoxim-methyl	< LOQ	0.4	0.190	Malathion	< LOQ	0.2	0.095
Metalaxyl	< LOQ	0.2	0.095	Methiocarb	< LOQ	0.2	0.095
Methomyl	< LOQ	0.4	0.190	Methyl parathion	< LOQ	0.2	0.095
MGK-264	< LOQ	0.2	0.095	Myclobutanil	< LOQ	0.2	0.095
Naled	< LOQ	0.5	0.237	Oxamyl	< LOQ	1	0.475
Paclobutrazol	< LOQ	0.4	0.190	Permethrins (total)	< LOQ	0.2	0.095
Phosmet	< LOQ	0.2	0.095	Piperonyl butoxide	< LOQ	2	0.475
Prallethrin	< LOQ	0.2	0.095	Propiconazole	< LOQ	0.4	0.190
Propoxur	< LOQ	0.2	0.095	Pyrethrins (total)	< LOQ	1	0.475
Pyridaben	< LOQ	0.2	0.095	Spinosad	< LOQ	0.2	0.095
Spiromesifen	< LOQ	0.2	0.095	Spirotetramat	< LOQ	0.2	0.095
Spiroxamine	< LOQ	0.4	0.190	Tebuconazole	< LOQ	0.4	0.190
Thiacloprid	< LOQ	0.2	0.095	Thiamethoxam	< LOQ	0.2	0.095
Trifloxystrobin	< LOQ	0.2	0.095				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mr. Clean FECO Primary	License: 10051970949
Tested for: OM Extracts	Date Sampled: 07/23/19 09:38
Compliance Extract	Date Accepted: 07/23/19
Laboratory ID: 19G0150-05	Sample Metric ID: 1A4010300014ADD000016264
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000016220
Lot # 190722-Mr Clean Feco	Batch Size: 958 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 07/26/19
1,4-Dioxane	< LOQ	380	197	Date Analyzed: 07/26/19
2-Butanol	< LOQ	5000	2590	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	82.9	
2-Propanol (IPA)	< LOQ	5000	2590	
Acetone	< LOQ	5000	2590	
Acetonitrile	< LOQ	400	212	
Benzene	< LOQ	2	1.04	
Butanes	< LOQ	5000	2590	
Cyclohexane	< LOQ	3880	2010	
Dichloromethane (methylene chloride)	< LOQ	600	311	
Ethyl acetate	< LOQ	5000	2590	
Ethyl ether	< LOQ	5000	2590	
Ethylbenzene	< LOQ	2170	1120	
Ethylene glycol	< LOQ	620	321	
Ethylene oxide	< LOQ	50	25.9	
Heptane	< LOQ	5000	2590	
Hexanes	< LOQ	290	150	
Isopropyl acetate	< LOQ	5000	2590	
Isopropylbenzene (cumene)	< LOQ	70	36.3	
Methanol	< LOQ	3000	1550	
Pentanes	< LOQ	5000	2590	
Propane	< LOQ	5000	2590	
Tetrahydrofuran	< LOQ	720	373	
Toluene	< LOQ	890	461	
Xylenes	< LOQ	2170	1120	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted Red #.


 Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mr. Clean FECO Duplicate**
 Tested for: **OM Extracts**
Compliance Extract

License: **10051970949**
 Date Sampled: **07/23/19 09:42**
 Date Accepted: **07/23/19**

Laboratory ID: **19G0150-06**

Sample Metric ID: **1A4010300014ADD000016264**

Matrix: **Extracts and Concentrates**

Batch RFID: **1A4010300014ADD000016220**

Lot # **190722-Mr Clean Feco**

Batch Size: **958 (g)**

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	189
2-Butanol	< LOQ	5000	2490
2-Ethoxyethanol	< LOQ	160	79.7
2-Propanol (IPA)	< LOQ	5000	2490
Acetone	< LOQ	5000	2490
Acetonitrile	< LOQ	400	204
Benzene	< LOQ	2	0.996
Butanes	< LOQ	5000	2490
Cyclohexane	< LOQ	3880	1930
Dichloromethane (methylene chloride)	< LOQ	600	299
Ethyl acetate	< LOQ	5000	2490
Ethyl ether	< LOQ	5000	2490
Ethylbenzene	< LOQ	2170	1080
Ethylene glycol	< LOQ	620	309
Ethylene oxide	< LOQ	50	24.9
Heptane	< LOQ	5000	2490
Hexanes	< LOQ	290	144
Isopropyl acetate	< LOQ	5000	2490
Isopropylbenzene (cumene)	< LOQ	70	34.9
Methanol	< LOQ	3000	1490
Pentanes	< LOQ	5000	2490
Propane	< LOQ	5000	2490
Tetrahydrofuran	< LOQ	720	359
Toluene	< LOQ	890	443
Xylenes	< LOQ	2170	1080

Date Extracted: 07/26/19
 Date Analyzed: 07/26/19
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.