

Sample Name: **OZMA FECO Primary**
Tested for: **OM Extracts**
Compliance Concentrate

Laboratory ID: 18J0092-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000008399

Lot # 181024 OZMA

Date Sampled: 10/25/18 08:53

Batch RFID: 1A4010300014ADD000004993

Date Accepted: 10/25/18

Batch Size: 1500 (g)

Results Valid Until: 10/25/19



Potency Analysis


Date Extracted: 10/29/18

Analysis Method/SOP: Potency

Date Analyzed: 10/29/18

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	18.38	183.8	
Total CBD ((CBDA*0.877)+CBD)	36.68	366.8	
d9-THC (d9-Tetrahydrocannabinol)*	8.65	86.5	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	
THCA (d9-Tetrahydrocannabinolic Acid)*	11.10	111	
CBD (Cannabidiol)*	5.32	53.2	
CBDA (Cannabidiolic Acid)*	35.76	357.6	
CBN (Cannabinol)*	< LOQ	< LOQ	
CBG (Cannabigerol)*	0.44	4.4	
CBGA (Cannabigerolic Acid)	1.13	11.3	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	
CBDVA (Cannabidivarinic Acid)	0.96	9.6	
CBC (Cannabichromene)*	0.59	5.9	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	
Total Cannabinoids	63.93	639.3	



<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **OZMA FECO Duplicate**
 Tested for: **OM Extracts**
Compliance Concentrate

Laboratory ID: 18J0092-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000008399

Lot # 181024 OZMA

Date Sampled: 10/25/18 08:55

Batch RFID: 1A4010300014ADD000004993

Date Accepted: 10/25/18

Batch Size: 1500 (g)

Results Valid Until: 10/25/19




Potency Analysis

Date Extracted: 10/29/18

Analysis Method/SOP: Potency

Date Analyzed: 10/29/18

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	Cannabinoids Profile																				
Total THC ((THCA*0.877)+d9)	17.69	176.9	 <table border="1"> <tr><td>THC</td><td>8.09</td></tr> <tr><td>THCA</td><td>10.94</td></tr> <tr><td>CBD</td><td>5.14</td></tr> <tr><td>CBDA</td><td>35.47</td></tr> <tr><td>CBG</td><td>0.42</td></tr> <tr><td>CBGA</td><td>1.11</td></tr> <tr><td>CBDV</td><td>0.21</td></tr> <tr><td>CBDVA</td><td>0.94</td></tr> <tr><td>CBC</td><td>0.55</td></tr> <tr><td>Total:</td><td>62.89</td></tr> </table>	THC	8.09	THCA	10.94	CBD	5.14	CBDA	35.47	CBG	0.42	CBGA	1.11	CBDV	0.21	CBDVA	0.94	CBC	0.55	Total:	62.89
THC	8.09																						
THCA	10.94																						
CBD	5.14																						
CBDA	35.47																						
CBG	0.42																						
CBGA	1.11																						
CBDV	0.21																						
CBDVA	0.94																						
CBC	0.55																						
Total:	62.89																						
Total CBD ((CBDA*0.877)+CBD)	36.26	362.6																					
d9-THC (d9-Tetrahydrocannabinol)*	8.09	80.9																					
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ																					
THCA (d9-Tetrahydrocannabinolic Acid)*	10.94	109.4																					
CBD (Cannabidiol)*	5.14	51.4																					
CBDA (Cannabidiolic Acid)*	35.47	354.7																					
CBN (Cannabinol)*	< LOQ	< LOQ																					
CBG (Cannabigerol)*	0.42	4.2																					
CBGA (Cannabigerolic Acid)	1.11	11.1																					
CBDV (Cannabidivarin)*	0.21	2.1																					
CBDVA (Cannabidivarinic Acid)	0.94	9.4																					
CBC (Cannabichromene)*	0.55	5.5																					
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ																					
Total Cannabinoids	62.89	628.9																					

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **OZMA FECO**

Sample Metrc ID: 1A4010300014ADD000008399

	Primary Result	Duplicate Result	Average	% RPD	Pass/Fail (<20%RPD)
	%	%	%		
Total THC ((THCA*0.877)+d9)	18.38	17.69	18.04	3.83	PASS


 Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: OZMA FECO Primary	Date Sampled: 10/25/18 08:53
Tested for: OM Extracts	Date Accepted: 10/25/18
Compliance Concentrate	Results Valid Until: 10/25/19
Laboratory ID: 18J0092-01	Sample Metrc ID: 1A4010300014ADD000008399
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000004993
Lot # 181024 OZMA	Batch Size: 1500 (g)

Terpene Analysis

Date Extracted: 10/29/18 Analysis Method/SOP: Terpenes
 Date Analyzed: 10/29/18

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	2.797	0.095	Myrcene	9.482	0.095
alpha Phellandrene	< LOQ	0.095	3-Carene	< LOQ	0.095
alpha Terpinene	< LOQ	0.095	Limonene	0.801	0.095
Terpinolene	< LOQ	0.095	Linalool	0.229	0.095
Fenchol	< LOQ	0.095	Borneol	< LOQ	0.095
Terpineol	< LOQ	0.095	Geraniol	< LOQ	0.095
alpha Humulene	0.520	0.095	beta Caryophyllene	1.686	0.095
Caryophyllene Oxide	0.143	0.095	alpha Bisabolol	0.439	0.095
Camphene	< LOQ	0.095	beta Pinene	0.754	0.095
Ocimene	< LOQ	0.095	Sabinene	< LOQ	0.095
Camphor	< LOQ	0.095	Isoborneol	< LOQ	0.095
Menthol	< LOQ	0.095	alpha Cedrene	< LOQ	0.095
Nerolidol	< LOQ	0.095	R-(+)-Pulegone	< LOQ	0.095
Eucalyptol	< LOQ	0.095	p-Cymene	< LOQ	0.095
(-)-Isopulegol	< LOQ	0.095	Geranyl Acetate	< LOQ	0.095
Guaiol	0.510	0.095	Valencene	0.312	0.095
Phytol	< LOQ	0.095	Citronellol	< LOQ	0.095
gamma-Terpinene	< LOQ	0.095			
Total Terpenes				17.67 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Terpene Analysis is not ORELAP Accredited.




Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: OZMA FECO Primary	Date Sampled: 10/25/18 08:53
Tested for: OM Extracts	Date Accepted: 10/25/18 16:47
Compliance Concentrate	Results Valid Until: 10/25/19
Laboratory ID: 18J0092-01	Matrix: Extracts and
	Client/Metric ID: 1A4010300014ADD000008399

Terpene Profile




Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **OZMA FECO Primary** Date Sampled: **10/25/18 08:53**
 Tested for: **OM Extracts** Date Accepted: **10/25/18**
Compliance Concentrate Results Valid Until: **10/25/19**

Laboratory ID: **18J0092-01** Sample Metrc ID: **1A4010300014ADD000008399**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000004993**
 Lot # **181024 OZMA** Batch Size: **1500 (g)**

Pesticide Analysis in ppm

Date Extracted: 10/29/18 Analysis Method/SOP: Pesticides
 Date Analyzed: 10/30/18 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.239	Acephate	< LOQ	0.4	0.191
Acequinocyl	< LOQ	2	0.956	Acetamiprid	< LOQ	0.2	0.096
Aldicarb	< LOQ	0.4	0.191	Azoxystrobin	< LOQ	0.2	0.096
Bifenazate	< LOQ	0.2	0.096	Bifenthrin	< LOQ	0.2	0.096
Boscalid	< LOQ	0.4	0.191	Carbaryl	< LOQ	0.2	0.096
Carbofuran	< LOQ	0.2	0.096	Chlorantraniliprole	< LOQ	0.2	0.096
Chlorfenapyr	< LOQ	1	0.478	Chlorpyrifos	< LOQ	0.2	0.096
Clofentezine	< LOQ	0.2	0.096	Cyfluthrin	< LOQ	1	0.478
Cypermethrin	< LOQ	1	0.478	Daminozide	< LOQ	1	0.478
DDVP (Dichlorvos)	< LOQ	1	0.478	Diazinon	< LOQ	0.2	0.096
Dimethoate	< LOQ	0.2	0.096	Ethoprophos	< LOQ	0.2	0.096
Etofenprox	< LOQ	0.4	0.191	Etoxazole	< LOQ	0.2	0.096
Fenoxycarb	< LOQ	0.2	0.096	Fenpyroximate	< LOQ	0.4	0.191
Fipronil	< LOQ	0.4	0.191	Fonicamid	< LOQ	1	0.478
Fludioxonil	< LOQ	0.4	0.191	Hexythiazox	< LOQ	1	0.478
Imazalil	< LOQ	0.2	0.096	Imidacloprid	< LOQ	0.4	0.191
Kresoxim-methyl	< LOQ	0.4	0.191	Malathion	< LOQ	0.2	0.096
Metalaxyl	< LOQ	0.2	0.096	Methiocarb	< LOQ	0.2	0.096
Methomyl	< LOQ	0.4	0.191	Methyl parathion	< LOQ	0.2	0.096
MGK-264	< LOQ	0.2	0.096	Myclobutanil	< LOQ	0.2	0.096
Naled	< LOQ	0.5	0.239	Oxamyl	< LOQ	1	0.478
Paclobutrazol	< LOQ	0.4	0.191	Permethrins (total)	< LOQ	0.2	0.096
Phosmet	< LOQ	0.2	0.096	Piperonyl butoxide	< LOQ	2	0.478
Prallethrin	< LOQ	0.2	0.096	Propiconazole	< LOQ	0.4	0.191
Propoxur	< LOQ	0.2	0.096	Pyrethrins (total)	< LOQ	1	0.478
Pyridaben	< LOQ	0.2	0.096	Spinosad	< LOQ	0.2	0.096
Spiromesifen	< LOQ	0.2	0.096	Spirotetramat	< LOQ	0.2	0.096
Spiroxamine	< LOQ	0.4	0.191	Tebuconazole	< LOQ	0.4	0.191
Thiacloprid	< LOQ	0.2	0.096	Thiamethoxam	< LOQ	0.2	0.096
Trifloxystrobin	< LOQ	0.2	0.096				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **OZMA FECO Duplicate** Date Sampled: **10/25/18 08:55**
 Tested for: **OM Extracts** Date Accepted: **10/25/18**
Compliance Concentrate Results Valid Until: **10/25/19**

Laboratory ID: **18J0092-02** Sample Metric ID: **1A4010300014ADD000008399**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000004993**
 Lot # **181024 OZMA** Batch Size: **1500 (g)**

Pesticide Analysis in ppm

Date Extracted: 10/29/18 Analysis Method/SOP: Pesticides
 Date Analyzed: 10/30/18 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.246	Acephate	< LOQ	0.4	0.197
Acequinocyl	< LOQ	2	0.984	Acetamiprid	< LOQ	0.2	0.098
Aldicarb	< LOQ	0.4	0.197	Azoxystrobin	< LOQ	0.2	0.098
Bifenazate	< LOQ	0.2	0.098	Bifenthrin	< LOQ	0.2	0.098
Boscalid	< LOQ	0.4	0.197	Carbaryl	< LOQ	0.2	0.098
Carbofuran	< LOQ	0.2	0.098	Chlorantraniliprole	< LOQ	0.2	0.098
Chlorfenapyr	< LOQ	1	0.492	Chlorpyrifos	< LOQ	0.2	0.098
Clofentezine	< LOQ	0.2	0.098	Cyfluthrin	< LOQ	1	0.492
Cypermethrin	< LOQ	1	0.492	Daminozide	< LOQ	1	0.492
DDVP (Dichlorvos)	< LOQ	1	0.492	Diazinon	< LOQ	0.2	0.098
Dimethoate	< LOQ	0.2	0.098	Ethoprophos	< LOQ	0.2	0.098
Etofenprox	< LOQ	0.4	0.197	Etoxazole	< LOQ	0.2	0.098
Fenoxycarb	< LOQ	0.2	0.098	Fenpyroximate	< LOQ	0.4	0.197
Fipronil	< LOQ	0.4	0.197	Fonicamid	< LOQ	1	0.492
Fludioxonil	< LOQ	0.4	0.197	Hexythiazox	< LOQ	1	0.492
Imazalil	< LOQ	0.2	0.098	Imidacloprid	< LOQ	0.4	0.197
Kresoxim-methyl	< LOQ	0.4	0.197	Malathion	< LOQ	0.2	0.098
Metalaxyl	< LOQ	0.2	0.098	Methiocarb	< LOQ	0.2	0.098
Methomyl	< LOQ	0.4	0.197	Methyl parathion	< LOQ	0.2	0.098
MGK-264	< LOQ	0.2	0.098	Myclobutanil	< LOQ	0.2	0.098
Naled	< LOQ	0.5	0.246	Oxamyl	< LOQ	1	0.492
Paclobutrazol	< LOQ	0.4	0.197	Permethrins (total)	< LOQ	0.2	0.098
Phosmet	< LOQ	0.2	0.098	Piperonyl butoxide	< LOQ	2	0.492
Prallethrin	< LOQ	0.2	0.098	Propiconazole	< LOQ	0.4	0.197
Propoxur	< LOQ	0.2	0.098	Pyrethrins (total)	< LOQ	1	0.492
Pyridaben	< LOQ	0.2	0.098	Spinosad	< LOQ	0.2	0.098
Spiromesifen	< LOQ	0.2	0.098	Spirotetramat	< LOQ	0.2	0.098
Spiroxamine	< LOQ	0.4	0.197	Tebuconazole	< LOQ	0.4	0.197
Thiacloprid	< LOQ	0.2	0.098	Thiamethoxam	< LOQ	0.2	0.098
Trifloxystrobin	< LOQ	0.2	0.098				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: OZMA FECO Primary	Date Sampled: 10/25/18 08:53
Tested for: OM Extracts	Date Accepted: 10/25/18
Compliance Concentrate	Results Valid Until: 10/25/19
Laboratory ID: 18J0092-01	Sample Metric ID: 1A4010300014ADD000008399
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000004993
Lot # 181024 OZMA	Batch Size: 1500 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	71.3
2-Butanol	< LOQ	5000	438
2-Ethoxyethanol	< LOQ	160	30.0
2-Propanol (IPA)	< LOQ	5000	438
Acetone	< LOQ	5000	438
Acetonitrile	< LOQ	400	76.9
Benzene	< LOQ	2	0.750
Butanes	< LOQ	5000	313
Cyclohexane	< LOQ	3880	728
Dichloromethane (methylene chloride)	< LOQ	600	113
Ethyl acetate	< LOQ	5000	438
Ethyl ether	< LOQ	5000	438
Ethylbenzene	< LOQ	2170	406
Ethylene glycol	< LOQ	620	116
Ethylene oxide	< LOQ	50	37.5
Heptane	< LOQ	5000	438
Hexanes	< LOQ	290	54.4
Isopropyl acetate	< LOQ	5000	438
Isopropylbenzene (cumene)	< LOQ	70	13.1
Methanol	< LOQ	3000	313
Pentanes	< LOQ	5000	438
Propane	< LOQ	5000	125
Tetrahydrofuran	< LOQ	720	135
Toluene	< LOQ	890	167
Xylenes	< LOQ	2170	406

Date Extracted: 10/26/18
 Date Analyzed: 10/26/18
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: OZMA FECO Duplicate	Date Sampled: 10/25/18 08:55
Tested for: OM Extracts	Date Accepted: 10/25/18
Compliance Concentrate	Results Valid Until: 10/25/19
Laboratory ID: 18J0092-02	Sample Metric ID: 1A4010300014ADD000008399
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000004993
Lot # 181024 OZMA	Batch Size: 1500 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	71.3
2-Butanol	< LOQ	5000	438
2-Ethoxyethanol	< LOQ	160	30.0
2-Propanol (IPA)	< LOQ	5000	438
Acetone	< LOQ	5000	438
Acetonitrile	< LOQ	400	76.9
Benzene	< LOQ	2	0.750
Butanes	< LOQ	5000	313
Cyclohexane	< LOQ	3880	728
Dichloromethane (methylene chloride)	< LOQ	600	113
Ethyl acetate	< LOQ	5000	438
Ethyl ether	< LOQ	5000	438
Ethylbenzene	< LOQ	2170	406
Ethylene glycol	< LOQ	620	116
Ethylene oxide	< LOQ	50	37.5
Heptane	< LOQ	5000	438
Hexanes	< LOQ	290	54.4
Isopropyl acetate	< LOQ	5000	438
Isopropylbenzene (cumene)	< LOQ	70	13.1
Methanol	< LOQ	3000	313
Pentanes	< LOQ	5000	438
Propane	< LOQ	5000	125
Tetrahydrofuran	< LOQ	720	135
Toluene	< LOQ	890	167
Xylenes	< LOQ	2170	406

Date Extracted: 10/26/18
 Date Analyzed: 10/26/18
 Analysis Method/SOP: RST

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.