

Sample Name: **The White - FECO Primary**
Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 18K0118-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000009313

Lot # NA

Date Sampled: 11/28/18 15:10

Batch RFID: 1A4010300014ADD000009269

Date Accepted: 11/29/18

Batch Size: 2724 (g)

Results Valid Until: 11/28/19




Potency Analysis

Date Extracted: 12/03/18

Analysis Method/SOP: Potency

Date Analyzed: 12/03/18

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	Cannabinoids Profile																
Total THC ((THCA*0.877)+d9)	53.66	536.6	 <table border="1"> <tr><td>THC</td><td>34.09</td></tr> <tr><td>THCA</td><td>22.32</td></tr> <tr><td>CBD</td><td>0.49</td></tr> <tr><td>CBN</td><td>0.63</td></tr> <tr><td>CBG</td><td>0.83</td></tr> <tr><td>CBGA</td><td>1.06</td></tr> <tr><td>CBC</td><td>0.63</td></tr> <tr><td>Total:</td><td>60.05</td></tr> </table>	THC	34.09	THCA	22.32	CBD	0.49	CBN	0.63	CBG	0.83	CBGA	1.06	CBC	0.63	Total:	60.05
THC	34.09																		
THCA	22.32																		
CBD	0.49																		
CBN	0.63																		
CBG	0.83																		
CBGA	1.06																		
CBC	0.63																		
Total:	60.05																		
Total CBD ((CBDA*0.877)+CBD)	0.49	4.9																	
d9-THC (d9-Tetrahydrocannabinol)*	34.09	340.9																	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ																	
THCA (d9-Tetrahydrocannabinolic Acid)*	22.32	223.2																	
CBD (Cannabidiol)*	0.49	4.9																	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ																	
CBN (Cannabinol)*	0.63	6.3																	
CBG (Cannabigerol)*	0.83	8.3																	
CBGA (Cannabigerolic Acid)	1.06	10.6																	
CBDV (Cannabidivarin)*	< LOQ	< LOQ																	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ																	
CBC (Cannabichromene)*	0.63	6.3																	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ																	
Total Cannabinoids	60.05	600.5																	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **The White - FECO Duplicate**
 Tested for: **OM Extracts**
Compliance Extract

Laboratory ID: 18K0118-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300014ADD000009313

Lot # NA

Date Sampled: 11/28/18 15:11

Batch RFID: 1A4010300014ADD000009269

Date Accepted: 11/29/18

Batch Size: 2724 (g)

Results Valid Until: 11/28/19




Potency Analysis

Date Extracted: 12/03/18

Analysis Method/SOP: Potency

Date Analyzed: 12/03/18

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	52.90	529	
Total CBD ((CBDA*0.877)+CBD)	0.58	5.8	
d9-THC (d9-Tetrahydrocannabinol)*	33.61	336.1	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	
THCA (d9-Tetrahydrocannabinolic Acid)*	22.00	220	
CBD (Cannabidiol)*	0.58	5.8	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	
CBN (Cannabinol)*	0.56	5.6	
CBG (Cannabigerol)*	0.81	8.1	
CBGA (Cannabigerolic Acid)	1.04	10.4	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	
CBC (Cannabichromene)*	0.63	6.3	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	
Total Cannabinoids	59.24	592.4	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **The White - FECO**

Sample Metrc ID: 1A4010300014ADD000009313

	Primary Result	Duplicate Result	Average	% RPD	Pass/Fail (<20%RPD)
	%	%	%		
Total THC ((THCA*0.877)+d9)	53.66	52.90	53.28	1.43	PASS


 Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: The White - FECO Primary	Date Sampled: 11/28/18 15:10
Tested for: OM Extracts	Date Accepted: 11/29/18
Compliance Extract	Results Valid Until: 11/28/19
Laboratory ID: 18K0118-01	Sample Metrc ID: 1A4010300014ADD000009313
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000009269
Lot # NA	Batch Size: 2724 (g)

Terpene Analysis

Date Extracted: 12/03/18 Analysis Method/SOP: Terpenes
 Date Analyzed: 12/03/18

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.640	0.097	Myrcene	0.614	0.097
alpha Phellandrene	< LOQ	0.097	3-Carene	< LOQ	0.097
alpha Terpinene	< LOQ	0.097	Limonene	0.362	0.097
Terpinolene	< LOQ	0.097	Linalool	< LOQ	0.097
Fenchol	0.151	0.097	Borneol	< LOQ	0.097
Terpineol	0.139	0.097	Geraniol	< LOQ	0.097
alpha Humulene	1.264	0.097	beta Caryophyllene	4.038	0.097
Caryophyllene Oxide	0.337	0.097	alpha Bisabolol	1.445	0.097
Camphene	< LOQ	0.097	beta Pinene	0.232	0.097
Ocimene	< LOQ	0.097	Sabinene	< LOQ	0.097
Camphor	< LOQ	0.097	Isoborneol	< LOQ	0.097
Menthol	< LOQ	0.097	alpha Cedrene	< LOQ	0.097
Nerolidol	0.166	0.097	R-(+)-Pulegone	< LOQ	0.097
Eucalyptol	< LOQ	0.097	p-Cymene	< LOQ	0.097
(-)-Isopulegol	< LOQ	0.097	Geranyl Acetate	< LOQ	0.097
Guaiol	< LOQ	0.097	Valencene	< LOQ	0.097
Phytol	< LOQ	0.097	Citronellol	< LOQ	0.097
gamma-Terpinene	< LOQ	0.097			
Total Terpenes				9.389 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Terpene Analysis is not ORELAP Accredited.



Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **The White - FECO Prir**

Date Sampled: **11/28/18 15:10**

Tested for: **OM Extracts**

Date Accepted: **11/29/18 19:06**

Compliance Extract


Results Valid Until: **11/28/19**

Laboratory ID: **18K0118-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300014ADD000009313**

Terpene Profile



Brian Weigel
 Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **The White - FECO Primary** Date Sampled: **11/28/18 15:10**
 Tested for: **OM Extracts** Date Accepted: **11/29/18**
Compliance Extract Results Valid Until: **11/28/19**

Laboratory ID: **18K0118-01** Sample Metrc ID: **1A4010300014ADD000009313**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000009269**
 Lot # **NA** Batch Size: **2724 (g)**

Pesticide Analysis in ppm

Date Extracted: 12/03/18 Analysis Method/SOP: Pesticides
 Date Analyzed: 12/05/18 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.247	Acephate	< LOQ	0.4	0.198
Acequinocyl	< LOQ	2	0.989	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.198	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.198	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.494	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.494
Cypermethrin	< LOQ	1	0.494	Daminozide	< LOQ	1	0.494
DDVP (Dichlorvos)	< LOQ	1	0.494	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.198	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.198
Fipronil	< LOQ	0.4	0.198	Fonicamid	< LOQ	1	0.494
Fludioxonil	< LOQ	0.4	0.198	Hexythiazox	< LOQ	1	0.494
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.198
Kresoxim-methyl	< LOQ	0.4	0.198	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.198	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.247	Oxamyl	< LOQ	1	0.494
Paclobutrazol	< LOQ	0.4	0.198	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.494
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.198
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.494
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.198	Tebuconazole	< LOQ	0.4	0.198
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **The White - FECO Duplicate** Date Sampled: **11/28/18 15:11**
 Tested for: **OM Extracts** Date Accepted: **11/29/18**
Compliance Extract Results Valid Until: **11/28/19**

Laboratory ID: **18K0118-02** Sample Metric ID: **1A4010300014ADD000009313**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300014ADD000009269**
 Lot # **NA** Batch Size: **2724 (g)**

Pesticide Analysis in ppm

Date Extracted: 12/03/18 Analysis Method/SOP: Pesticides
 Date Analyzed: 12/05/18 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.250	Acephate	< LOQ	0.4	0.200
Acequinocyl	< LOQ	2	0.999	Acetamiprid	< LOQ	0.2	0.100
Aldicarb	< LOQ	0.4	0.200	Azoxystrobin	< LOQ	0.2	0.100
Bifenazate	< LOQ	0.2	0.100	Bifenthrin	< LOQ	0.2	0.100
Boscalid	< LOQ	0.4	0.200	Carbaryl	< LOQ	0.2	0.100
Carbofuran	< LOQ	0.2	0.100	Chlorantraniliprole	< LOQ	0.2	0.100
Chlorfenapyr	< LOQ	1	0.500	Chlorpyrifos	< LOQ	0.2	0.100
Clofentezine	< LOQ	0.2	0.100	Cyfluthrin	< LOQ	1	0.500
Cypermethrin	< LOQ	1	0.500	Daminozide	< LOQ	1	0.500
DDVP (Dichlorvos)	< LOQ	1	0.500	Diazinon	< LOQ	0.2	0.100
Dimethoate	< LOQ	0.2	0.100	Ethoprophos	< LOQ	0.2	0.100
Etofenprox	< LOQ	0.4	0.200	Etoxazole	< LOQ	0.2	0.100
Fenoxycarb	< LOQ	0.2	0.100	Fenpyroximate	< LOQ	0.4	0.200
Fipronil	< LOQ	0.4	0.200	Fonicamid	< LOQ	1	0.500
Fludioxonil	< LOQ	0.4	0.200	Hexythiazox	< LOQ	1	0.500
Imazalil	< LOQ	0.2	0.100	Imidacloprid	< LOQ	0.4	0.200
Kresoxim-methyl	< LOQ	0.4	0.200	Malathion	< LOQ	0.2	0.100
Metalaxyl	< LOQ	0.2	0.100	Methiocarb	< LOQ	0.2	0.100
Methomyl	< LOQ	0.4	0.200	Methyl parathion	< LOQ	0.2	0.100
MGK-264	< LOQ	0.2	0.100	Myclobutanil	< LOQ	0.2	0.100
Naled	< LOQ	0.5	0.250	Oxamyl	< LOQ	1	0.500
Paclobutrazol	< LOQ	0.4	0.200	Permethrins (total)	< LOQ	0.2	0.100
Phosmet	< LOQ	0.2	0.100	Piperonyl butoxide	< LOQ	2	0.500
Prallethrin	< LOQ	0.2	0.100	Propiconazole	< LOQ	0.4	0.200
Propoxur	< LOQ	0.2	0.100	Pyrethrins (total)	< LOQ	1	0.500
Pyridaben	< LOQ	0.2	0.100	Spinosad	< LOQ	0.2	0.100
Spiromesifen	< LOQ	0.2	0.100	Spirotetramat	< LOQ	0.2	0.100
Spiroxamine	< LOQ	0.4	0.200	Tebuconazole	< LOQ	0.4	0.200
Thiacloprid	< LOQ	0.2	0.100	Thiamethoxam	< LOQ	0.2	0.100
Trifloxystrobin	< LOQ	0.2	0.100				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: The White - FECO Primary	Date Sampled: 11/28/18 15:10
Tested for: OM Extracts	Date Accepted: 11/29/18
Compliance Extract	Results Valid Until: 11/28/19
Laboratory ID: 18K0118-01	Sample Metric ID: 1A4010300014ADD000009313
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000009269
Lot # NA	Batch Size: 2724 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 11/30/18
1,4-Dioxane	< LOQ	380	185	Date Analyzed: 12/03/18
2-Butanol	< LOQ	5000	2440	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	78.0	
2-Propanol (IPA)	< LOQ	5000	2440	
Acetone	< LOQ	5000	2440	
Acetonitrile	< LOQ	400	200	
Benzene	< LOQ	2	0.974	
Butanes	< LOQ	5000	2440	
Cyclohexane	< LOQ	3880	1890	
Dichloromethane (methylene chloride)	< LOQ	600	292	
Ethyl acetate	< LOQ	5000	2440	
Ethyl ether	< LOQ	5000	2440	
Ethylbenzene	< LOQ	2170	1060	
Ethylene glycol	< LOQ	620	302	
Ethylene oxide	< LOQ	50	24.4	
Heptane	< LOQ	5000	2440	
Hexanes	< LOQ	290	141	
Isopropyl acetate	< LOQ	5000	2440	
Isopropylbenzene (cumene)	< LOQ	70	34.1	
Methanol	< LOQ	3000	1460	
Pentanes	< LOQ	5000	2440	
Propane	< LOQ	5000	2440	
Tetrahydrofuran	< LOQ	720	351	
Toluene	< LOQ	890	434	
Xylenes	< LOQ	2170	1060	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: The White - FECO Duplicate	Date Sampled: 11/28/18 15:11
Tested for: OM Extracts	Date Accepted: 11/29/18
Compliance Extract	Results Valid Until: 11/28/19
Laboratory ID: 18K0118-02	Sample Metric ID: 1A4010300014ADD000009313
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300014ADD000009269
Lot # NA	Batch Size: 2724 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 11/30/18
1,4-Dioxane	< LOQ	380	170	Date Analyzed: 12/03/18
2-Butanol	< LOQ	5000	2230	Analysis Method/SOP: RST
2-Ethoxyethanol	< LOQ	160	71.5	
2-Propanol (IPA)	< LOQ	5000	2230	
Acetone	< LOQ	5000	2230	
Acetonitrile	< LOQ	400	183	
Benzene	< LOQ	2	0.894	
Butanes	< LOQ	5000	2230	
Cyclohexane	< LOQ	3880	1730	
Dichloromethane (methylene chloride)	< LOQ	600	268	
Ethyl acetate	< LOQ	5000	2230	
Ethyl ether	< LOQ	5000	2230	
Ethylbenzene	< LOQ	2170	970	
Ethylene glycol	< LOQ	620	277	
Ethylene oxide	< LOQ	50	22.3	
Heptane	< LOQ	5000	2230	
Hexanes	< LOQ	290	130	
Isopropyl acetate	< LOQ	5000	2230	
Isopropylbenzene (cumene)	< LOQ	70	31.3	
Methanol	< LOQ	3000	1340	
Pentanes	< LOQ	5000	2230	
Propane	< LOQ	5000	2230	
Tetrahydrofuran	< LOQ	720	322	
Toluene	< LOQ	890	398	
Xylenes	< LOQ	2170	970	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.